



The XePersian Package

Source documentation for [version 23.1](#)

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/persiantex/xepersian/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2008–2020 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the \LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian Package

Persian for L^AT_EX 2_E, using XeT_EX engine

Source documentation for [version 23.1](#)

Vafa Khalighi*

May 17, 2020

Contents

1 File algorithmic-xepersian.def	2 File algorithm-xepersian.def	16 File book-xepersian.def	5
2 File amsart-xepersian.def	2 File amsbook-xepersian.def	17 File breqn-xepersian.def	6
3 File appendix-xepersian.def		18 File latex-localise-commands-xepersian.def	7
4 File article-xepersian.def		19 File color-localise-xepersian.def	26
5 File artikel1-xepersian.def		20 File xepersian-localise-commands-xepersian.def	26
6 File artikel2-xepersian.def		21 File enumerate-xepersian.def	27
7 File artikel3-xepersian.def		22 File enumitem-xepersian.def	27
8 File backref-xepersian.def		23 File latex-localise-environments-xepersian.def	28
9 File boek3-xepersian.def		24 File xepersian-localise-environments-xepersian.def	29
10 File biditufteidenote-xepersian.def		25 File extarticle-xepersian.def	29
11 File bidimoderncv-xepersian.def		26 File extbook-xepersian.def	29
12 File extrafootnotefeatures-xepersian.def		27 File extreport-xepersian.def	30
13 File bookest-xepersian.def		28 File fancyref-xepersian.def	30
14 File footnote-xepersian.def		29 File footnote-xepersian.def	33

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the L^AT_EX team to maintain the package in the period 2018–2020.

31 File framed-xepersian.def	33	47 File rapport3-xepersian.def	56
32 File glossaries-xepersian.def	34	48 File refrep-xepersian.def	56
33 File hyperref-xepersian.def	34	49 File report-xepersian.def	56
34 File imsproc-xepersian.def	35	50 File scrartcl-xepersian.def	56
35 File kashida-xepersian.def	35	51 File scrbook-xepersian.def	57
36 File listings-xepersian.def	37	52 File scrreprt-xepersian.def	58
37 File loadingorder-xepersian.def	37	53 File soul-xepersian.def	58
38 File localise-xepersian.def	37	54 File tikz.code-xepersian.def	59
39 File memoir-xepersian.def	39	55 File tkz-linknodes-xepersian.def	59
40 File latex-localise-messages-xepersian.def	56	56 File tocloft-xepersian.def	59
41 File minitoc-xepersian.def	40	57 File varioeref-xepersian.def	60
42 File latex-localise-misc-xepersian.def	58	58 File xepersian.sty	61
43 File natbib-xepersian.def	47	59 File xepersian-magazine.cls	91
44 File packages-localise-xepersian.def	50	60 File xepersian-mathsdigtspec.sty	109
45 File persian-tex-text.map	55	61 File xepersian-multiplechoice.sty	115
46 File rapport1-xepersian.def	55	62 File xepersian-persiancal.sty	118

1 File algorithmic-xepersian.def

```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textrm{\bfseries :}\else\textrm{\bfseries {}}\fi}
3 \def\algorithmicensure{\if@RTL\textrm{\bfseries :}\else\textrm{\bfseries {}}\fi}
```

2 File algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\quad Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithname{\if@RTL\quad\ALGS@name\else List of \ALG@name s\fi}
```

3 File amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@tartibi\c@part}
10 \def\appendix{\par\c@section\z@\c@subsection\z@
11   \let\sectionname\appendixname
12   \def\thesection{\@harfi\c@section}}
```



4 File amsbook-xepersian.def

```

14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
16 \renewcommand \thepart {\@tartibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@ \c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22

```

5 File appendix-xepersian.def

```

23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resets@pp}{\par
25   \@ppsavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand{\chapapp}{\appendixname}%
31     \renewcommand{\thechapter}{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand{\thesection}{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }

```

6 File article-xepersian.def

```

38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43   \gdef\thesection{\@harfi\c@section}}

```

7 File artikell1-xepersian.def

```

44 \ProvidesFile{artikell1-xepersian.def}[2010/07/25 v0.1 adaptations for artikell1 class]
45 \renewcommand*\thepart {\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49   \gdef\thesection{\@harfi\c@section}}

```



8 File artikel2-xepersian.def

```
50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55   \gdef\thesection{\@harfi\c@section}}
```

9 File artikel3-xepersian.def

```
56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61   \gdef\thesection{\@harfi\c@section}}
```

10 File backref-xepersian.def

```
62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[{#1}]{#2}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite \string`#2\string'}%
68   \fi
69   \Hy@backout{#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%
80   }%
81 }
```

11 File bidituftesidenote-xepersian.def

```
82 \ProvidesFile{bidituftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to biditufte
83
84 \setLTRcitationfont{\resetlatinfont\footnotesize}
85
86 \renewcommand*{\@bidituftesidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
87
88 \renewcommand*{\@bidituftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
```



89

90

12 File `bidimoderncv-xepersian.def`

```
91 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
92 \def\refname{\if@RTL else\ Publications\fi}
```

13 File `boek3-xepersian.def`

```
93 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
94 \renewcommand*\thepart{\@tartibi\c@part}
95 \renewcommand*\frontmatter{%
96   \cleardoublepage
97   \@mainmatterfalse
98   \pagenumbering{harfi}}
99 \renewcommand*\appendix{\par
100  \setcounter{chapter}{0}%
101  \setcounter{section}{0}%
102  \gdef\@chapapp{\appendixname}%
103  \gdef\thechapter{\@harfi\c@chapter}}
```

14 File `boek-xepersian.def`

```
104 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
105 \renewcommand*\thepart{\@tartibi\c@part}
106 \renewcommand*\frontmatter{%
107   \cleardoublepage
108   \@mainmatterfalse
109   \pagenumbering{harfi}}
110 \renewcommand*\appendix{\par
111  \setcounter{chapter}{0}%
112  \setcounter{section}{0}%
113  \gdef\@chapapp{\appendixname}%
114  \gdef\thechapter{\@harfi\c@chapter}}
```

15 File `bookest-xepersian.def`

```
115 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
116 \renewcommand \thepart {\@tartibi\c@part}
117 \renewcommand\appendix{\par
118  \setcounter{chapter}{0}%
119  \setcounter{section}{0}%
120  \gdef\@chapapp{\appendixname}%
121  \gdef\thechapter{\@harfi\c@chapter}
122 }%end appendix
```

16 File `book-xepersian.def`

```
123 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
```



```

124 \renewcommand\frontmatter{%
125     \cleardoublepage
126     \@mainmatterfalse
127     \pagenumbering{harfi}}
128 \renewcommand \thepart {\@tartibi\c@part}
129 \renewcommand\appendix{\par
130   \setcounter{chapter}{0}%
131   \setcounter{section}{0}%
132   \gdef\@chapapp{\appendixname}%
133   \gdef\thechapter{\@harfi\c@chapter}
134 }%end appendix

```

17 File breqn-xepersian.def

```

135 \ProvidesFile[breqn-xepersian.def][2010/07/25 v0.1 adaptations for breqn package]
136 \def\@dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
137   \everydisplay\expandafter{\the\everydisplay \display@setup}%
138   \if@noskipsec \leavevmode \fi
139   \if@inlabel \leavevmode \global\c@inlabelfalse \fi
140   \if\eq@group\else\eq@prelim\fi
141   \setkeys{breqn}{#1}%
142   \the\eqstyle
143   \eq@setnumber
144   \begingroup
145   \eq@setup@a
146   \eq@startup
147 }
148 \def\@dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
149   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
150   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
151   \global\let\GRP@label\empty
152   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
153   \global\grp@linewidth\z@\global\grp@wdNum\z@
154   \global\let\grp@eqs@numbered\@False
155   \global\let\grp@aligned\@True
156   \global\let\grp@shiftnumber\@False
157   \eq@prelim
158   \setkeys{breqn}{#1}%
159   \if\grp@hasNumber \grp@setnumber \fi
160 }
161 \def\@dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
162   \let\display@setup\dseries@display@setup
163   % Question: should this be the default for dseries???
164   \global\eq@wdCond\z@
165   \odmath[layout={M},#1]%
166   \mathsurround\z@\@@math \penalty\@Mi
167   \let\endmath\ends@math
168   \def\premath{%
169     \ifdim\lastskip<.3em \unskip
170     \else\ifnum\lastpenalty<\@M \dquad\fi\fi

```



```

171 }%
172 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces}%
173 \ignorespaces
174 }

```

18 File `latex-localise-commands-xepersian.def`

```

175 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of L
176 \eqcommand{ }{@carstrut}
177 \eqcommand{ }{@above}
178 \eqcommand{ }{@abovedisplayshortskip}
179 \eqcommand{ }{@abovedisplayskip}
180 \eqcommand{ }{@abstractname}
181 \eqcommand{ }{@accent}
182 \eqcommand{ }{@active}
183 \eqcommand{ }{@addcontentsline}
184 \eqcommand{ }{@addpenalty}
185 \eqcommand{ }{@address}
186 \eqcommand{ }{@addtocontents}
187 \eqcommand{ }{@addtocounter}
188 \eqcommand{ }{@addtolength}
189 \eqcommand{ }{@addvspace}
190 \eqcommand{ }{@adjdemerits}
191 \eqcommand{ }{@advance}
192 \eqcommand{ }{@afterassignment}
193 \eqcommand{ }{@aftergroup}
194 \eqcommand{ }{@aleph}
195 \eqcommand{ }{@aliasfontfeature}
196 \eqcommand{ }{@aliasfontfeatureoption}
197 \eqcommand{ }{@allowbreak}
198 \eqcommand{ @}{@alloc@}
199 \eqcommand{ }{@allocationnumber}
200 \eqcommand{ }{@allowdisplaybreaks}
201 \eqcommand{ }{@Alph}
202 \eqcommand{ }{@alph}
203 \eqcommand{ }{@alsoname}
204 \eqcommand{ }{@and}
205 \eqcommand{ }{@angle}
206 \eqcommand{ }{@appendixname}
207 \eqcommand{ }{@approx}
208 \eqcommand{ }{@arabic}
209 \eqcommand{ }{@arg}
210 \eqcommand{ }{@arrayrulecolor}
211 \eqcommand{ }{@arraycolsep}
212 \eqcommand{ }{@arrayrulewidth}
213 \eqcommand{ }{@arraystretch}
214 \eqcommand{ }{@AtBeginDocument}
215 \eqcommand{ }{@AtEndDocument}
216 \eqcommand{ }{@AtEndOfClass}
217 \eqcommand{ }{@AtEndOfPackage}

```



```

218 \eqcommand{ }{author}
219 \eqcommand{ }{backmatter}
220 \eqcommand{ }{backslash}
221 \eqcommand{ }{badness}
222 \eqcommand{ }{bar}
223 \eqcommand{ }{baselineskip}
224 \eqcommand{ }{baselinestretch}
225 \eqcommand{ }{batchmode}
226 \eqcommand{ }{begin}
227 \eqcommand{ }{beginL}
228 \eqcommand{ }{beginR}
229 \eqcommand{ }{begingroup}
230 \eqcommand{ }{belowdisplayshortskip}
231 \eqcommand{ }{belowdisplayskip}
232 \eqcommand{ }{bf}
233 \eqcommand{ }{bfdefault}
234 \eqcommand{ }{bfseries}
235 \eqcommand{ }{bgroup}
236 \eqcommand{ }{bibitem}
237 \eqcommand{ }{bibliography}
238 \eqcommand{ }{bibliographystyle}
239 \eqcommand{ }{bibname}
240 \eqcommand{ }{bigskip}
241 \eqcommand{ }{bigskipamount}
242 \eqcommand{ }{botfigrule}
243 \eqcommand{ }{botmark}
244 \eqcommand{ }{bottompageskip}
245 \eqcommand{ }{bottomfraction}
246 \eqcommand{ }{box}
247 \eqcommand{ }{boxmaxdepth}
248 \eqcommand{ }{break}
249 \eqcommand{ }{bullet}
250 \eqcommand{ @ }{@cclv}
251 \eqcommand{ @ }{@cclvi}
252 \eqcommand{ }{caption}
253 \eqcommand{ }{catcode}
254 \eqcommand{ }{cc}
255 \eqcommand{ }{ccname}
256 \eqcommand{ }{cdot}
257 \eqcommand{ }{cdots}
258 \eqcommand{ }{centering}
259 \eqcommand{ }{centerline}
260 \eqcommand{ @ }{ch@ck}
261 \eqcommand{ }{chapter}
262 \eqcommand{ }{chaptername}
263 \eqcommand{ }{char}
264 \eqcommand{ }{chardef}
265 \eqcommand{ }{CheckCommand}
266 \eqcommand{ }{cite}
267 \eqcommand{ }{ClassError}

```



```

268 \eqcommand{ }{ClassInfo}
269 \eqcommand{ }{ClassWarning}
270 \eqcommand{ }{ClassWarningNoLine}
271 \eqcommand{ }{cleaders}
272 \eqcommand{ }{cleardoublepage}
273 \eqcommand{ }{clearpage}
274 \eqcommand{ }{cline}
275 \eqcommand{ }{closein}
276 \eqcommand{ }{closeout}
277 \eqcommand{ }{closing}
278 \eqcommand{ }{clubpenalty}
279 \eqcommand{ }{clubsuit}
280 \eqcommand{ }{colbotmark}
281 \eqcommand{ }{colfirstmark}
282 \eqcommand{ }{color}
283 \eqcommand{ }{colorbox}
284 \eqcommand{ }{coltopmark}
285 \eqcommand{ }{columncolor}
286 \eqcommand{ }{columnsep}
287 \eqcommand{ }{columnwidth}
288 \eqcommand{ }{columnseprule}
289 \eqcommand{ }{contentsline}
290 \eqcommand{ }{contentsname}
291 \eqcommand{ }{copy}
292 \eqcommand{ }{copyright}
293 \eqcommand{ }{count}
294 \eqcommand{ @}{count@}
295 \eqcommand{ }{countdef}
296 \eqcommand{ }{cr}
297 \eqcommand{ }{crcr}
298 \eqcommand{ }{csname}
299 \eqcommand{ }{CurrentOption}
300 \eqcommand{ }{dashbox}
301 \eqcommand{ }{dashv}
302 \eqcommand{@ }{@date}
303 \eqcommand{ }{date}
304 \eqcommand{ }{day}
305 \eqcommand{ }{dblbotfigrule}
306 \eqcommand{ }{dblbottomfraction}
307 \eqcommand{ }{dblfigrule}
308 \eqcommand{ }{dblfloatpagefraction}
309 \eqcommand{ }{dblfloatsep}
310 \eqcommand{ }{dblfnntlocatecode}
311 \eqcommand{ }{dbltextfloatsep}
312 \eqcommand{ }{dbltopfraction}
313 \eqcommand{ }{DeclareFixedFont}
314 \eqcommand{ }{DeclareGraphicsExtensions}
315 \eqcommand{ }{DeclareGraphicsRule}
316 \eqcommand{ }{DeclareOldFontCommand}
317 \eqcommand{ }{DeclareOption}

```



```

318 \eqcommand{ }{DeclareRobustCommand}
319 \eqcommand{ }{DeclareSymbolFont}
320 \eqcommand{ }{deadcycles}
321 \eqcommand{ }{def}
322 \eqcommand{ @ }{define@key}
323 \eqcommand{ }{definecolor}
324 \eqcommand{ }{deg}
325 \eqcommand{ }{delcode}
326 \eqcommand{ }{delimiter}
327 \eqcommand{ }{delimiterfactor}
328 \eqcommand{ }{depth}
329 \eqcommand{ }{diamondsuit}
330 \eqcommand{ }{dim}
331 \eqcommand{ }{dimen}
332 \eqcommand{ @}{dimen@}
333 \eqcommand{ @ }{dimen@i}
334 \eqcommand{ @ }{dimen@ii}
335 \eqcommand{ }{dimendef}
336 \eqcommand{ }{discretionary}
337 \eqcommand{ }{displaybreak}
338 \eqcommand{ }{displayindent}
339 \eqcommand{ }{displaystyle}
340 \eqcommand{ }{displaywidth}
341 \eqcommand{ }{divide}
342 \eqcommand{ }{documentclass}
343 \eqcommand{ }{do}
344 \eqcommand{ }{dospecials}
345 \eqcommand{ }{dot}
346 \eqcommand{ }{doteq}
347 \eqcommand{ }{dotfill}
348 \eqcommand{ }{dots}
349 \eqcommand{ }{doublebox}
350 \eqcommand{ }{doublerulesepcolor}
351 \eqcommand{ }{doublerulesep}
352 \eqcommand{ }{downarrow}
353 \eqcommand{ }{dp}
354 \eqcommand{ }{dump}
355 \eqcommand{ }{edef}
356 \eqcommand{ }{egroup}
357 \eqcommand{ }{eject}
358 \eqcommand{ }{else}
359 \eqcommand{ }{em}
360 \eqcommand{ }{emergencystretch}
361 \eqcommand{ }{emph}
362 \eqcommand{@ }{@empty}
363 \eqcommand{ }{empty}
364 \eqcommand{ }{emptyset}
365 \eqcommand{ }{end}
366 \eqcommand{ }{endL}
367 \eqcommand{ }{endR}

```



```

368 \eqcommand{ }{endcsname}
369 \eqcommand{ }{endfirsthead}
370 \eqcommand{ }{endfoot}
371 \eqcommand{ }{endgraf}
372 \eqcommand{ }{endgroup}
373 \eqcommand{ }{endhead}
374 \eqcommand{ }{endinput}
375 \eqcommand{ }{endlastfoot}
376 \eqcommand{ }{enlargethispage}
377 \eqcommand{ }{endline}
378 \eqcommand{ }{endlinechar}
379 \eqcommand{ }{enspace}
380 \eqcommand{ }{enskip}
381 \eqcommand{ }{eqcommand}
382 \eqcommand{ }{eqenvironment}
383 \eqcommand{ }{eqref}
384 \eqcommand{ }{errhelp}
385 \eqcommand{ }{errmessage}
386 \eqcommand{ }{errorcontextlines}
387 \eqcommand{ }{errorstopmode}
388 \eqcommand{ }{escapechar}
389 \eqcommand{ }{euro}
390 \eqcommand{ }{evensidemargin}
391 \eqcommand{ }{everycr}
392 \eqcommand{ }{everydisplay}
393 \eqcommand{ }{everyhbox}
394 \eqcommand{ }{everyjob}
395 \eqcommand{ }{everymath}
396 \eqcommand{ }{everypar}
397 \eqcommand{ }{everyvbox}
398 \eqcommand{ }{ExecuteOptions}
399 \eqcommand{ }{exhyphenpenalty}
400 \eqcommand{ }{expandafter}
401 \eqcommand{ }{extracolsep}
402 \eqcommand{@ }{@firstofone}
403 \eqcommand{@ }{@firstoftwo}
404 \eqcommand{ @ }{f@ur}
405 \eqcommand{ }{fam}
406 \eqcommand{ }{fancypage}
407 \eqcommand{ }{fbox}
408 \eqcommand{ }{fboxrule}
409 \eqcommand{ }{fboxsep}
410 \eqcommand{ }{fcolorbox}
411 \eqcommand{ }{fi}
412 \eqcommand{ }{figurename}
413 \eqcommand{ }{fillbreak}
414 \eqcommand{ }{fill}
415 \eqcommand{ }{firstmark}
416 \eqcommand{ }{flat}
417 \eqcommand{ }{floatpagefraction}

```



```

418 \eqcommand{ }{floatingpenalty}
419 \eqcommand{ }{floatsep}
420 \eqcommand{ }{flushbottom}
421 \eqcommand{ }{fmtname}
422 \eqcommand{ }{fmtversion}
423 \eqcommand{ }{fnssymbol}
424 \eqcommand{ }{font}
425 \eqcommand{ }{fontdimen}
426 \eqcommand{ }{fontencoding}
427 \eqcommand{ }{fontfamily}
428 \eqcommand{ }{fontname}
429 \eqcommand{ }{fontseries}
430 \eqcommand{ }{fontshape}
431 \eqcommand{ }{fontsize}
432 \eqcommand{ }{footheight}
433 \eqcommand{ }{footins}
434 \eqcommand{ }{footnote}
435 \eqcommand{ }{footnotemark}
436 \eqcommand{ }{footnoterule}
437 \eqcommand{ }{footnotesep}
438 \eqcommand{ }{footnotesize}
439 \eqcommand{ }{footnotetext}
440 \eqcommand{ }{footskip}
441 \eqcommand{ }{frame}
442 \eqcommand{ }{framebox}
443 \eqcommand{ }{frenchspacing}
444 \eqcommand{ }{frontmatter}
445 \eqcommand{ }{futurelet}
446 \eqcommand{@ }{@gobble}
447 \eqcommand{@ }{@gobbletwo}
448 \eqcommand{@ }{@gobblefour}
449 \eqcommand{@ }{@gtempa}
450 \eqcommand{@ }{@gtempb}
451 \eqcommand{ }{gdef}
452 \eqcommand{ }{GenericInfo}
453 \eqcommand{ }{GenericWarning}
454 \eqcommand{ }{GenericError}
455 \eqcommand{ }{global}
456 \eqcommand{ }{globaldefs}
457 \eqcommand{ }{glossary}
458 \eqcommand{ }{glossaryentry}
459 \eqcommand{ }{goodbreak}
460 \eqcommand{ }{graphpaper}
461 \eqcommand{ }{guillemotleft}
462 \eqcommand{ }{guillemotright}
463 \eqcommand{ }{guilsinglleft}
464 \eqcommand{ }{guilsinglright}
465 \eqcommand{ }{halign}
466 \eqcommand{ }{hang}
467 \eqcommand{ }{hangafter}

```



```

468 \eqcommand{      }{\hangindent}
469 \eqcommand{      }{\hbadness}
470 \eqcommand{      }{\hbox}
471 \eqcommand{      }{\headheight}
472 \eqcommand{      }{\headsep}
473 \eqcommand{      }{\headtoname}
474 \eqcommand{ }{\heartsuit}
475 \eqcommand{ }{\height}
476 \eqcommand{ }{\hfil}
477 \eqcommand{ }{\hfill}
478 \eqcommand{ }{\hfilneg}
479 \eqcommand{ }{\hfuzz}
480 \eqcommand{ }{\hideskip}
481 \eqcommand{ }{\hidewidth}
482 \bidi@csletcs{ }{\hline}% this is an exception
483 \eqcommand{ }{\hoffset}
484 \eqcommand{ }{\holdinginserts}
485 \eqcommand{ }{\hrboxsep}
486 \eqcommand{ }{\hrule}
487 \eqcommand{ }{\hrulefill}
488 \eqcommand{ }{\hsize}
489 \eqcommand{ }{\hskip}
490 \eqcommand{ }{\hskip}
491 \eqcommand{ }{\hss}
492 \eqcommand{ }{\ht}
493 \eqcommand{ }{\huge}
494 \eqcommand{ }{\Huge}
495 \eqcommand{ }{\hyperlink}
496 \eqcommand{ }{\hypersetup}
497 \eqcommand{ }{\hypertarget}
498 \eqcommand{ }{\hyphenation}
499 \eqcommand{ }{\hyphenchar}
500 \eqcommand{ }{\hyphenpenalty}
501 \eqcommand{@ }{\@ifclassloaded}
502 \eqcommand{@ }{\@ifdefinable}
503 \eqcommand{@ }{\@ifnextchar}
504 \eqcommand{@ }{\@ifpackageloaded}
505 \eqcommand{@ }{\@ifstar}
506 \eqcommand{@ }{\@ifundefined}
507 \eqcommand{ }{\if}
508 \eqcommand{ @ }{\if@tempswa}
509 \eqcommand{ }{\ifcase}
510 \eqcommand{ }{\ifcat}
511 \eqcommand{ }{\ifdefined}
512 \eqcommand{ }{\ifdim}
513 \eqcommand{ }{\ifeof}
514 \eqcommand{ }{\iff}
515 \eqcommand{ }{\iffalse}
516 \eqcommand{ }{\IfFileExists}
517 \eqcommand{ }{\ifhbox}

```



```

518 \eqcommand{ }{ifhmode}
519 \eqcommand{ }{ifinner}
520 \eqcommand{ }{ifmmode}
521 \eqcommand{ }{ifnum}
522 \eqcommand{ }{ifodd}
523 \eqcommand{ }{ifthenelse}
524 \eqcommand{ }{iftrue}
525 \eqcommand{ }{ifvbox}
526 \eqcommand{ }{ifvmode}
527 \eqcommand{ }{ifvoid}
528 \eqcommand{ }{ifx}
529 \eqcommand{ }{ignorespaces}
530 \eqcommand{ }{immediate}
531 \eqcommand{ }{include}
532 \eqcommand{ }{includegraphics}
533 \eqcommand{ }{includeonly}
534 \eqcommand{ }{indent}
535 \eqcommand{ }{index}
536 \eqcommand{ }{indexentry}
537 \eqcommand{ }{indexname}
538 \eqcommand{ }{indexspace}
539 \eqcommand{ }{input}
540 \eqcommand{ }{InputIfExists}
541 \eqcommand{ }{inputlineno}
542 \eqcommand{ }{insert}
543 \eqcommand{ }{insertpenalties}
544 \eqcommand{ }{interfootnotelinepenalty}
545 \eqcommand{ }{interdisplaylinepenalty}
546 \eqcommand{ }{interlinepenalty}
547 \eqcommand{ }{intertext}
548 \eqcommand{ }{intertextsep}
549 \eqcommand{ }{invisible}
550 \eqcommand{ }{itdefault}
551 \eqcommand{ }{itshape}
552 \eqcommand{ }{item}
553 \eqcommand{ }{itemindent}
554 \eqcommand{ }{itemsep}
555 \eqcommand{ }{iterate}
556 \eqcommand{ }{itshape}
557 \eqcommand{ }{jobname}
558 \eqcommand{ }{jot}
559 \eqcommand{ }{kern}
560 \eqcommand{ }{kill}
561 \eqcommand{ }{label}
562 \eqcommand{ }{labelenumi}
563 \eqcommand{ }{labelenumii}
564 \eqcommand{ }{labelenumiii}
565 \eqcommand{ }{labelenumiv}
566 \eqcommand{ }{labelitemi}
567 \eqcommand{ }{labelitemii}

```



```

568 \eqcommand{ }{\labelitemiii}
569 \eqcommand{ }{\labelitemiv}
570 \eqcommand{ }{\labelsep}
571 \eqcommand{ }{\labelwidth}
572 \eqcommand{ }{\language}
573 \eqcommand{ }{\large}
574 \eqcommand{ }{\Large}
575 \eqcommand{ }{\LARGE}
576 \eqcommand{ }{\lastbox}
577 \eqcommand{ }{\lastkern}
578 \eqcommand{ }{\lastpenalty}
579 \eqcommand{ }{\lastskip}
580 \eqcommand{ }{\LaTeX}
581 \eqcommand{ }{\LaTeXe}
582 \eqcommand{ }{\lccode}
583 \eqcommand{ }{\ldots}
584 \eqcommand{ }{\leaders}
585 \eqcommand{ }{\leavevmode}
586 \eqcommand{ }{\left}
587 \eqcommand{ }{\leftmargin}
588 \eqcommand{ }{\leftmargini}
589 \eqcommand{ }{\leftmarginii}
590 \eqcommand{ }{\leftmarginiii}
591 \eqcommand{ }{\leftmarginiv}
592 \eqcommand{ }{\leftmarginv}
593 \eqcommand{ }{\leftmarginvi}
594 \eqcommand{ }{\leftmark}
595 \eqcommand{ }{\leftskip}
596 \eqcommand{ }{\leftskip}
597 \eqcommand{ }{\let}
598 \eqcommand{ }{\line}
599 \eqcommand{ }{\linebreak}
600 \eqcommand{ }{\linepenalty}
601 \eqcommand{ }{\lineskip}
602 \eqcommand{ }{\lineskiplimit}
603 \eqcommand{ }{\linespread}
604 \eqcommand{ }{\linethickness}
605 \eqcommand{ }{\linewidth}
606 \eqcommand{ }{\listfigurename}
607 \eqcommand{ }{\listfiles}
608 \eqcommand{ }{\listoffigures}
609 \eqcommand{ }{\listoftables}
610 \eqcommand{ }{\listparindent}
611 \eqcommand{ }{\listtablename}
612 \eqcommand{ }{\LoadClass}
613 \eqcommand{ }{\LoadClassWithOptions}
614 \eqcommand{ }{\location}
615 \eqcommand{ }{\long}
616 \eqcommand{ }{\looseness}
617 \eqcommand{ }{\lower}

```



```

618 \eqcommand{@ }{@makeother}
619 \eqcommand{@ }{@m}
620 \eqcommand{ @ }{@M}
621 \eqcommand{ @ }{@Mi}
622 \eqcommand{ @ }{@Mii}
623 \eqcommand{ @ }{@Miii}
624 \eqcommand{ @ }{@Miv}
625 \eqcommand{ @ }{@MM}
626 \eqcommand{ @ }{@one}
627 \eqcommand{ }{@mag}
628 \eqcommand{ }{@magstep}
629 \eqcommand{ }{@magstephalf}
630 \eqcommand{ }{@mainmatter}
631 \eqcommand{ }{@makeatletter}
632 \eqcommand{ }{@makeatother}
633 \eqcommand{ }{@makebox}
634 \eqcommand{ }{@makeglossary}
635 \eqcommand{ }{@makeindex}
636 \eqcommand{ }{@makelabel}
637 \eqcommand{ }{@makelabels}
638 \eqcommand{ }{@MakeLowercase}
639 \eqcommand{ }{@maketitle}
640 \eqcommand{ }{@MakeUppercase}
641 \eqcommand{ }{@marginpar}
642 \eqcommand{ }{@marginparpush}
643 \eqcommand{ }{@marginparsep}
644 \eqcommand{ }{@marginparwidth}
645 \eqcommand{ }{@mark}
646 \eqcommand{ }{@markboth}
647 \eqcommand{ }{@markright}
648 \eqcommand{ }{@mathaccent}
649 \eqcommand{ }{@mathchar}
650 \eqcommand{ }{@mathchardef}
651 \eqcommand{ }{@mathcode}
652 \eqcommand{ }{@mathrm}
653 \eqcommand{ }{@maxdeadcycles}
654 \eqcommand{ }{@maxdepth}
655 \eqcommand{ }{@maxdimen}
656 \eqcommand{ }{@mbox}
657 \eqcommand{ }{@mdseries}
658 \eqcommand{ }{@meaning}
659 \eqcommand{ }{@mediumseries}
660 \eqcommand{ }{@medmuskip}
661 \eqcommand{ }{@medskip}
662 \eqcommand{ }{@medskipamount}
663 \eqcommand{ }{@medspace}
664 \eqcommand{ }{@message}
665 \eqcommand{ }{@MessageBreak}
666 \eqcommand{ }{@minrowclearance}
667 \eqcommand{ }{@mkern}

```



```

668 \eqcommand{ }{month}
669 \eqcommand{ }{moveleft}
670 \eqcommand{ }{moveright}
671 \eqcommand{ }{mskip}
672 \eqcommand{ @ }{m@th}
673 \eqcommand{ }{multicolumn}
674 \eqcommand{ }{multiply}
675 \eqcommand{ }{multispan}
676 \eqcommand{ }{muskip}
677 \eqcommand{ }{muskipdef}
678 \eqcommand{@ }{cnamedef}
679 \eqcommand{@ }{@nameuse}
680 \eqcommand{ @}{ne}
681 \eqcommand{ }{name}
682 \eqcommand{ }{natural}
683 \eqcommand{ }{nearrow}
684 \eqcommand{ }{nearrower}
685 \eqcommand{ }{NeedsTeXFormat}
686 \eqcommand{ }{neg}
687 \eqcommand{ }{negmedspace}
688 \eqcommand{ }{negthickspace}
689 \eqcommand{ }{negthinspace}
690 \eqcommand{ }{newboolean}
691 \eqcommand{ }{newbox}
692 \eqcommand{ }{newcommand}
693 \eqcommand{ }{newcount}
694 \eqcommand{ }{newcounter}
695 \eqcommand{ }{newdimen}
696 \eqcommand{ }{newenvironment}
697 \eqcommand{ }{newfam}
698 \eqcommand{ }{newfont}
699 \eqcommand{ }{newhelp}
700 \eqcommand{ }{newinsert}
701 \eqcommand{ }{newlabel}
702 \eqcommand{ }{newlength}
703 \eqcommand{ }{newline}
704 \eqcommand{ }{newlinechar}
705 \eqcommand{ }{newmuskip}
706 \eqcommand{ }{newpage}
707 \eqcommand{ }{newread}
708 \eqcommand{ }{newsavebox}
709 \eqcommand{ }{newskip}
710 \eqcommand{ }{newtheorem}
711 \eqcommand{ }{newtoks}
712 \eqcommand{ }{newwrite}
713 \eqcommand{ }{noalign}
714 \eqcommand{ }{nobreak}
715 \eqcommand{ }{nobreakspace}
716 \eqcommand{ }{nocite}
717 \eqcommand{ }{noexpand}

```



```

718 \eqcommand{ }{nofiles}
719 \eqcommand{ }{noindent}
720 \eqcommand{ }{nointerlineskip}
721 \eqcommand{ }{nolimits}
722 \eqcommand{ }{nolinebreak}
723 \eqcommand{ }{nonstopmode}
724 \eqcommand{ }{nonfrenchspacing}
725 \eqcommand{ }{nonumber}
726 \eqcommand{ }{nopagebreak}
727 \eqcommand{ }{normalbaselines}
728 \eqcommand{ }{normalbaselineskip}
729 \eqcommand{ }{normalcolor}
730 \eqcommand{ }{normalfont}
731 \eqcommand{ }{normallineskip}
732 \eqcommand{ }{normallineskiplimit}
733 \eqcommand{ }{normalmarginpar}
734 \eqcommand{ }{normalsize}
735 \eqcommand{ }{notag}
736 \eqcommand{ }{null}
737 \eqcommand{ }{nullfont}
738 \eqcommand{ }{number}
739 \eqcommand{ }{numberline}
740 \eqcommand{ }{numberwithin}
741 \eqcommand{ }{@evenfoot}
742 \eqcommand{ }{@evenhead}
743 \eqcommand{ }{@oddfoot}
744 \eqcommand{ }{@oddhead}
745 \eqcommand{ }{@outeqntrue}
746 \eqcommand{ }{@outeqnfase}
747 \eqcommand{ }{obeylines}
748 \eqcommand{ }{obeyspaces}
749 \eqcommand{ }{oddsidemargin}
750 \eqcommand{ }{offinterlineskip}
751 \eqcommand{ }{omit}
752 \eqcommand{@ }{@onlypreamble}
753 \eqcommand{ }{onecolumn}
754 \eqcommand{ }{onlynotes}
755 \eqcommand{ }{onlyslides}
756 \eqcommand{ }{openin}
757 \eqcommand{ }{openout}
758 \eqcommand{ }{OptionNotUsed}
759 \eqcommand{ }{or}
760 \eqcommand{ }{outer}
761 \eqcommand{ }{output}
762 \eqcommand{ }{outputpenalty}
763 \eqcommand{ }{overfullrule}
764 \eqcommand{@ }{@preamblecmds}
765 \eqcommand{@ }{p@}
766 \eqcommand{ }{PackageError}
767 \eqcommand{ }{PackageInfo}

```



```

768 \eqcommand{ }{PackageWarning}
769 \eqcommand{ }{PackageWarningNoLine}
770 \eqcommand{ }{pagebreak}
771 \eqcommand{ }{pagecolor}
772 \eqcommand{ }{pagedepth}
773 \eqcommand{ }{pagefillstretch}
774 \eqcommand{ }{pagefillstretch}
775 \eqcommand{ }{pagefilstretch}
776 \eqcommand{ }{pagegoal}
777 \eqcommand{ }{pagename}
778 \eqcommand{ }{pagenumbering}
779 \eqcommand{ }{pageref}
780 \eqcommand{ }{pagerulewidth}
781 \eqcommand{ }{pageshrink}
782 \eqcommand{ }{pagestretch}
783 \eqcommand{ }{pagestyle}
784 \eqcommand{ }{pagetotal}
785 \eqcommand{ }{paperheight}
786 \eqcommand{ }{paperwidth}
787 \bidi@csdefcs{ }{par}%
    this is an exception since \par is redefined only in some circumstances
788 \eqcommand{ }{paragraph}
789 \eqcommand{ }{parallel}
790 \eqcommand{ }{parbox}
791 \eqcommand{ }{parfillskip}
792 \eqcommand{ }{parindent}
793 \eqcommand{ }{parsep}
794 \eqcommand{ }{parshape}
795 \eqcommand{ }{parskip}
796 \eqcommand{ }{part}
797 \eqcommand{ }{partname}
798 \eqcommand{ }{partopsep}
799 \eqcommand{ }{PassOptionToClass}
800 \eqcommand{ }{PassOptionToPackage}
801 \eqcommand{ }{path}
802 \eqcommand{ }{patterns}
803 \eqcommand{ }{pausing}
804 \eqcommand{ }{penalty}
805 \eqcommand{ }{phantom}
806 \eqcommand{ }{poptabs}
807 \eqcommand{ }{postdisplaypenalty}
808 \eqcommand{ }{predisplaydirection}
809 \eqcommand{ }{predisplaypenalty}
810 \eqcommand{ }{predisplaysize}
811 \eqcommand{ }{pretolerance}
812 \eqcommand{ }{prevdepth}
813 \eqcommand{ }{prevgraf}
814 \eqcommand{ }{printindex}
815 \eqcommand{ }{ProcessOptions}
816 \eqcommand{ }{protect}
817 \eqcommand{ }{providecommand}

```



```

818 \eqcommand{ }{ProvidesClass}
819 \eqcommand{ }{ProvidesFile}
820 \eqcommand{ }{ProvidesPackage}
821 \eqcommand{ }{pushtabs}
822 \eqcommand{ }{quad}
823 \eqcommand{ }{qquad}
824 \eqcommand{@ }{@outputpagerestore}
825 \eqcommand{ }{radical}
826 \eqcommand{ }{raggedbottom}
827 \eqcommand{ }{raggedleft}
828 \eqcommand{ }{raggedright}
829 \eqcommand{ }{raise}
830 \eqcommand{ }{raisebox}
831 \eqcommand{ }{raisetag}
832 \eqcommand{ }{rangle}
833 \eqcommand{ }{rceil}
834 \eqcommand{ }{read}
835 \eqcommand{ }{ref}
836 \eqcommand{ }{reflectbox}
837 \eqcommand{ }{refname}
838 \eqcommand{ }{refstepcounter}
839 \eqcommand{ }{relax}
840 \eqcommand{ }{removelastskip}
841 \eqcommand{ }{renewcommand}
842 \eqcommand{ }{renewenvironment}
843 \eqcommand{ }{RequirePackage}
844 \eqcommand{ }{RequirePackageWithOptions}
845 \eqcommand{ }{resizebox}
846 \eqcommand{ }{reversemarginpar}
847 \eqcommand{ }{rfloor}
848 \eqcommand{ }{right}
849 \eqcommand{ }{rightmargin}
850 \eqcommand{ }{rightmark}
851 \eqcommand{ }{rightpageskip}
852 \eqcommand{ }{rights skip}
853 \eqcommand{ }{rmdefault}
854 \eqcommand{ }{rmfamily}
855 \eqcommand{ }{Roman}
856 \eqcommand{ }{roman}
857 \eqcommand{ }{romannumeral}
858 \eqcommand{ }{rotatebox}
859 \eqcommand{ }{rowcolor}
860 \eqcommand{ }{rule}
861 \eqcommand{@ }{@secondoftwo}
862 \eqcommand{@ }{@spaces}
863 \eqcommand{ }{samepage}
864 \eqcommand{ }{savebox}
865 \eqcommand{ }{sbox}
866 \eqcommand{ }{scalebox}
867 \eqcommand{ }{scdefault}

```



```

868 \eqcommand{      }{scshape}
869 \eqcommand{      }{setkeys}
870 \eqcommand{      }{scriptfont}
871 \eqcommand{      }{scriptsinglent}
872 \eqcommand{      }{scriptscriptfont}
873 \eqcommand{      }{scriptscriptstyle}
874 \eqcommand{      }{scriptsize}
875 \eqcommand{      }{scriptstyle}
876 \eqcommand{      }{scrollmode}
877 \eqcommand{      }{section}
878 \eqcommand{      }{secdef}
879 \eqcommand{      }{see}
880 \eqcommand{      }{seealso}
881 \eqcommand{      }{seename}
882 \eqcommand{      }{selectfont}
883 \eqcommand{      }{setboolean}
884 \eqcommand{      }{setbox}
885 \eqcommand{      }{setcounter}
886 \eqcommand{      }{setlength}
887 \eqcommand{      }{setminus}
888 \eqcommand{      }{SetSymbolFont}
889 \eqcommand{      }{settodepth}
890 \eqcommand{      }{settoheight}
891 \eqcommand{      }{settowidth}
892 \eqcommand{      }{sfcode}
893 \eqcommand{      }{sfdefault}
894 \eqcommand{      }{sffamily}
895 \eqcommand{      }{shadowbox}
896 \eqcommand{      }{sharp}
897 \eqcommand{      }{shipout}
898 \eqcommand{      }{shortstack}
899 \eqcommand{      }{show}
900 \eqcommand{      }{showbox}
901 \eqcommand{      }{showboxbreadth}
902 \eqcommand{      }{showboxdepth}
903 \eqcommand{      }{showlists}
904 \eqcommand{      }{showthe}
905 \eqcommand{      }{simplefontmode}
906 \eqcommand{      }{sixt@n}
907 \eqcommand{      }{skewchar}
908 \eqcommand{      }{skip}
909 \eqcommand{      }{skip@}
910 \eqcommand{      }{skipdef}
911 \eqcommand{      }{sl}
912 \eqcommand{      }{sldefault}
913 \eqcommand{      }{slshape}
914 \eqcommand{      }{sloppy}
915 \eqcommand{      }{slshape}
916 \eqcommand{      }{small}
917 \eqcommand{      }{smallskip}
918 \eqcommand{      }{smallskipamount}

```



```

918 \eqcommand{ }{smash}
919 \eqcommand{ }{smile}
920 \eqcommand{ }{snglfntlocatecode}
921 \eqcommand{ }{space}
922 \eqcommand{ }{spacefactor}
923 \eqcommand{ }{spaceskip}
924 \eqcommand{ }{spadesuit}
925 \eqcommand{ }{span}
926 \eqcommand{ }{special}
927 \eqcommand{ }{splitmaxdepth}
928 \eqcommand{ }{splittopskip}
929 \eqcommand{ }{star}
930 \eqcommand{ }{stepcounter}
931 \eqcommand{ }{stretch}
932 \eqcommand{ }{string}
933 \eqcommand{ }{strut}
934 \eqcommand{ }{strutbox}
935 \eqcommand{ }{subitem}
936 \eqcommand{ }{subparagraph}
937 \eqcommand{ }{subsection}
938 \eqcommand{ }{substack}
939 \eqcommand{ }{subsubitem}
940 \eqcommand{ }{subsubsection}
941 \eqcommand{ }{subset}
942 \eqcommand{ }{subsepeq}
943 \eqcommand{ }{supereject}
944 \eqcommand{ }{suppressfloats}
945 \eqcommand{@ }{@tempa}
946 \eqcommand{@ }{@tempb}
947 \eqcommand{@ }{@tempc}
948 \eqcommand{@ }{@tempd}
949 \eqcommand{@ }{@tempe}
950 \eqcommand{@ }{@tempboxa}
951 \eqcommand{@ }{@tempcnta}
952 \eqcommand{@ }{@tempcntb}
953 \eqcommand{@ }{@tempdima}
954 \eqcommand{@ }{@tempdimb}
955 \eqcommand{@ }{@tempdimc}
956 \eqcommand{@ }{@tempskipa}
957 \eqcommand{@ }{@tempskipb}
958 \eqcommand{@ }{@tempswafalse}
959 \eqcommand{@ }{@tempswatrue}
960 \eqcommand{@ }{@temptokena}
961 \eqcommand{ }{@thefnmark}
962 \eqcommand{ }{@thirdofthree}
963 \eqcommand{ }{@tabbingsep}
964 \eqcommand{ }{@tabcolsep}
965 \eqcommand{ }{@tableofcontents}
966 \eqcommand{ }{@tablename}
967 \eqcommand{ }{@tabskip}

```



```

968 \eqcommand{ }{tabularnewline}
969 \eqcommand{ }{tag}
970 \eqcommand{ }{telephone}
971 \eqcommand{ }{TeX}
972 \eqcommand{ }{text}
973 \eqcommand{ }{textbullet}
974 \eqcommand{ }{textfont}
975 \eqcommand{ }{textemdash}
976 \eqcommand{ }{textendash}
977 \eqcommand{ }{textexclamdown}
978 \eqcommand{ }{textperiodcentered}
979 \eqcommand{ }{textquestiondown}
980 \eqcommand{ }{textquotedblleft}
981 \eqcommand{ }{textquotedblright}
982 \eqcommand{ }{textquoteright}
983 \eqcommand{ }{textquoteright}
984 \eqcommand{ }{textvisiblespace}
985 \eqcommand{ }{textbackslash}
986 \eqcommand{ }{textbar}
987 \eqcommand{ }{textgreater}
988 \eqcommand{ }{textless}
989 \eqcommand{ }{textbf}
990 \eqcommand{ }{textcircled}
991 \eqcommand{ }{textcolor}
992 \eqcommand{ }{textcompwordmark}
993 \eqcommand{ }{textfloatsep}
994 \eqcommand{ }{textfraction}
995 \eqcommand{ }{textheight}
996 \eqcommand{ }{textindent}
997 \eqcommand{ }{textit}
998 \eqcommand{ }{textmd}
999 \eqcommand{ }{textnormal}
1000 \eqcommand{ }{textregistered}
1001 \eqcommand{ }{textrm}
1002 \eqcommand{ }{textsc}
1003 \eqcommand{ }{textsf}
1004 \eqcommand{ }{texts1}
1005 \eqcommand{ }{textstyle}
1006 \eqcommand{ }{textsuperscript}
1007 \eqcommand{ }{texttrademark}
1008 \eqcommand{ }{texttt}
1009 \eqcommand{ }{textup}
1010 \eqcommand{ }{textwidth}
1011 \eqcommand{ }{thanks}
1012 \eqcommand{ }{the}
1013 \eqcommand{ }{thempfn}
1014 \eqcommand{ }{thicklines}
1015 \eqcommand{ }{thickmuskip}
1016 \eqcommand{ }{thinmuskip}
1017 \eqcommand{ }{thickspace}

```



```

1018 \eqcommand{ }{thinlines}
1019 \eqcommand{ }{thinspace}
1020 \eqcommand{ }{thisfancypage}
1021 \eqcommand{ }{thispagestyle}
1022 \eqcommand{ @}{thr@O}
1023 \eqcommand{ }{tilde}
1024 \eqcommand{ }{tiny}
1025 \eqcommand{ }{time}
1026 \eqcommand{ }{times}
1027 \eqcommand{ }{title}
1028 \eqcommand{ }{to}
1029 \eqcommand{ }{today}
1030 \eqcommand{ }{toks}
1031 \eqcommand{ }{toksdef}
1032 \eqcommand{ }{tolerance}
1033 \eqcommand{ }{top}
1034 \eqcommand{ }{topfigrule}
1035 \eqcommand{ }{topfraction}
1036 \eqcommand{ }{topmargin}
1037 \eqcommand{ }{topmark}
1038 \eqcommand{ }{toppageskip}
1039 \eqcommand{ }{topsep}
1040 \eqcommand{ }{topskip}
1041 \eqcommand{ }{totalheight}
1042 \eqcommand{ }{tracingall}
1043 \eqcommand{ }{tracingcommands}
1044 \eqcommand{ }{tracinglostchars}
1045 \eqcommand{ }{tracingmacros}
1046 \eqcommand{ }{tracingonline}
1047 \eqcommand{ }{tracingoutput}
1048 \eqcommand{ }{tracingpages}
1049 \eqcommand{ }{tracingparagraphs}
1050 \eqcommand{ }{tracingrestores}
1051 \eqcommand{ }{tracingstats}
1052 \eqcommand{ }{triangle}
1053 \eqcommand{ }{ttdefault}
1054 \eqcommand{ }{ttfamily}
1055 \eqcommand{ @}{tw@}
1056 \eqcommand{ }{twocolumn}
1057 \eqcommand{ }{typein}
1058 \eqcommand{ }{typeout}
1059 \eqcommand{ }{uccode}
1060 \eqcommand{ }{uchyph}
1061 \eqcommand{ }{underline}
1062 \eqcommand{ }{unhbox}
1063 \eqcommand{ }{unhcopy}
1064 \eqcommand{ }{unitlength}
1065 \eqcommand{ }{unkern}
1066 \eqcommand{ }{unpenalty}
1067 \eqcommand{ }{unskip}

```



```

1068 \eqcommand{ }{unvbox}
1069 \eqcommand{ }{unvcopy}
1070 \eqcommand{ }{updefault}
1071 \eqcommand{ }{upshape}
1072 \eqcommand{ }{usebox}
1073 \eqcommand{ }{usecounter}
1074 \eqcommand{ }{usefont}
1075 \eqcommand{ }{usepackage}
1076 \eqcommand{@ }{@vobeyspaces}
1077 \eqcommand{@ }{@void}
1078 \eqcommand{ }{vadjust}
1079 \eqcommand{ }{valign}
1080 \eqcommand{ }{value}
1081 \eqcommand{ }{vbadness}
1082 \eqcommand{ }{vbox}
1083 \eqcommand{ }{vcenter}
1084 \eqcommand{ }{verb}
1085 \eqcommand{ }{vfil}
1086 \eqcommand{ }{vfill}
1087 \eqcommand{ }{vfilneg}
1088 \eqcommand{ }{vfuzz}
1089 \eqcommand{ }{visible}
1090 \eqcommand{ }{vline}
1091 \eqcommand{ }{voffset}
1092 \eqcommand{ @ }{voidb@x}
1093 \eqcommand{ }{vpageref}
1094 \eqcommand{ }{vrboxsep}
1095 \eqcommand{ }{vref}
1096 \eqcommand{ }{vrule}
1097 \eqcommand{ }{vsized}
1098 \eqcommand{ }{vskip}
1099 \eqcommand{ }{vspace}
1100 \eqcommand{ }{vsplit}
1101 \eqcommand{ }{vss}
1102 \eqcommand{ }{vtop}
1103 \eqcommand{ }{wd}
1104 \eqcommand{ }{whiledo}
1105 \eqcommand{ }{widehat}
1106 \eqcommand{ }{widetilde}
1107 \eqcommand{ }{widowpenalty}
1108 \eqcommand{ }{width}
1109 \eqcommand{ }{wlog}
1110 \eqcommand{ }{write}
1111 \eqcommand{@ }{@xobeysp}
1112 \eqcommand{@ }{@xxxii}
1113 \eqcommand{ }{xdef}
1114 \eqcommand{ }{xleaders}
1115 \eqcommand{ }{xspaceskip}
1116 \eqcommand{ }{year}
1117 \eqcommand{@ }{z@}

```



```
1118 \eqcommand{@ }{z@skip}
```

19 File color-localise-xepersian.def

```
1119 color}      -localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1120 0}{rgb}{ }  \0,,0}
1121 1}{rgb}{ }  \1,,1}
1122 1}{rgb}{ }  \0,,0}
1123 0}{rgb}{ }  \1,,0}
1124 0}{rgb}{ }  \0,,1}
1125 1}{cmyk}{ } \0,,0,0}
1126 0}{cmyk}{ } \1,,0,0}
1127 0}{cmyk}{ } \0,,1,0}
```

20 File xepersian-localise-commands-xepersian.def

```
1128 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1129 \eqcommand{ }{autofootnoterule}
1130 \eqcommand{ }{AutoMathsDigits}
1131 \eqcommand{ }{DefaultMathsDigits}
1132 \eqcommand{@ }{keyval@eq@alias@key}
1133 \eqcommand{ }{deflatinfont}
1134 \eqcommand{ }{defpersianfont}
1135 \eqcommand{ }{hboxL}
1136 \eqcommand{ }{hboxR}
1137 \eqcommand{ }{Latincite}
1138 \eqcommand{ }{latinfont}
1139 \eqcommand{ }{latintoday}
1140 \eqcommand{ }{leftfootnoterule}
1141 \eqcommand{ }{lr}
1142 \eqcommand{ }{LRE}
1143 \eqcommand{ }{LTRdblcol}
1144 \eqcommand{ }{LTRfootnote}
1145 \eqcommand{ }{LTRfootnotetext}
1146 \eqcommand{ }{LTRthanks}
1147 \eqcommand{ }{persianday}
1148 \eqcommand{ }{persianfont}
1149 \eqcommand{ }{PersianMathsDigits}
1150 \eqcommand{ }{persianmonth}
1151 \eqcommand{ }{persianyear}
1152 \eqcommand{ }{plq}
1153 \eqcommand{ }{prq}
1154 \eqcommand{ }{rightfootnoterule}
1155 \eqcommand{ }{rl}
1156 \eqcommand{ }{RLE}
1157 \eqcommand{ }{RTLdblcol}
1158 \eqcommand{ }{RTLfootnote}
1159 \eqcommand{ }{RTLfootnotetext}
1160 \eqcommand{ }{RTLthanks}
1161 \eqcommand{@ }{@SepMark}
```



```
1162 \eqcommand{ }{SepMark}
1163 \eqcommand{ }{setDefaultbibitems}
1164 \eqcommand{ }{setDefaultmarginpar}
1165 \eqcommand{ }{setmathdigitfont}
1166 \eqcommand{ }{setfootnoteLR}
1167 \eqcommand{ }{setfootnoteRL}
1168 \eqcommand{ }{setlatintextfont}
1169 \eqcommand{ }{setLTR}
1170 \eqcommand{ }{setLTRbibitems}
1171 \eqcommand{ }{setLTRmarginpar}
1172 \eqcommand{ }{setRTL}
1173 \eqcommand{ }{setRTLbibitems}
1174 \eqcommand{ }{setRTLmarginpar}
1175 \eqcommand{ }{settextfont}
1176 \eqcommand{ }{textwidthfootnoterule}
1177 \eqcommand{ }{twocolumnstableofcontents}
1178 \eqcommand{ }{unsetfootnoteRL}
1179 \eqcommand{ }{unsetLTR}
1180 \eqcommand{ }{unsetRTL}
1181 \eqcommand{ }{vboxL}
1182 \eqcommand{ }{vboxR}
1183 \eqcommand{ }{XeTeX}
1184 \eqcommand{ }{XePersian}
1185 \eqcommand{ }{xepersianversion}
1186 \eqcommand{ }{xepersiandate}
1187 \eqcommand{ }{XeTeX}
```

21 File enumerate-xepersian.def

22 File enumitem-xepersian.def

1205 \ProvidesFile{enumitem-xepersian.def}[2017/09/06 v0.1 adaptations for enumitem package]



```

1206 \AddEnumerateCounter*\tartibi@\tartibi{999999999}
1207 \AddEnumerateCounter*\adadi@\adadi{999999999}
1208 \AddEnumerateCounter\harfi@\harfi{ }
1209 \AddEnumerateCounter\Abjad@\Abjad{ }
1210 \AddEnumerateCounter\abjad@\abjad{ }
1211 \SetEnumerateShortLabel{ }{\tartibi*}
1212 \SetEnumerateShortLabel{ }{\adadi*}
1213 \SetEnumerateShortLabel{ }{\harfi*}
1214 \SetEnumerateShortLabel{ }{\Abjad*}
1215 \SetEnumerateShortLabel{ }{\abjad*}

```

23 File `latex-localise-environments-xepersian.def`

```

1216 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation
1217 \eqenvironment{ }{abstract}
1218 \eqenvironment{ }{appendix}
1219 \eqenvironment{ }{array}
1220 \eqenvironment{ }{center}
1221 \eqenvironment{ }{description}
1222 \eqenvironment{ }{displaymath}
1223 \eqenvironment{ }{document}
1224 \eqenvironment{ }{enumerate}
1225 \eqenvironment{ }{figure}
1226 \eqenvironment{ *}{figure*}
1227 \eqenvironment{ }{filecontents}
1228 \eqenvironment{ *}{filecontents*}
1229 \eqenvironment{ }{flushleft}
1230 \eqenvironment{ }{flushright}
1231 \eqenvironment{ }{itemize}
1232 \eqenvironment{ }{letter}
1233 \eqenvironment{ }{list}
1234 \eqenvironment{ }{longtable}
1235 \eqenvironment{ }{lrbox}
1236 \eqenvironment{ }{math}
1237 \eqenvironment{ }{matrix}
1238 \eqenvironment{ }{minipage}
1239 \eqenvironment{ }{multiline}
1240 \eqenvironment{ }{note}
1241 \eqenvironment{ }{overlay}
1242 \eqenvironment{ }{picture}
1243 \eqenvironment{ }{quotation}
1244 \eqenvironment{ }{quote}
1245 \eqenvironment{ }{slide}
1246 \eqenvironment{ }{sloppypar}
1247 \eqenvironment{ }{split}
1248 \eqenvironment{ }{subarray}
1249 \eqenvironment{ }{tabbing}
1250 \eqenvironment{ }{table}
1251 \eqenvironment{ *}{table*}
1252 \eqenvironment{ }{tabular}

```



```

1253 \eqenvironment{ *}{tabular*}
1254 \eqenvironment{ }{thebibliography}
1255 \eqenvironment{ }{theindex}
1256 \eqenvironment{ }{titlepage}
1257 \eqenvironment{ }{trivlist}
1258 \eqenvironment{ }{verse}

```

24 File `xepersian-localise-environments-xepersian.def`

```

1259 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisat
1260 \eqenvironment{ }{latin}
1261 \eqenvironment{ }{LTR}
1262 \eqenvironment{ }{LTRitems}
1263 \eqenvironment{ }{modernpoem}
1264 \eqenvironment{ *}{modernpoem*}
1265 \eqenvironment{ }{persian}
1266 \eqenvironment{ }{RTL}
1267 \eqenvironment{ }{RTLitems}
1268 \eqenvironment{ }{traditionalpoem}
1269 \eqenvironment{ *}{traditionalpoem*}

```

25 File `extarticle-xepersian.def`

```

1270 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1271 \renewcommand{\thechapter}{\@tartibi\c@part}
1272 \renewcommand{\appendix}{\par
1273   \setcounter{section}{0}%
1274   \setcounter{subsection}{0}%
1275   \gdef\thesection{\@charfi\c@section}}

```

26 File `extbook-xepersian.def`

```

1276 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1277 \renewcommand{\frontmatter}{%
1278   \cleardoublepage
1279   \mainmatterfalse
1280   \pagenumbering{harfi}}
1281 \renewcommand{\thechapter}{\@tartibi\c@part}
1282 \renewcommand{\appendix}{\par
1283   \setcounter{chapter}{0}%
1284   \setcounter{section}{0}%
1285   \gdef\chapapp{\appendixname}%
1286   \gdef\thechapter{\@charfi\c@chapter}
1287 }%end appendix

```

27 File `extrafootnotefeatures-xepersian.def`

```

1288 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafo
1289 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1290 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}

```



```
1291 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}
```

28 File extreport-xepersian.def

```
1292 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1293 \renewcommand{\thepart}{\@tartibi\c@part}
1294 \renewcommand{\appendix}{\par
1295   \setcounter{chapter}{0}%
1296   \setcounter{section}{0}%
1297   \gdef\@chapapp{\appendixname}%
1298   \gdef\thechapter{\@harfi\c@chapter}}
```

29 File fancyref-xepersian.def

```
1299 \ProvidesFile{fancyref-xepersian.def}[2018/09/29 v0.1 bilingual captions for fancyref package]
1300 \renewcommand*{\Frefchapname}{\chaptername}
1301 \renewcommand*{\Frefenumname}{%
1302   \if@RTL%
1303 %
1304   \else
1305     Item%
1306   \fi
1307 }
1308 \renewcommand*{\Frefeqname}{%
1309   \if@RTL%
1310 %
1311   \else
1312     Equation%
1313   \fi
1314 }
1315 \renewcommand*{\Freffignumname}{\figurename}
1316 \renewcommand*{\Freffnnname}{%
1317   \if@RTL%
1318 %
1319   \else
1320     Footnote%
1321   \fi
1322 }
1323 \renewcommand*{\Frefonname}{%
1324   \if@RTL%
1325 %
1326   \else
1327     On%
1328   \fi
1329 }
1330 \renewcommand*{\Frefpgname}{\pagename}
1331 \renewcommand*{\Frefsecname}{%
1332   \if@RTL%
1333 %
1334   \else
```



```

1335     Section%
1336   \fi
1337 }
1338 \renewcommand*{\Frefseenname}{%
1339   \if@RTL
1340 %
1341   \else
1342     See%
1343   \fi
1344 }
1345 \renewcommand*{\Freftabname}{\tablename}
1346 \renewcommand*{\Freffigshortname}{%
1347   \if@RTL
1348     \Freffigname
1349   \else
1350     Fig.%
1351   \fi
1352 }
1353 \renewcommand*{\Frefpgshortname}{%
1354   \if@RTL
1355     \Frefpgname
1356   \else
1357     P.%
1358   \fi
1359 }
1360 \renewcommand*{\Freftabshortname}{%
1361   \if@RTL
1362     \tablename
1363   \else
1364     Tab.%
1365   \fi
1366 }
1367 \renewcommand*{\frefchapname}{%
1368   \if@RTL
1369     \Frefchapname
1370   \else
1371     \MakeLowercase{\Frefchapname}%
1372 \fi
1373 }
1374 \renewcommand*{\frefenumname}{%
1375   \if@RTL
1376     \Frefenumname
1377   \else
1378     \MakeLowercase{\Frefenumname}%
1379   \fi
1380 }
1381 \renewcommand*{\frefeqname}{%
1382   \if@RTL
1383     \Frefeqname
1384   \else

```



```

1385     \MakeLowercase{\Frefeqname}%
1386   \fi
1387 }
1388 \renewcommand*{\freffigname}{%
1389   \if@RTL
1390     \Freffigname
1391   \else
1392     \MakeLowercase{\Freffigname}%
1393   \fi
1394 }
1395 \renewcommand*{\freffnname}{%
1396   \if@RTL
1397     \Freffnname
1398   \else
1399     \MakeLowercase{\Freffnname}%
1400   \fi
1401 }
1402 \renewcommand*{\frefonname}{%
1403   \if@RTL
1404     \Frefonname
1405   \else
1406     \MakeLowercase{\Frefonname}%
1407   \fi
1408 }
1409 \renewcommand*{\frefpgname}{%
1410   \if@RTL
1411     \Frefpgname
1412   \else
1413     \MakeLowercase{\Frefpgname}%
1414   \fi
1415 }
1416 \renewcommand*{\frefsecname}{%
1417   \if@RTL
1418     \Frefsecname
1419   \else
1420     \MakeLowercase{\Frefsecname}%
1421   \fi
1422 }
1423 \renewcommand*{\frefseename}{%
1424   \if@RTL
1425     \Frefseename
1426   \else
1427     \MakeLowercase{\Frefseename}%
1428   \fi
1429 }
1430 \renewcommand*{\freftabname}{%
1431   \if@RTL
1432     \Freftabname
1433   \else
1434     \MakeLowercase{\Freftabname}%

```



```

1435 \fi
1436 }
1437 \renewcommand*{\freffigshortname}{%
1438 \if@RTL
1439 \Freffigshortname
1440 \else
1441 \MakeLowercase{\Freffigshortname}%
1442 \fi
1443 }
1444 \renewcommand*{\frefpgshortname}{%
1445 \if@RTL
1446 \Frefpgshortname
1447 \else
1448 \MakeLowercase{\Frefpgshortname}%
1449 \fi
1450 }
1451 \renewcommand*{\freftabshortname}{%
1452 \if@RTL
1453 \Freftabshortname
1454 \else
1455 \MakeLowercase{\Freftabshortname}%
1456 \fi
1457 }

```

30 File `footnote-xepersian.def`

```

1458 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1459
1460 \renewcommand*{\bidi@@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1461
1462 \renewcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1463
1464 \renewcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1465

```

31 File `framed-xepersian.def`

```

1466 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package f
1467 \renewenvironment{titled-frame}[1]{%
1468 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1469 \TitleBarFrame{\textbf{\#1}}\%
1470 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1471 \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{\#1}\}\%
1472 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1473 \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{\#1}\ (\if@R
1474 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1475 \TitleBarFrame{\textbf{\#1}\ (\if@RTL\else\cont\fi)}\}\%
1476 \MakeFramed{\advance\hsize-20pt \FrameRestore}\}%
1477 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1478 % could interfere with the width measurement.

```



```
1479 {\endMakeFramed}
```

32 File `glossaries-xepersian.def`

```
1480 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries p  
1481 \glsaddprotectedpagefmt{@harfi}  
1482 \glsaddprotectedpagefmt{@tartibi}  
1483 \glsaddprotectedpagefmt{@adadi}
```

33 File `hyperref-xepersian.def`

```
1484 \ProvidesFile{hyperref-xepersian.def}[2015/02/02 v0.6 bilingual captions for hyperref package]  
1485   \def\equationautorefname{\if@RTL else\ Equation\fi} %  
1486   \def\footnoteautorefname{\if@RTL else\ footnote\fi} %  
1487   \def\itemautorefname{\if@RTL else\ item\fi} %  
1488   \def\figureautorefname{\if@RTL else\ Figure\fi} %  
1489   \def\tableautorefname{\if@RTL else\ Table\fi} %  
1490   \def\partautorefname{\if@RTL else\ Part\fi} %  
1491   \def\appendixautorefname{\if@RTL else\ Appendix\fi} %  
1492   \def\chapterautorefname{\if@RTL else\ chapter\fi} %  
1493   \def\sectionautorefname{\if@RTL else\ section\fi} %  
1494   \def\subsectionautorefname{\if@RTL else\ subsection\fi} %  
1495   \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi} %  
1496   \def\paragraphautorefname{\if@RTL else\ paragraph\fi} %  
1497   \def\ subparagraphautorefname{\if@RTL else\ subparagraph\fi} %  
1498   \def\FancyVerbLineautorefname{\if@RTL else\ line\fi} %  
1499   \def\theoremautorefname{\if@RTL else\ Theorem\fi} %  
1500   \def\pageautorefname{\if@RTL else\ page\fi} %  
1501 \AtBeginDocument{ %  
1502 \let\HyOrg@appendix\appendix  
1503 \def\appendix{ %  
1504   \ltx@ifundefined{chapter}{ %  
1505     {\gdef\theHsection{\Alph{section}}}{ %  
1506     {\gdef\theHchapter{\Alph{chapter}}}{ %  
1507       \xdef\Hy@chapapp{\Hy@appendixstring}{ %  
1508       \HyOrg@appendix  
1509     }  
1510   }  
1511 \pdfstringdefDisableCommands{ %  
1512 \let\lr@\firstofone  
1513 \let\r\rl@\firstofone  
1514 \def\XePersian{XePersian}  
1515 }  
1516 \ltx@ifundefined{@resets@pp}{ %  
1517 }{ %  
1518   \let\HyOrg@resets@pp\@resets@pp  
1519   \def\@resets@pp{ %  
1520     \ltx@ifundefined{chapter}{ %  
1521       \gdef\theHsection{\Hy@AlphNoErr{section}}{ %  
1522     }{ %
```



```

1523     \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1524   }%
1525   \xdef\Hy@chapapp{\Hy@appendixstring}%
1526   \HyOrg@resets@pp
1527 }%
1528 }

```

34 File `imsproc-xepersian.def`

```

1529 \ProvidesFile{imsproc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imsproc class f
1530
1531 \renewcommand \thepart {\@tartibi\c@part}
1532 \def\appendix{\par\c@section\z@ \c@subsection\z@
1533   \let\sectionname\appendixname
1534   \def\thesection{\charfi\c@section}}
1535

```

35 File `kashida-xepersian.def`

```

1536 \ProvidesFile{kashida-xepersian.def}[2020/05/16 v0.8 implementation of Kashida for xepersian p
1537 %
1538 % The new changes is minimal and only cosmetic; To resolve the
1539 % issue properly, I will be studying TeX line breaking algorithms and
1540 % experiment to see how much of it I can mimic. The idea of using
1541 % a rule or even a box is awful and it breaks a lot of things. The ideal
1542 % solution is to insert Kashida without any rules or boxes or if
1543 % the font offers the alternative forms, it can be used for Kashida.
1544 % Unfortunately, computing the stretch using the \pdfsavepos and
1545 % \pdflastxpos primitives from the PDFTeX engine is bad and
1546 % impractical for several reasons. The process is extremely
1547 % slow and requires at least two runs of TeX. On a particular line,
1548 % we need to write to the aux file at least 10 times, on a page we
1549 % have on average around 10 lines and hence, for a 100 pages
1550 % document, we have to do this 10,000 times. These statistics are
1551 % very modest. On the other hand, if we reach max count (which is
1552 % very likely), then we have to do some devious things.
1553 %
1554 \chardef\xepersian@zwj="200D % zero-width joiner
1555 \chardef\xepersian@lrm="200E % left to right mark
1556 \chardef\xepersian@kashidachar="0640 % kashida
1557
1558 \chardef\xepersian@D=10 % dual-joiner class
1559 \chardef\xepersian@L=11 % lam
1560 \chardef\xepersian@R=12 % right-joiner
1561 \chardef\xepersian@A=13 % alef
1562 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1563 \newif\if@Kashida@on
1564 \def\xepersian@kashida{%
1565   \if@Kashida@on
1566     \xepersian@zwj

```



```

1567 \xepersian@lrm
1568 \nobreak
1569 \leaders\hrule height \XeTeXglyphbounds\tw@
1570 \the\XeTeXcharglyph\xepersian@kashidachar
1571 depth \XeTeXglyphbounds\f@ur
1572 \the\XeTeXcharglyph\xepersian@kashidachar
1573 \hskip0pt plus 0.5em
1574 % \dimeexpr \fontcharwd\font\xepersian@kashidachar -
1575 % \XeTeXglyphbounds@ne
1576 % \the\XeTeXcharglyph\xepersian@kashidachar -
1577 % \XeTeXglyphbounds\thr@@
1578 % \the\XeTeXcharglyph\xepersian@kashidachar \relax
1579 \xepersian@zwj
1580 \fi
1581 }
1582
1583 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1584 \expandafter\doSetClass\charlist,\end}
1585 \def\doSetClass#1,#2\end{%
1586 \def\test{#1}\def\charlist{#2}%
1587 \ifx\test\empty\let\next\finishSetClass
1588 \else \XeTeXcharclass "\test = \theclass
1589 \let\next\doSetClass \fi
1590 \expandafter\next\charlist,,\end}
1591 \def\finishSetClass#1,,\end{}}
1592
1593 \setclass \xepersian@A {0622,0623,0625,0627}
1594 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1595 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1596 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1597 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1598 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1599 \setclass \xepersian@L {0644}
1600 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1601
1602 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1603 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1604 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1605 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1606 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1607 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1608 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1609 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1610
1611 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1612 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1613
1614 \KashidaOn

```



36 File `listings-xepersian.def`

```
1615 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1616 \def\lstlistingname{\if@RTL else\ Listing\fi}
1617 \def\lstlistlistingname{\if@RTL      else\ Listings\fi}
```

37 File `loadingorder-xepersian.def`

```
1618 \ProvidesFile{loadingorder-xepersian.def}[2018/09/29 v0.5 making sure that xepersian is the last loaded package
1619 \bidi@isloaded{algorithmic}
1620 \bidi@isloaded{algorithm}
1621 \bidi@isloaded{backref}
1622 \bidi@isloaded{enumerate}
1623 \bidi@isloaded{enumitem}
1624 \bidi@isloaded{fancyref}
1625 \bidi@isloaded{tocloft}
1626 \bidi@isloaded{url}
1627 \bidi@isloaded{varioref}
1628 \AtBeginDocument{
1629   \if@bidi@algorithmicloaded@\else
1630     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}]
1631   \fi%
1632   \if@bidi@algorithmloaded@\else
1633     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}]
1634   \fi%
1635   \if@bidi@backrefloaded@\else
1636     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}]
1637   \fi%
1638   \if@bidi@enumerateloaded@\else
1639     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}]
1640   \fi%
1641   \if@bidi@enumitemloaded@\else
1642     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumitem after xepersian}]
1643   \fi%
1644   \if@bidi@fancyrefloaded@\else
1645     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package fancyref after xepersian}]
1646   \fi%
1647   \if@bidi@tocloftloaded@\else
1648     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}]
1649   \fi%
1650   \if@bidi@urlloaded@\else
1651     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian}]
1652   \fi%
1653   \if@bidi@variorefloaded@\else
1654     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package varioref after xepersian}]
1655   \fi%
1656 }
```

38 File `localise-xepersian.def`



```

1657 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeX2e]
1658 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1659 \makezwnjletter
1660 \newcommand*\eqcommand[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1661 \newcommand*\eqenvironment[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1662 @ifpackageloaded{keyval}{%
1663 \newcommand*\keyval@eq@alias@key[4][KV]{%
1664   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1665   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1666 }{\@ifpackageloaded{xkeyval}{%
1667 \newcommand*\keyval@eq@alias@key[4][KV]{%
1668   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1669   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1670 }{}}
1671 \input{latex-localise-commands-xepersian.def}
1672 \input{xepersian-localise-commands-xepersian.def}
1673 \input{latex-localise-environments-xepersian.def}
1674 \input{xepersian-localise-environments-xepersian.def}
1675 \input{latex-localise-messages-xepersian.def}
1676 \input{latex-localise-misc-xepersian.def}
1677 \input{packages-localise-xepersian.def}
1678 \aliasfontfeature{ExternalLocation}{ }
1679 \aliasfontfeature{Path}{ }
1680 \aliasfontfeature{Renderer}{ }
1681 \aliasfontfeature{BoldFont}{ }
1682 \aliasfontfeature{Language}{ }
1683 \aliasfontfeature{Script}{ }
1684 \aliasfontfeature{UprightFont}{ }
1685 \aliasfontfeature{ItalicFont}{ }
1686 \aliasfontfeature{BoldItalicFont}{ }
1687 \aliasfontfeature{SlantedFont}{ }
1688 \aliasfontfeature{BoldSlantedFont}{ }
1689 \aliasfontfeature{SmallCapsFont}{ }
1690 \aliasfontfeature{UprightFeatures}{ }
1691 \aliasfontfeature{BoldFeatures}{ }
1692 \aliasfontfeature{ItalicFeatures}{ }
1693 \aliasfontfeature{BoldItalicFeatures}{ }
1694 \aliasfontfeature{SlantedFeatures}{ }
1695 \aliasfontfeature{BoldSlantedFeatures}{ }
1696 \aliasfontfeature{SmallCapsFeatures}{ }
1697 \aliasfontfeature{SizeFeatures}{ }
1698 \aliasfontfeature{Scale}{ }
1699 \aliasfontfeature{WordSpace}{ }
1700 \aliasfontfeature{PunctuationSpace}{ }
1701 \aliasfontfeature{FontAdjustment}{ }
1702 \aliasfontfeature{LetterSpace}{ }
1703 \aliasfontfeature{HyphenChar}{ }
1704 \aliasfontfeature{Color}{ }
1705 \aliasfontfeature{Opacity}{ }
1706 \aliasfontfeature{Mapping}{ }

```



```

1707 \aliasfontfeature{Weight}{ }
1708 \aliasfontfeature{Width}{ }
1709 \aliasfontfeature{OpticalSize}{ }
1710 \aliasfontfeature{FakeSlant}{ }
1711 \aliasfontfeature{FakeStretch}{ }
1712 \aliasfontfeature{FakeBold}{ }
1713 \aliasfontfeature{AutoFakeSlant}{ }
1714 \aliasfontfeature{AutoFakeBold}{ }
1715 \aliasfontfeature{Ligatures}{ }
1716 \aliasfontfeature{Alternate}{ }
1717 \aliasfontfeature{Variant}{ }
1718 \aliasfontfeature{CharacterVariant}{ }
1719 \aliasfontfeature{Style}{ }
1720 \aliasfontfeature{Annotation}{ }
1721 \aliasfontfeature{RawFeature}{ }
1722 \aliasfontfeature{CharacterWidth}{ }
1723 \aliasfontfeature{Numbers}{ }
1724 \aliasfontfeature{Contextuals}{ }
1725 \aliasfontfeature{Diacritics}{ }
1726 \aliasfontfeature{Letters}{ }
1727 \aliasfontfeature{Kerning}{ }
1728 \aliasfontfeature{VerticalPosition}{ }
1729 \aliasfontfeature{Fractions}{ }
1730 \aliasfontfeatureoption{Language}{Default}{ }
1731 \aliasfontfeatureoption{Language}{Persian}{ }
1732 \aliasfontfeatureoption{Script}{Persian}{ }
1733 \aliasfontfeatureoption{Script}{Latin}{ }
1734 \aliasfontfeatureoption{Style}{MathScript}{ }
1735 \aliasfontfeatureoption{Style}{MathScriptScript}{ }
1736 \aliasfontfeatureoption{Style}{MathScriptScript}{ }

```

39 File memoir-xepersian.def

```

1737 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1738 \renewcommand{\@memfront}{%
1739   \@smemfront\pagenumbering{harfi}%
1740 \renewcommand{\setthesection}{\thechapter \@SepMark harfi{section}}%
1741 \renewcommand*{\thebook}{\@tartibi\c@book}%
1742 \renewcommand*{\thepart}{\@tartibi\c@part}%
1743 \renewcommand{\appendix}{\par%
1744   \setcounter{chapter}{0}%
1745   \setcounter{section}{0}%
1746   \gdef\chapapp{\appendixname}%
1747   \gdef\thechapter{\@harfi\c@chapter}%
1748   \anappendixtrue}

```

40 File latex-localise-messages-xepersian.def

```

1749 latex}      -localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeXe messages]

```



41 File `minitoc-xepersian.def`

```
1750 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1751 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1752 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1753 \def\pltttitle{\if@RTL else\ List of Tables\fi}%
1754 \def\mtctitle{\if@RTL else\ Contents\fi}%
1755 \def\mlfttitle{\if@RTL else\ Figures\fi}%
1756 \def\mltttitle{\if@RTL else\ Tables\fi}%
1757 \def\stctitle{\if@RTL else\ Contents\fi}%
1758 \def\slfttitle{\if@RTL else\ Figures\fi}%
1759 \def\sltttitle{\if@RTL else\ Tables\fi}%
```

42 File `latex-localise-misc-xepersian.def`

```
1760 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localis
1761 %}1# \ \
1762     @ \     @ \     \
1763     1# \
1764     1# @\
1765     1# @\
1766 {@ \
1767 }2#1# @\ \
1768 %1# \     @\     \     \ \     \
1769     2# \     @\     \
1770 {{2#1# \
1771 undefined\     \ \
1772 \
1773 %\     \     \     \1#\     \ \} \1# \ \
1774     \ { \     \     \
1775     \ \
1776 \
1777 \
1778 \     \     \%} \#1
1779     1#\} \ \ % \ \
1780             \     \
1781             }%
1782 \
1783     \     \
1784 }
1785 \= \ \
1786 \
1787 \
1788 @ifdefinitionfileloaded{latex-xetex-bidi}{%
1789 \def\@xfloat #1[#2]{%
1790     \nодокумент
1791     \def\@capttype {\#1}%
1792     \def\@fps {\#2}%
1793     \onelevel@sanitize \@fps
1794     \def\reserved@b {!}%
}
```



```

1795 \ifx \reserved@b \@fps
1796   \@fpsadddefault
1797 \else
1798   \ifx \@fps \empty
1799     \@fpsadddefault
1800   \fi
1801 \fi
1802 \ifhmode
1803   \@bsphack
1804   \@floatpenalty -\@Mii
1805 \else
1806   \@floatpenalty-\@Miii
1807 \fi
1808 \ifinner
1809   \parmoderr\@floatpenalty\z@
1810 \else
1811   \next\currbox\freelist
1812 {%
1813   \tempcnta \sixt@n
1814   \expandafter \tfor \expandafter \reserved@a
1815   \expandafter :\expandafter =\@fps
1816   \do
1817   {%
1818     \if \reserved@a h%
1819       \ifodd \tempcnta
1820       \else
1821         \advance \tempcnta \one
1822       \fi
1823     \fi
1824     \if \reserved@a %
1825       \ifodd \tempcnta
1826       \else
1827         \advance \tempcnta \one
1828       \fi
1829     \fi
1830     \if \reserved@a t%
1831       \setfpsbit \tw@
1832     \fi
1833     \if \reserved@a %
1834       \setfpsbit \tw@
1835     \fi
1836     \if \reserved@a b%
1837       \setfpsbit 4%
1838     \fi
1839     \if \reserved@a %
1840       \setfpsbit 4%
1841     \fi
1842     \if \reserved@a p%
1843       \setfpsbit 8%
1844     \fi

```



```

1845      \if \reserved@a %
1846          \@setfpsbit 8%
1847      \fi
1848      \if \reserved@a !=
1849          \ifnum \@tempcnta>15
1850              \advance\@tempcnta -\sixt@n\relax
1851          \fi
1852      \fi
1853  }%
1854      \@tempcntb \csname ftype\@capttype \endcsname
1855      \multiply \@tempcntb \c@xxxii
1856      \advance \@tempcnta \@tempcntb
1857      \global \count\@currbox \@tempcnta
1858  }%
1859      \@fltovf
1860  \fi
1861  \global \setbox\@currbox
1862      \color@vbox
1863      \normalcolor
1864      \vbox \bgroup
1865      \hsize\columnwidth
1866      \parboxrestore
1867      \floatboxreset
1868 }
1869 \let\bm@\bm@c
1870 \let\bm@\bm@l
1871 \let\bm@\bm@r
1872 \let\bm@\bm@b
1873 \let\bm@\bm@t
1874 \let\bm@\bm@s
1875 \long\def\@iiparbox#1#2[#3]#4#5{%
1876  \leavevmode
1877  \pboxswfalse
1878  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1879  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi
1880  \setlength\@tempdima{#4}%
1881  \begin{tempboxa}\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
1882  \ifx\relax#2\else
1883  \setlength\@tempdimb{#2}%
1884  \edef\@parboxto{\to\the\@tempdimb}%
1885  \fi
1886  \if#1b\vbox
1887  \else\if#1 \vbox
1888  \else\if #1t\vtop
1889  \else\if vtop\ #1
1890  \else\ifmmode\vcenter
1891  \else\pboxswtrue \$\vcenter
1892  \fi\fi\fi\fi
1893  \parboxto{\let\hss\vss\let\unhbox\unvbox
1894  \csname bm@\#3\endcsname}%

```



```

1895     \if@pboxsw \m@th$\fi
1896   \end@tempboxa}
1897 \def\@iiminipage#1#2[#3]#4{%
1898   \leavevmode
1899   \c@pboxswfalse
1900   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1901   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\els
1902 \setlength{\tempdima{#4}}%
1903 \def\@mpargs{{#1}{#2}[#3]{#4}}%
1904 \setbox\@tempboxa\vbox\bgrou
1905   \color@begingroup
1906   \hsize\tempdima
1907   \textwidth\hsize \columnwidth\hsize
1908   \parboxrestore
1909   \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
1910   \let\@footnotetext\@mpfootnotetext
1911   \let\@LTRfootnotetext\@mpLTRfootnotetext
1912   \let\@RTLfootnotetext\@mpRTLfootnotetext
1913   \let\@listdepth\@mplistdepth \c@mplistdepth\z@
1914   \minipagerestore
1915   \setminipage}
1916 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
1917   \ifnum \lastchclass=3 5 \else
1918   \z@ \if #1c\@chnum \z@ \else
1919     \if chnum@\#1 \z@ \else
1920       \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
1921       \if \if@RTLtab#1 \else#1\fi\@chnum \one \else
1922       \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1923       \if \if@RTLtab#1 \else#1\fi\@chnum \tw@ \else
1924         \@chclass \if #1|\one \else
1925           \if #1@\tw@ \else
1926             \if #1p3 \else
1927               \if 3#1 \else \z@ \preamerr 0\fi
1928             \fi \fi
1929 \fi}%
1930 }{}}
1931 \c@ifdefinitionfileloaded{array-xetex-bidi}{%
1932 \def\@testpach{\@chclass
1933 \ifnum \lastchclass=6 \one \chnum \one \else
1934 \ifnum \lastchclass=7 5 \else
1935 \ifnum \lastchclass=8 \tw@ \else
1936 \ifnum \lastchclass=9 \thr@%
1937 \else \z@%
1938 \ifnum \lastchclass = 10 \else
1939 \edef\@nextchar{\expandafter\string\@nextchar}%
1940 \chnum
1941 \if \@nextchar c\z@ \else
1942 \if \@nextchar @z\ \else
1943 \if \@nextchar \if@RTLtab r\else l\fi\one \else
1944 \if \@nextchar \if@RTLtab else\ fi\one\ \else

```









```

2095 \@ifdefinitionfileloaded{float-xetex-bidi}{%
2096 \let\@float@Hx\@xfloat
2097 \def\@xfloat#1[{\@ifnextchar{H}{\@float@HH{#1}}[]{\@ifnextchar{ }{\@float@{#1} []}{\@float@Hx{#1}}}
2098 \def\@float@HH#1[H]{%
2099   \expandafter\let\csname end#1\endcsname\float@endH
2100   \let\@currbox\float@box
2101   \def\@capttype{#1}\setbox\@floatcapt=\vbox{ }%
2102   \expandafter\ifx\csname fst@#1\endcsname\relax
2103     \@fstylefalse\else\fstyletrue\fi
2104   \setbox\@currbox\color@vbox\normalcolor
2105   \vbox\bgroup \hsize\columnwidth \parboxrestore
2106   \floatboxreset \setnobreak
2107   \ignorespaces}
2108 \def\@float@[ ]#1{%
2109   \expandafter\let\csname end#1\endcsname\float@endH
2110   \let\@currbox\float@box
2111   \def\@capttype{#1}\setbox\@floatcapt=\vbox{ }%
2112   \expandafter\ifx\csname fst@#1\endcsname\relax
2113     \@fstylefalse\else\fstyletrue\fi
2114   \setbox\@currbox\color@vbox\normalcolor
2115   \vbox\bgroup \hsize\columnwidth \parboxrestore
2116   \floatboxreset \setnobreak
2117   \ignorespaces}
2118 }{}}
2119 \begingroup \catcode `|=0 \catcode `[:= 1
2120 \catcode`]=2 \catcode `{:12 \catcode `}`=12
2121 \catcode`\|=12 \gdef\@x@xepersian@localize@verbatim#1[[      ]|1#]{      }
2122 \gdef\@sx@xepersian@localize@verbatim#1[[*      ]|1#]{*      }
2123 \endgroup
2124 \def\     {\@verbatim \frenchspacing\vobeyspaces \@x@xepersian@localize@verbatim}
2125 \def\end    {\if@newlist \leavevmode\fi\endtrivlist}
2126 \ExplSyntaxOn
2127 \AtBeginDocument{\@namedef{          *} {\@verbatim \fontspec_print_visible_spaces: \@sx@xepersian@localize@verbatim}}
2128 \ExplSyntaxOff
2129 \expandafter\let\csname end          *\endcsname =\end

```

43 File natbib-xepersian.def

```

2130 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2131 \renewcommand{\NAT@set@cites}{%
2132   \ifNAT@numbers
2133     \ifNAT@super \let\@cite\NAT@citesuper
2134       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2135       \let\citeyearpar=\citeyear
2136       \let\NAT@space\relax
2137       \def\NAT@super@kern{\kern\p@}%
2138     \else
2139       \let\NAT@mbox=\mbox
2140       \let\@cite\NAT@citemum
2141       \let\NAT@space\NAT@spacechar

```



```

2142   \let\NAT@super@kern\relax
2143   \fi
2144   \let\@citex\NAT@citexnum
2145   \let\@Latincitex\NAT@Latin@citexnum
2146   \let\@biblabel\NAT@biblabelnum
2147   \let\@bibsetup\NAT@bibsetnum
2148   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2149   \def\natexlab##1{##1}%
2150   \def\NAT@penalty{\penalty\@m}%
2151 \else
2152   \let\@cite\NAT@cite
2153   \let\@citex\NAT@citex
2154   \let\@Latincitex\NAT@Latin@citex
2155   \let\@biblabel\NAT@biblabel
2156   \let\@bibsetup\NAT@bibsetup
2157   \let\NAT@space\NAT@spacechar
2158   \let\NAT@penalty\@empty
2159   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2160   \def\natexlab##1{##1}%
2161 \fi}
2162 \newcommand\NAT@Latin@citex{}
2163 \def\NAT@Latin@citex%
2164   [##1] [##2]##3{%
2165   \NAT@reset@parser
2166   \NAT@sort@cites{##3}%
2167   \NAT@reset@citea
2168   \NAT@cite{\lr{\let\NAT@nm\@empty\let\NAT@year\@empty
2169     \NAT@for\@citere:=\NAT@cite@list\do
2170       {\NAT@safe@activestru
2171         \edef\@citere{\expandafter\NAT@firstofone\@citere\@empty}%
2172         \NAT@safe@activesfalse
2173         \NAT@undefined{b@\@citere\@extra@b@\citere}{\NAT@citea}%
2174           {\NAT@reset@font\bfseries ?}\NAT@citeundefined
2175             \PackageWarning{natbib}%
2176             {Citation `@\citere' on page \thepage \space undefined}\def\NAT@date{}%
2177             \let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2178             \NAT@parse{\@citere}%
2179             \NAT@longnames\NAT@undefined{bv@\@citere\@extra@b@\citere}{%
2180               \let\NAT@name=\NAT@all@names
2181               \global\NAT@namedef{bv@\@citere\@extra@b@\citere}{}%}
2182             \fi
2183             \NAT@full\let\NAT@nm\NAT@all@names\else
2184               \let\NAT@nm\NAT@name\fi
2185             \NAT@swa\ifcase\NAT@ctype
2186               \if\relax\NAT@date\relax
2187                 \NAT@hyper@\NAT@nmfmt{\NAT@nm}\NAT@date}%
2188             \else
2189               \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2190                 \ifx\NAT@last@yr\NAT@year
2191                   \def\NAT@temp{{?}}%

```



```

2192 \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2193   {Multiple citation on page \thepage: same authors and
2194   year\MessageBreak without distinguishing extra
2195   letter,\MessageBreak appears as question mark}\fi
2196 \NAT@hyper@\{\NAT@exlab\}%
2197 \else\unskip\NAT@spacechar
2198   \NAT@hyper@\{\NAT@date\}%
2199 \fi
2200 \else
2201   \c@citea\NAT@hyper@{%
2202     \NAT@nmfmt{\NAT@nm}%
2203     \hyper@natlinkbreak{%
2204       \NAT@aysep\NAT@spacechar}{\c@citeb\c@extra@b@citeb
2205     }%
2206     \NAT@date
2207   }%
2208 \fi
2209 \fi
2210 \or\c@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2211 \or\c@citea\NAT@hyper@{\NAT@date}%
2212 \or\c@citea\NAT@hyper@{\NAT@alias}%
2213 \fi \NAT@def@citea
2214 \else
2215   \ifcase\NAT@ctype
2216     \if\relax\NAT@date\relax
2217       \c@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2218     \else
2219       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2220         \ifx\NAT@last@yr\NAT@year
2221           \def\NAT@temp{{?}}%
2222           \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2223             {Multiple citation on page \thepage: same authors and
2224             year\MessageBreak without distinguishing extra
2225             letter,\MessageBreak appears as question mark}\fi
2226           \NAT@hyper@\{\NAT@exlab\}%
2227         \else
2228           \unskip\NAT@spacechar
2229           \NAT@hyper@\{\NAT@date\}%
2230         \fi
2231       \else
2232         \c@citea\NAT@hyper@{%
2233           \NAT@nmfmt{\NAT@nm}%
2234           \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#\fi\NAT@spacechar\fi}%
2235           {\c@citeb\c@extra@b@citeb}%
2236           \NAT@date
2237     }%
2238   \fi
2239 \fi
2240 \or\c@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2241 \or\c@citea\NAT@hyper@{\NAT@date}%

```



```

2242     \or\@citea\NAT@hyper@\{\NAT@alias}\%
2243     \fi
2244     \if\relax\NAT@date\relax
2245         \NAT@def@citea
2246     \else
2247         \NAT@def@citea@close
2248     \fi
2249 \fi
2250 } }\ifNAT@swa\else\if*#2*\else\NAT@cmt#2\fi
2251 \if\relax\NAT@date\relax\else\NAT@close\fi\fi}}\{\#1}\{\#2\}
2252 \newcommand\NAT@Latin@citexnum{}
2253 \def\NAT@Latin@citexnum[#1] [#2]\#3{%
2254     \NAT@reset@parser
2255     \NAT@sort@cites{\#3}%
2256     \NAT@reset@citea
2257     \NAT@{\lr{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\@empty
2258         \NAT@{\for\@citeb:=\NAT@cite@list\do
2259             {\NAT@{\safe@activestrue
2260                 \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2261                 \NAT@{\safe@activesfalse
2262                     \NAT@{\ifundefined{b@\@citeb}{\extra@b@\citeb}{%
2263                         \NAT@{\reset@font\bfseries}{}
2264                         \NAT@{\citeundefined\PackageWarning{natbib}}%
2265                         {Citation `@\citeb' on page \thepage \space undefined}}%
2266                         \let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2267                         \NAT@{\parse{\@citeb}}%
2268                         \NAT@{\longnames\NAT@{\ifundefined{bv@\@citeb}{\extra@b@\citeb}{%
2269                             \let\NAT@name=\NAT@all@names
2270                             \global\NAT@{\namedef{bv@\@citeb}{\extra@b@\citeb}}{}{}}}}%
2271                     \NAT@full\let\NAT@nm\NAT@all@names\else
2272                         \let\NAT@nm\NAT@name\fi
2273                     \NAT@{\ifNAT@swa
2274                         \NAT@{\ifnum{\NAT@ctype}>\@ne}{%
2275                             \NAT@{\citea
2276                             \NAT@{\hyper@\NAT@{\ifnum{\NAT@ctype=\tw@}{\NAT@{\test{\NAT@ctype}}{\NAT@alias}}}}{}}%
2277                         \NAT@{\ifnum{\NAT@cmprs}>\z@}{%
2278                             \NAT@{\ifcat\num\NAT@num
2279                                 \NAT@{\ifcat\num\NAT@nm
2280                                     \NAT@{\let\NAT@nm=\NAT@num}{%
2281                                         \NAT@{\def\NAT@nm{-2}}{%
2282                                             \NAT@{\ifcat\num\NAT@last@num
2283                                                 \NAT@{\tempcnta=\NAT@last@num\relax}{%
2284                                                 \NAT@{\tempcnta\m@ne}{%
2285                                                 \NAT@{\ifnum{\NAT@nm=\tempcnta}{%
2286                                                 \NAT@{\ifnum{\NAT@merge}>\@ne}{%
2287                                                     \NAT@{\ifnum{\NAT@last@yr@mbox}{%
2288                                                         \NAT@{\advance\tempcnta by\@ne}{%
2289                                                         \NAT@{\ifnum{\NAT@nm=\tempcnta}{%
2290                                                             \NAT@{\ifx\NAT@last@yr\relax

```



```

2292           \def@NAT@last@yr{\@citea}%
2293     \else
2294       \def@NAT@last@yr{--\NAT@penalty}%
2295     \fi
2296   }{%
2297     \NAT@last@yr@mbox
2298   }%
2299 }{%
2300 }{%
2301   \atempswatrue
2302   \@ifnum{\NAT@merge}\one{\ifnum{\NAT@last@num=\NAT@num\relax}{\atempswafalse}{}}
2303   \if@tempswa\NAT@citea@mbox\fi
2304 }%
2305 }%
2306 \NAT@def@citea
2307 \else
2308   \ifcase\NAT@ctype
2309     \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2310       \atcitea \NAT@test{\one}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@@open}%
2311     \fi
2312     \if*#1*\else#1\NAT@spacechar\fi
2313     \NAT@mbox{\NAT@hyper@{\citemode{\NAT@num}}}}%
2314     \NAT@def@citea@box
2315   \or
2316     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2317   \or
2318     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2319   \or
2320     \NAT@hyper@citea@space\NAT@alias
2321   \fi
2322 \fi
2323 }%
2324 }{%
2325   \ifnum{\NAT@cmprs}>\z@{\NAT@last@yr}{}%
2326   \ifNAT@swa\else
2327     \ifnum{\NAT@ctype=\z@}{}%
2328       \if*#2*\else\NAT@cmt#2\fi
2329     }{%
2330       \NAT@mbox{\NAT@@close}}%
2331     \fi
2332   }{#1}{#2}%
2333 }%
2334 \AtBeginDocument{\NAT@set@cites}
2335 \DeclareRobustCommand\Latincite
2336   {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatrue
2337     \ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2338 \newcommand\NAT@Latin@cites{\ifnextchar [{\NAT@@Latin@@citelp}{}%
2339   \ifNAT@numbers\else
2340   \NAT@swafalse
2341   \fi

```



```

2342      \NAT@@Latin@@citetp[] }}
2343 \newcommand\NAT@@Latin@@citetp{}
2344 \def\NAT@@Latin@@citetp[#1]{\ifnextchar[{\@Latincitex[#1]}{\@Latincitex[] [#1]}}

```

44 File packages-localise-xepersian.def

```

2345 packages}          \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeX2e Packages]
2346 color}    \}{color}          @\-localise-xepersian.def}{}}
2347 \@ifpackageloaded{multicol}{%
2348 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2349 \newenvironment{*}{\begin{multicols*}}{\end{multicols*}}%
2350 }{}}
2351 \@ifpackageloaded{verbatim}{%
2352 \begingroup
2353 \vrb@catcodes
2354 \lccode`!=`\ \\ \lccode`[=`\{ \lccode`\]=`\}
2355 \catcode`~=`\active \lccode`~=`\^M
2356 \lccode`\C=`\C
2357 \lowercase{\endgroup
2358 \def\xepersian@localize@verbatim@start#1{%
2359   \verbatim@startline
2360   \if\noexpand#1\noexpand~%
2361     \let\next\xepersian@localize@verbatim@%
2362   \else \def\next{\xepersian@localize@verbatim@#1}\fi
2363   \next}%
2364 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@#1! \nil}%
2365 \def\xepersian@localize@verbatim@#1! {%
2366   \verbatim@addtoline{#1}%
2367   \futurelet\next\xepersian@localize@verbatim@@@}%
2368 \def\xepersian@localize@verbatim@@@#1\nil{%
2369   \ifx\next\@nil
2370     \verbatim@processline
2371     \verbatim@startline
2372     \let\next\xepersian@localize@verbatim@%
2373   \else
2374     \def@\tempa##1! \nil{##1}%
2375     \temptokena{! }%
2376     \def\next{\expandafter\xepersian@localize@verbatim@test@\tempa#1\@nil~}%
2377   \fi \next}%
2378 \def\xepersian@localize@verbatim@test#1{%
2379   \let\next\xepersian@localize@verbatim@test
2380   \if\noexpand#1\noexpand~%
2381     \expandafter\verbatim@addtoline
2382       \expandafter{\the\temptokena}%
2383     \verbatim@processline
2384     \verbatim@startline
2385     \let\next\xepersian@localize@verbatim@%
2386   \else \if\noexpand#1
2387     \temptokena\expandafter{\the\temptokena#1}%
2388   \else \if\noexpand#1\noexpand[%

```



```

2389          \let@\tempc\@empty
2390          \let\next\xpersian@localize@verbatim@testend
2391      \else
2392          \expandafter\verbatim@addtoline
2393          \expandafter{\the\@temptokena}%
2394          \def\next{\xpersian@localize@verbatim@#1}%
2395          \fi\fi\fi
2396      \next}%
2397  \def\xpersian@localize@verbatim@testend#1{%
2398      \if\noexpand#1\noexpand~%
2399          \expandafter\verbatim@addtoline
2400          \expandafter{\the\@temptokena[]}%
2401          \expandafter\verbatim@addtoline
2402          \expandafter{\@tempc}%
2403          \verbatim@processline
2404          \verbatim@startline
2405          \let\next\xpersian@localize@verbatim@
2406      \else\if\noexpand#1\noexpand]%
2407          \let\next\xpersian@localize@verbatim@@testend
2408      \else\if\noexpand#1\noexpand!%
2409          \expandafter\verbatim@addtoline
2410          \expandafter{\the\@temptokena[]}%
2411          \expandafter\verbatim@addtoline
2412          \expandafter{\@tempc}%
2413          \def\next{\xpersian@localize@verbatim@!}%
2414      \else \expandafter\def\expandafter\@tempc\expandafter
2415          {\@tempc#1}\fi\fi\fi
2416      \next}%
2417  \def\xpersian@localize@verbatim@@testend{%
2418      \ifx\@tempc\@currenvir
2419          \verbatim@finish
2420          \edef\next{\noexpand\end{\@currenvir}%
2421              \noexpand\xpersian@localize@verbatim@rescan{\@currenvir}}%
2422      \else
2423          \expandafter\verbatim@addtoline
2424          \expandafter{\the\@temptokena[]}%
2425          \expandafter\verbatim@addtoline
2426          \expandafter{\@tempc}%
2427          \let\next\xpersian@localize@verbatim@
2428          \fi
2429      \next}%
2430  \def\xpersian@localize@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2431      \warning{Characters dropped after `\\string\\end{#1}`\\fi}}%
2432 \def\     {\begingroup\verbatim\frenchspacing\vobeyspaces
2433             \xpersian@localize@verbatim@start}
2434 \namedef{      }{\begingroup\verbatim\xpersian@localize@verbatim@start}
2435 \def\end    {\endtrivlist\endgroup\doendpe}
2436 \expandafter\let\csname end      *\endcsname =\end
2437 }{}}
2438 \ExplSyntaxOn

```



```

2439 \AtBeginDocument{
2440   \xepersian_localize_patch_verbatim:
2441 }
2442 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2443   \@ifpackageloaded{verbatim}{
2444     \cs_set:cpn {*} {}
2445     \group_begin: \overbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@st
2446   }
2447 }
2448 }
2449 }
2450 \ExplSyntaxOff
2451 \ifpackageloaded{graphicx}{}{
2452 \def\Gin@boolkey#1#2{%
2453 \expandafter\ifdefinable \csname Gin@#2 \endcsname{%
2454 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2455 \expandafter\ifdefinable \csname Gin@#2 \endcsname{%
2456 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2457 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}%
2458 \define@key{Grot}{origin}[c]{%
2459   \tfor{\tempa:=#1\do{%
2460     \if l\tempa \Grot@x\z@\else
2461     \if tempa@ \Grot@x\z@\else
2462     \if r\tempa \Grot@x\width\else
2463     \if tempa@ \Grot@x\width\else
2464     \if t\tempa \Grot@y\height\else
2465     \if tempa@ \Grot@y\height\else
2466     \if b\tempa \Grot@y-\depth\else
2467     \if tempa@ \Grot@y-\depth\else
2468     \if B\tempa \Grot@y\z@\else
2469     \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi}%
2470 {draft}{ }{Gin} @ \
2471 {origin}{ }{Gin} @ \
2472 {origin}{ }{Grot} @ \
2473 {clip}{ }{Gin} @ \
2474 {keepaspectratio}{ }{Gin} @ \
2475 {natwidth}{ }{Gin} @ \
2476 {natheight}{ }{Gin} @ \
2477 {bb}{ }{Gin} @ \
2478 {viewport}{ }{Gin} @ \
2479 {trim}{ }{Gin} @ \
2480 {angle}{ }{Gin} @ \
2481 {width}{ }{Gin} @ \
2482 {height}{ }{Gin} @ \
2483 {totalheight}{ }{Gin} @ \
2484 {scale}{ }{Gin} @ \
2485 {type}{ }{Gin} @ \
2486 {ext}{ }{Gin} @ \
2487 {read}{ }{Gin} @ \
2488 {command}{ }{Gin} @ \

```



```

2489 {x}{ }{Grot} @ \
2490 {y}{ }{Grot} @ \
2491 {units}{ }{Grot} @ \
2492 }{}}

```

45 File persian-tex-text.map

```

2493 LHSName "persian-TeX-text"
2494 RHSName "Unicode"
2495
2496 pass(Unicode)
2497 U+0030 <> U+06F0 ;
2498 U+0031 <> U+06F1 ;
2499 U+0032 <> U+06F2 ;
2500 U+0033 <> U+06F3 ;
2501 U+0034 <> U+06F4 ;
2502 U+0035 <> U+06F5 ;
2503 U+0036 <> U+06F6 ;
2504 U+0037 <> U+06F7 ;
2505 U+0038 <> U+06F8 ;
2506 U+0039 <> U+06F9 ;
2507
2508
2509 U+002C <> U+060C ; comma > arabic comma
2510 U+003F <> U+061F ; question mark -> arabic qm
2511 U+003B <> U+061B ; semicolon -> arabic semicolon
2512
2513 ; ligatures from Knuth's original CMR fonts
2514 U+002D U+002D <> U+2013 ; -- -> en dash
2515 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2516
2517 U+0027 <> U+2019 ; ' -> right single quote
2518 U+0027 U+0027 <> U+201D ; '' -> right double quote
2519 U+0022 > U+201D ; " -> right double quote
2520
2521 U+0060 <> U+2018 ; ` -> left single quote
2522 U+0060 U+0060 <> U+201C ; `` -> left double quote
2523
2524 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2525 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2526
2527 ; additions supported in T1 encoding
2528 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2529 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2530 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

46 File rapport1-xepersian.def

```

2531 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2532 \renewcommand*\theartib{\c@part}

```



```

2533 \renewcommand*\appendix{\par
2534   \setcounter{chapter}{0}%
2535   \setcounter{section}{0}%
2536   \gdef\@chapapp{\appendixname}%
2537   \gdef\thechapter{\@harfi\c@chapter}}

```

47 File rapport3-xepersian.def

```

2538 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2539 \renewcommand*\thepart{\@tartibi\c@part}
2540 \renewcommand*\appendix{\par
2541   \setcounter{chapter}{0}%
2542   \setcounter{section}{0}%
2543   \gdef\@chapapp{\appendixname}%
2544   \gdef\thechapter{\@harfi\c@chapter}}

```

48 File refrep-xepersian.def

```

2545 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2546 \renewcommand \thepart {\@tartibi\c@part}
2547 \renewcommand\appendix{\par
2548   \setcounter{chapter}{0}%
2549   \setcounter{section}{0}%
2550   \gdef\@chapapp{\appendixname}%
2551   \gdef\thechapter{\@harfi\c@chapter}
2552 }%end appendix

```

49 File report-xepersian.def

```

2553 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2554 \renewcommand \thepart {\@tartibi\c@part}
2555 \renewcommand\appendix{\par
2556   \setcounter{chapter}{0}%
2557   \setcounter{section}{0}%
2558   \gdef\@chapapp{\appendixname}%
2559   \gdef\thechapter{\@harfi\c@chapter}
2560 }%end appendix

```

50 File scrartcl-xepersian.def

```

2561 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2562 \renewcommand*\thepart{\@tartibi\c@part}
2563 \renewcommand*\appendix{\par%
2564   \setcounter{section}{0}%
2565   \setcounter{subsection}{0}%
2566   \gdef\thesection{\@harfi\c@section}%
2567   \csname appendixmore\endcsname
2568 }
2569 \renewcommand*\@@maybeautodot[1]{%
2570   \ifx #1\@stop\let\@@maybeautodot\relax

```



```

2571   \else
2572     \ifx #1\harfi \@autodottrue\fi
2573     \ifx #1\adadi \@autodottrue\fi
2574     \ifx #1\tartibi \@autodottrue\fi
2575     \ifx #1\Alpha \@autodottrue\fi
2576     \ifx #1\alpha \@autodottrue\fi
2577     \ifx #1\Roman \@autodottrue\fi
2578     \ifx #1\roman \@autodottrue\fi
2579     \ifx #1@\harfi \@autodottrue\fi
2580     \ifx #1@\adadi \@autodottrue\fi
2581     \ifx #1@\tartibi \@autodottrue\fi
2582     \ifx #1@\Alpha \@autodottrue\fi
2583     \ifx #1@\alpha \@autodottrue\fi
2584     \ifx #1@\Roman \@autodottrue\fi
2585     \ifx #1@\roman \@autodottrue\fi
2586     \ifx #1\romannumeral \@autodottrue\fi
2587   \fi
2588 \@@maybeautodot
2589 }

```

51 File scrbook-xepersian.def

```

2590 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2591 \renewcommand*\frontmatter{%
2592   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2593   \mainmatterfalse\pagenumbering{harfi}%
2594 }
2595 \renewcommand*{\thepart}{\@tartibi\c@part}
2596 \renewcommand*\appendix{\par%
2597   \setcounter{chapter}{0}%
2598   \setcounter{section}{0}%
2599   \gdef\@chapapp{\appendixname}%
2600   \gdef\thechapter{\@harfi\c@chapter}%
2601   \csname appendixmore\endcsname
2602 }
2603 \renewcommand*{\@@maybeautodot}[1]{%
2604   \ifx #1@stop\let\@@maybeautodot\relax
2605   \else
2606     \ifx #1\harfi \@autodottrue\fi
2607     \ifx #1\adadi \@autodottrue\fi
2608     \ifx #1\tartibi \@autodottrue\fi
2609     \ifx #1\Alpha \@autodottrue\fi
2610     \ifx #1\alpha \@autodottrue\fi
2611     \ifx #1\Roman \@autodottrue\fi
2612     \ifx #1\roman \@autodottrue\fi
2613     \ifx #1@\harfi \@autodottrue\fi
2614     \ifx #1@\adadi \@autodottrue\fi
2615     \ifx #1@\tartibi \@autodottrue\fi
2616     \ifx #1@\Alpha \@autodottrue\fi
2617     \ifx #1@\alpha \@autodottrue\fi

```



```

2618     \ifx #1\@Roman \autodottrue\fi
2619     \ifx #1\@roman \autodottrue\fi
2620     \ifx #1\romannumeral \autodottrue\fi
2621   \fi
2622 \@@maybeautodot
2623 }

```

52 File `scrreprt-xepersian.def`

```

2624 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2625 \renewcommand*{\thechapter}{\tartibi\c@part}
2626 \renewcommand*{\appendix}{\par%
2627   \setcounter{chapter}{0}%
2628   \setcounter{section}{0}%
2629   \gdef\chapapp{\appendixname}%
2630   \gdef\thechapter{\charfi\c@chapter}%
2631   \csname appendixmore\endcsname
2632 }
2633 \renewcommand*{\@@maybeautodot}[1]{%
2634   \ifx #1\stop\let\@@maybeautodot\relax
2635   \else
2636     \ifx #1\harfi \autodottrue\fi
2637     \ifx #1\adadi \autodottrue\fi
2638     \ifx #1\tartibi \autodottrue\fi
2639     \ifx #1\Alpha \autodottrue\fi
2640     \ifx #1\alpha \autodottrue\fi
2641     \ifx #1\Roman \autodottrue\fi
2642     \ifx #1\roman \autodottrue\fi
2643     \ifx #1\harfi \autodottrue\fi
2644     \ifx #1\adadi \autodottrue\fi
2645     \ifx #1\tartibi \autodottrue\fi
2646     \ifx #1\Alpha \autodottrue\fi
2647     \ifx #1\alpha \autodottrue\fi
2648     \ifx #1\Roman \autodottrue\fi
2649     \ifx #1\roman \autodottrue\fi
2650     \ifx #1\romannumeral \autodottrue\fi
2651   \fi
2652 \@@maybeautodot
2653 }

```

53 File `soul-xepersian.def`

```

2654 \ProvidesFile{soul-xepersian.def}[2018/12/12 v0.2 adaptations for soul package]
2655 \let\SOUL@tt@latin\SOUL@tt
2656 \newfontface{\SOUL@tt@nonlatin}{Times New Roman}
2657 \def\SOUL@tt{%
2658   \if@nonlatin
2659     \SOUL@tt@nonlatin
2660   \else
2661     \SOUL@tt@latin

```



```

2662 \fi
2663 }
2664 \bidi@appto\resetlatinfont{%
2665 \setbox\z@\hbox{\SOUL@tt-}%
2666 \SOUL@ttwidth\wd\z@
2667 }
2668 \bidi@appto\setpersianfont{%
2669 \setbox\z@\hbox{\SOUL@tt-}%
2670 \SOUL@ttwidth\wd\z@
2671 }

```

54 File tikz.code-xepersian.def

```

2672 \ProvidesFile{tikz.code-xepersian.def}[2020/05/17 v0.2 adaptations for tikz.code.tex file]
2673 \bidi@patchcmd\tikz@finish{%
2674 \tikz@preactions%
2675 }{%
2676 \@@textdigitfont@onfalse%
2677 \tikz@preactions%
2678 }{}{%

```

55 File tkz-linknodes-xepersian.def

```

2679 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes packa
2680 \renewcommand*\{@SetTab}{%
2681 \let\@alph\@latinalph%
2682 \ifnum \value{C@NumTab}>25\relax%
2683 \setcounter{C@NumTab}{1}%
2684 \else%
2685 \stepcounter{C@NumTab}%
2686 \fi%
2687 \setcounter{C@NumGroup}{0}%
2688 \newcommand*\@PrefixCurrentTab{\@alph{C@NumTab}}%
2689 \setboolean{B@FirstLink}{true}
2690 \setboolean{B@NewGroup}{false}
2691 \setcounter{C@NumGroup}{0}
2692 \setcounter{C@CurrentGroup}{0}
2693 \setcounter{NumC@Node}{0}
2694 \setcounter{NumC@Stop}{0}
2695 \setcounter{C@NextNode}{0}
2696 \setcounter{C@CurrentStop}{0}
2697 \setcounter{C@CurrentNode}{0}
2698 }%

```

56 File tocloft-xepersian.def

```

2699 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2700 \renewcommand*\cftchapname{\if@RTL \else\ chapter\fi}
2701 \renewcommand*\cftsecname{\if@RTL \else\ section\fi}
2702 \renewcommand*\cftsubsecname{\if@RTL \else\ subsection\fi}

```



```

2703 \renewcommand*{\cftsubsubsecname}{\if@RTL else\subsubsection\fi}
2704 \renewcommand*{\cftp paraname}{\if@RTL else\paragraph\fi}
2705 \renewcommand*{\cftsubparaname}{\if@RTL else\subparagraph\fi}
2706 \renewcommand*{\cftfigname}{\if@RTL else\figure\fi}
2707 \renewcommand*{\cftsubfigname}{\if@RTL else\subfigure\fi}
2708 \renewcommand*{\cfttabname}{\if@RTL else\table\fi}
2709 \renewcommand*{\cftsubtabname}{\if@RTL else\subtable\fi}

```

57 File varioreref-xepersian.def

```

2710 \ProvidesFile{varioreref-xepersian.def}[2018/09/29 v0.1 bilingual captions for varioreref package]
2711 \def\reftextfaceafter{%
2712   \if@RTL
2713
2714   \reftextvario{ }{ }%
2715   \else
2716     on the \reftextvario{facing}{next} page%
2717   \fi
2718 }
2719 \def\reftextfacebefore{%
2720   \if@RTL
2721
2722   \reftextvario{ }{ }%
2723   \else
2724     on the \reftextvario{facing}{preceding} page%
2725   \fi
2726 }
2727 \def\reftextafter{%
2728   \if@RTL
2729
2730   \reftextvario{ }{ }%
2731   \else
2732     on the \reftextvario{following}{next} page%
2733   \fi
2734 }
2735 \def\reftextbefore{%
2736   \if@RTL
2737
2738   \reftextvario{ }{ }%
2739   \else
2740     on the \reftextvario{preceding}{previous} page%
2741   \fi
2742 }
2743 \def\reftextcurrent{%
2744   \if@RTL
2745
2746   \reftextvario{ }{ }%
2747   \else
2748     on \reftextvario{this}{the current} page%
2749   \fi

```



```

2750 }
2751 \def\ref{textfaraway#1{%
2752   \if@RTL
2753   %
2754 ~\pageref{#1}%
2755 \else
2756   on page~\pageref{#1}%
2757 \fi
2758 }
2759 \def\ref{textpagerange#1#2{%
2760   \if@RTL
2761   %
2762 ~\pageref{#1}--\pageref{#2}%
2763 \else
2764   on pages~\pageref{#1}--\pageref{#2}%
2765 \fi
2766 }
2767 \def\ref{textlabelrange#1#2{%
2768   \if@RTL
2769   \ref{#1} \%ref{#2}\~
2770 \else
2771   \ref{#1} to~\ref{#2}%
2772 \fi
2773 }

```

58 File `xepersian.sty`

```

2774 \NeedsTeXFormat{LaTeX2e}
2775 \def\xepersian@version{23.1}
2776 \def\xepersiandate{2020/05/17}
2777 \ProvidesPackage{xepersian}[\xepersiandate\space v\xepersian@version\space
2778 Persian typesetting in XeLaTeX]
2779 \RequirePackage{fontspec}
2780 \RequirePackage{xepersian-persiancal}
2781 \RequirePackage{xepersian-mathsdigtspec}
2782 \RequirePackage{bidi}
2783 \edef@\xepersian@info{*****^~J%
2784 * ^~J%
2785 * xepersian package (Persian for LaTeX, using XeTeX engine)^~J%
2786 * ^~J%
2787 * Description: The package supports Persian^~J%
2788 * typesetting, using fonts provided in the^~J%
2789 * distribution.^~J%
2790 * ^~J%
2791 * Copyright (c) 2008--2020 Vafa Khalighi^~J%
2792 * Copyright (c) 2018--2020 bidi-tex GitHub Organization^~J%
2793 * ^~J%
2794 * v\xepersian@version, \xepersiandate^~J%
2795 * ^~J%
2796 * License: LaTeX Project Public License, version^~J%

```



```

2797 * 1.3c or higher (your choice)^^J%
2798 * ^^J%
2799 * Location on CTAN: /macros/xtex/latex/xepersian^^J%
2800 * ^^J%
2801 * Issue tracker: https://github.com/persiantex/xepersian/issues^^J%
2802 * ^^J%
2803 * Primary author of xepersian package: Vafa Khalighi.^^J%
2804 * ^^J%
2805 ****}
2806 \typeout{\@xepersian@info}
2807 \edef\xepersian@everyjob{\the\everyjob}
2808 \everyjob{\xepersian@everyjob\typeout{\@xepersian@info}}
2809 \newcommand*{\xepersianversion}{%
2810   \ensuremath{\xepersian@version}%
2811 \newcommand*{\IfxepersianPackageVersionLater}[1]{%
2812   \ifdim\xepersian@version pt > #1 pt %
2813     \expandafter\@firstoftwo
2814   \else
2815     \expandafter\@secondoftwo
2816   \fi}%
2817 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
2818   \ifdim\xepersian@version pt < #1 pt %
2819     \expandafter\@firstoftwo
2820   \else
2821     \expandafter\@secondoftwo
2822   \fi}%
2823 \newcommand*{\IfxepersianPackageVersion}[1]{%
2824   \ifdim\xepersian@version pt = #1 pt %
2825     \expandafter\@firstoftwo
2826   \else
2827     \expandafter\@secondoftwo
2828   \fi}%
2829 \def\prq{«}
2830 \def\plq{»}
2831 \def\xepersian@cmds@temp#1{%
2832   \begingroup\expandafter\expandafter\expandafter\endgroup
2833   \expandafter\ifx\csname xepersian@\#1\endcsname\relax
2834     \begingroup
2835       \escapechar=-1 %
2836       \edef\x{\expandafter\meaning\csname\#1\endcsname}%
2837       \def\y{\#1}%
2838       \def\z{\#1->\{}%
2839       \edef\y{\expandafter\z\meaning\y}%
2840     \expandafter\endgroup
2841     \ifx\y\z
2842       \expandafter\def\csname xepersian@\#1\expandafter\endcsname
2843       \expandafter{\%
2844         \csname\#1\endcsname
2845       }%
2846   \fi

```



```

2847   \fi
2848 }%
2849 \xepersian@cmds@temp{shellescape}
2850 \newif\ifwritexviii
2851 \ifnum\xepersian@shellescape=1\relax
2852   \writexviiittrue
2853 \else
2854 \writexviiifalse
2855 \fi
2856 \newfontscript{Persian}{arab}
2857 \newfontlanguage{Persian}{FAR}
2858 \ExplSyntaxOn
2859
2860 \keys_define:nn {fontspec-opentype}
2861   {
2862     Ligatures / PersianTeX .code:n = { \tl_set:Nn \l_fontspec_mapping_tl {persian-tex-text} },
2863     Ligatures / PersianTeXOff .code:n = { \tl_clear:N \l_fontspec_mapping_tl },
2864     Ligatures / PersianTeXReset .code:n = { \tl_clear:N \l_fontspec_mapping_tl },
2865   }
2866
2867 \keys_define:nn {fontspec-aat}
2868   {
2869   Ligatures / PersianTeX .code:n =
2870   {
2871     \tl_set:Nn \l_fontspec_mapping_tl { persian-tex-text }
2872   }
2873 }
2874
2875 \DeclareDocumentCommand \settextfont { O{} m O{} }
2876   {
2877     \__xepersian_main_settextfont:nn {#1,#3} {#2}
2878     \ignorespaces
2879   }
2880 \cs_new:Nn \__xepersian_main_settextfont:nn
2881   {
2882   \fontspec_set_family:Nnn \l_xepersian_persianfont_family_tl {Script=Persian,Ligatures=Persian}
2883   \tl_set_eq:NN \rmdefault \l_xepersian_persianfont_family_tl
2884   \use:x { \exp_not:n { \ DeclareRobustCommand \persianfont } }
2885   {
2886     \exp_not:N \fontencoding { \g_fontspec_nfss_enc_tl }
2887     \exp_not:N \fontfamily { \l_xepersian_persianfont_family_tl }
2888     \exp_not:N \selectfont
2889   }
2890 }
2891 \str_if_eq:eeT {\familydefault} {\rmdefault}
2892   { \tl_set_eq:NN \encodingdefault \g_fontspec_nfss_enc_tl }
2893 \__xepersian_settextfont_hook:nn {#1} {#2}
2894 \normalfont
2895 }
2896

```



```

2897 \cs_set_eq:NN \__xepersian_settextfont_hook:nn \use_none:nn
2898
2899 \DeclareDocumentCommand \settextdigitfont { O{} m O{} }
2900   {
2901     \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
2902     \ignorespaces
2903   }
2904 \cs_new:Nn \__xepersian_main_settextdigitfont:nn
2905   {
2906     \fontspec_set_family:Nnn \l__xepersian_textdigitfont_family_tl {Script=Persian,Ligatures=Per-
2907     \use:x
2908   {
2909     \exp_not:n { \DeclareRobustCommand \xepersian@textdigitfont }
2910     {
2911       \exp_not:N \fontfamily { \l__xepersian_textdigitfont_family_tl }
2912       \exp_not:N \fontencoding { \g_fonts_nfss_enc_tl }
2913       \exp_not:N \selectfont
2914     }
2915   }
2916   \__xepersian_settextdigitfont_hook:nn {#1} {#2}
2917 \XeTeXinterchartoks \e@alloc@intercharclass@top \bidi@digits@charclass = {\xepersian@@start@textdigitfont}
2918 \XeTeXinterchartoks \bidi@digits@charclass \e@alloc@intercharclass@top = {\xepersian@@stop@textdigitfont}
2919 \XeTeXinterchartoks \z@ \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2920 \XeTeXinterchartoks \bidi@digits@charclass \z@ = {\xepersian@@stop@switch@textdigitfont}
2921 \XeTeXinterchartoks \bidi@digits@charclass \bidi@sepmark@charclass = {\xepersian@@stop@switch@textdigitfont}
2922 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCharClass}
2923 \if\bidi@csundef{xepersian@D}{}{%
2924   \XeTeXinterchartoks \xepersian@D \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2925   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@D = {\xepersian@@stop@switch@textdigitfont}
2926   \XeTeXinterchartoks \xepersian@L \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2927   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@L = {\xepersian@@stop@switch@textdigitfont}
2928   \XeTeXinterchartoks \xepersian@A \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2929   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@A = {\xepersian@@stop@switch@textdigitfont}
2930   \XeTeXinterchartoks \xepersian@R \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
2931   \XeTeXinterchartoks \bidi@digits@charclass \xepersian@R = {\xepersian@@stop@switch@textdigitfont}
2932 }
2933 }
2934
2935 \newcommand*{\xepersian@@start@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin\relax\fi\fi}
2936 \newcommand*{\xepersian@@stop@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin\relax\fi\fi}
2937
2938 \cs_set_eq:NN \__xepersian_settextdigitfont_hook:nn \use_none:nn
2939
2940 \DeclareDocumentCommand \setdigitfont { O{} m O{} }
2941   {
2942     \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
2943     \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
2944     \ignorespaces
2945   }
2946

```



```

2947
2948 \DeclareDocumentCommand \setlatintextfont { O{} m O{} }
2949   {
2950     \__xepersian_main_setlatintextfont:nn {#1,#3} {#2}
2951     \ignorespaces
2952   }
2953 \cs_new:Nn \__xepersian_main_setlatintextfont:nn
2954   {
2955     \fontspec_set_family:Nnn \l__xepersian_latinfont_family_tl {Ligatures=TeX,#1} {#2}
2956     \use:x { \exp_not:n { \ DeclareRobustCommand \latinfont }
2957       {
2958         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
2959         \exp_not:N \fontfamily { \l__xepersian_latinfont_family_tl }
2960         \exp_not:N \selectfont
2961       }
2962     }
2963     \str_if_eq:eeT {\familydefault} {\rmdefault}
2964       { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
2965     \__xepersian_setlatintextfont_hook:nn {#1} {#2}
2966     \normalfont
2967   }
2968
2969 \cs_set_eq:NN \__xepersian_setlatintextfont_hook:nn \use_none:nn
2970
2971 \tl_set_eq:NN \setlatinsansfont \setsansfont
2972 \tl_set_eq:NN \setlatinmonofont \setmonofont
2973
2974 \DeclareDocumentCommand \defpersianfont { m O{} m O{} }
2975   {
2976     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
2977     \NewDocumentCommand
2978   }
2979 \DeclareDocumentCommand \redefpersianfont { m O{} m O{} }
2980   {
2981     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
2982     \RenewDocumentCommand
2983   }
2984 \cs_new:Nn \__xepersian_main_defpersianfont:NnnN
2985   {
2986     \fontspec_set_family:cnn { l__xepersian_ \cs_to_str:N #1 _family_tl } {Script=Persian,Ligatu
2987     \use:x
2988     {
2989       \exp_not:N #4 \exp_not:N #1 {}
2990       {
2991         \exp_not:N \fontfamily { \use:c {l__xepersian_ \cs_to_str:N #1 _family_tl } }
2992         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
2993         \exp_not:N \selectfont
2994       }
2995     }
2996   }

```



```

2997
2998 \DeclareDocumentCommand \deflatinfont { m 0{} m 0{} }
2999 {
3000     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3001     \NewDocumentCommand
3002 }
3003 \DeclareDocumentCommand \redeflatinfont { m 0{} m 0{} }
3004 {
3005     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3006     \RenewDocumentCommand
3007 }
3008 \cs_new:Nn \__xepersian_main_deflatinfont:NnnN
3009 {
3010     \fontspec_set_family:cnn { l__xepersian_ \cs_to_str:N #1 _family_t1 } {Ligatures=TeX,#2} {#3}
3011     \use:x
3012     {
3013         \exp_not:N #4 \exp_not:N #1 {}
3014         {
3015             \exp_not:N \fontfamily { \use:c {l__xepersian_ \cs_to_str:N #1 _family_t1 } }
3016             \exp_not:N \fontencoding { \g_fonts_nfss_enc_t1 }
3017             \exp_not:N \selectfont
3018         }
3019     }
3020 }
3021
3022 \newcommand\persiansfdefault{}
3023 \newcommand\persianttdefault{}
3024 \newcommand\iranicdefault{}
3025 \newcommand\navardefault{}
3026 \newcommand\pookdefault{}
3027 \newcommand\sayehdefault{}
3028 \ DeclareRobustCommand\persiansffamily
3029     {\not@math@alphabet\persiansffamily\mathpersiansf
3030     \fontfamily\persiansfdefault\selectfont}
3031 \ DeclareRobustCommand\persianttfamily
3032     {\not@math@alphabet\persianttfamily\mathpersiantt
3033     \fontfamily\persianttdefault\selectfont}
3034 \ DeclareRobustCommand\iranicfamily
3035     {\not@math@alphabet\iranicfamily\mathiranic
3036     \fontfamily\iranicdefault\selectfont}
3037 \ DeclareRobustCommand\navarfamly
3038     {\not@math@alphabet\navarfamly\mathnavar
3039     \fontfamily\navardefault\selectfont}
3040 \ DeclareRobustCommand\pookfamily
3041     {\not@math@alphabet\pookfamily\mathpook
3042     \fontfamily\pookdefault\selectfont}
3043 \ DeclareRobustCommand\sayehfamily
3044     {\not@math@alphabet\sayehfamily\mathsayeh
3045     \fontfamily\sayehdefault\selectfont}
3046 \ DeclareTextFontCommand{\textpersiansf}{\persiansffamily}

```



```

3047 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
3048 \DeclareTextFontCommand{\textiranic}{\iranicfamily}
3049 \DeclareTextFontCommand{\textnavar}{\navarfamly}
3050 \DeclareTextFontCommand{\textpook}{\pookfamily}
3051 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
3052
3053 \DeclareDocumentCommand \setpersiansansfont { O{} m O{} }
3054 {
3055   \__xepersian_main_setpersiansansfont:nn {#1,#3} {#2}
3056   \ignorespaces
3057 }
3058 \cs_new:Nn \__xepersian_main_setpersiansansfont:nn
3059 {
3060   \fontspec_set_family:Nnn \l__xepersian_persiansffamily_family_tl {Script=Persian,Ligatures=P
3061   \tl_set_eq:NN \persiansfdefault \l__xepersian_persiansffamily_family_tl
3062   \use:x { \exp_not:n { \ DeclareRobustCommand \persiansffamily } }
3063   {
3064     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3065     \exp_not:N \fontfamily { \l__xepersian_persiansffamily_family_tl }
3066     \exp_not:N \selectfont
3067   }
3068 }
3069 \str_if_eq:eeT {\familydefault} {\persiansfdefault}
3070   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3071 \__xepersian_setpersiansansfont_hook:nn {#1} {#2}
3072 \normalfont
3073 }
3074
3075 \cs_set_eq:NN \__xepersian_setpersiansansfont_hook:nn \use_none:nn
3076
3077 \DeclareDocumentCommand \setpersianmonofont { O{} m O{} }
3078 {
3079   \__xepersian_main_setpersianmonofont:nn {#1,#3} {#2}
3080   \ignorespaces
3081 }
3082 \cs_new:Nn \__xepersian_main_setpersianmonofont:nn
3083 {
3084   \fontspec_set_family:Nnn \l__xepersian_persianttfamily_family_tl {Script=Persian,Ligatures=P
3085   \tl_set_eq:NN \persianttdefault \l__xepersian_persianttfamily_family_tl
3086   \use:x { \exp_not:n { \ DeclareRobustCommand \persianttfamily } }
3087   {
3088     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3089     \exp_not:N \fontfamily { \l__xepersian_persianttfamily_family_tl }
3090     \exp_not:N \selectfont
3091   }
3092 }
3093 \str_if_eq:eeT {\familydefault} {\persianttdefault}
3094   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3095 \__xepersian_setpersianmonofont_hook:nn {#1} {#2}
3096 \normalfont

```



```

3097 }
3098
3099 \cs_set_eq:NN \__xepersian_setpersianmonofont_hook:nn \use_none:nn
3100
3101 \DeclareDocumentCommand \setnavarfont { O{} m O{} }
3102 {
3103   \__xepersian_main_setnavarfont:nn {#1,#3} {#2}
3104   \ignorespaces
3105 }
3106 \cs_new:Nn \__xepersian_main_setnavarfont:nn
3107 {
3108   \fontspec_set_family:Nnn \l__xepersian_navarfamily_tl {Script=Persian,Ligatures=Persian}
3109   \tl_set_eq:NN \navardefault \l__xepersian_navarfamily_family_tl
3110   \use:x { \exp_not:n { \DeclareRobustCommand \navarfam }
3111   {
3112     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3113     \exp_not:N \fontfamily { \l__xepersian_navarfamily_family_tl }
3114     \exp_not:N \selectfont
3115   }
3116 }
3117 \str_if_eq:eeT {\familydefault} {\navardefault}
3118   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3119   \__xepersian_setnavarfont_hook:nn {#1} {#2}
3120   \normalfont
3121 }
3122
3123 \cs_set_eq:NN \__xepersian_setnavarfont_hook:nn \use_none:nn
3124
3125 \DeclareDocumentCommand \setpookfont { O{} m O{} }
3126 {
3127   \__xepersian_main_setpookfont:nn {#1,#3} {#2}
3128   \ignorespaces
3129 }
3130 \cs_new:Nn \__xepersian_main_setpookfont:nn
3131 {
3132   \fontspec_set_family:Nnn \l__xepersian_pookfamily_family_tl {Script=Persian,Ligatures=Persian}
3133   \tl_set_eq:NN \pookdefault \l__xepersian_pookfamily_family_tl
3134   \use:x { \exp_not:n { \DeclareRobustCommand \pookfam }
3135   {
3136     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3137     \exp_not:N \fontfamily { \l__xepersian_pookfamily_family_tl }
3138     \exp_not:N \selectfont
3139   }
3140 }
3141 \str_if_eq:eeT {\familydefault} {\pookdefault}
3142   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3143   \__xepersian_setpookfont_hook:nn {#1} {#2}
3144   \normalfont
3145 }
3146

```



```

3147 \cs_set_eq:NN \__xepersian_setpookfont_hook:nn \use_none:nn
3148
3149 \DeclareDocumentCommand \setsayehfont { O{} m O{} }
3150 {
3151   \__xepersian_main_setsayehfont:nn {#1,#3} {#2}
3152   \ignorespaces
3153 }
3154 \cs_new:Nn \__xepersian_main_setsayehfont:nn
3155 {
3156   \fontspec_set_family:Nnn \l__xepersian_sayehfamily_family_tl {Script=Persian,Ligatures=Persian}
3157   \tl_set_eq:NN \sayehdefault \l__xepersian_sayehfamily_family_tl
3158   \use:x { \exp_not:n { \ DeclareRobustCommand \sayehfamily }
3159   {
3160     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3161     \exp_not:N \fontfamily { \l__xepersian_sayehfamily_family_tl }
3162     \exp_not:N \selectfont
3163   }
3164 }
3165 \str_if_eq:eeT {\familydefault} {\sayehdefault}
3166   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3167 \__xepersian_setsayehfont_hook:nn {#1} {#2}
3168 \normalfont
3169 }
3170
3171 \cs_set_eq:NN \__xepersian_setsayehfont_hook:nn \use_none:nn
3172
3173 \DeclareDocumentCommand \setiranicfont { O{} m O{} }
3174 {
3175   \__xepersian_main_setiranicfont:nn {#1,#3} {#2}
3176   \ignorespaces
3177 }
3178 \cs_new:Nn \__xepersian_main_setiranicfont:nn
3179 {
3180   \fontspec_set_family:Nnn \l__xepersian_iranicfamily_family_tl {Script=Persian,Ligatures=Persian}
3181   \tl_set_eq:NN \iranicdefault \l__xepersian_iranicfamily_family_tl
3182   \use:x { \exp_not:n { \ DeclareRobustCommand \iranicfamily }
3183   {
3184     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3185     \exp_not:N \fontfamily { \l__xepersian_iranicfamily_family_tl }
3186     \exp_not:N \selectfont
3187   }
3188 }
3189 \str_if_eq:eeT {\familydefault} {\iranicdefault}
3190   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3191 \__xepersian_setiranicfont_hook:nn {#1} {#2}
3192 \normalfont
3193 }
3194
3195 \cs_set_eq:NN \__xepersian_setiranicfont_hook:nn \use_none:nn
3196

```



```

3197 \ExplSyntaxOff
3198 \def\resetlatinfont{%
3199 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3200 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3201 \def\xepersian@@fontsize@scale{%
3202   \strip@pt\dimexpr 1pt * \dimexpr
3203   \xepersian@@latin@fontsize@scale pt\relax
3204   / \dimexpr \xepersian@@fontsize@scale pt\relax\relax
3205 }%
3206 \def\xepersian@@baselineskip@scale{%
3207   \strip@pt\dimexpr 1pt * \dimexpr
3208   \xepersian@@latin@baselineskip@scale pt\relax
3209   / \dimexpr \xepersian@@baselineskip@scale pt\relax\relax
3210 }%
3211 @nonlatinfalse%
3212 \let\normalfont\latinfont%
3213 \let\reset@font\normalfont%
3214 \latinfont%
3215 \fontsize\f@size\f@baselineskip%
3216 \selectfont%
3217 \let\xepersian@@fontsize@scale\xepersian@@latin@fontsize@scale%
3218 \let\xepersian@@baselineskip@scale\xepersian@@latin@baselineskip@scale%
3219 }
3220 \def\setpersianfont{%
3221 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3222 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3223 \let\xepersian@@fontsize@scale@ne%
3224 \let\xepersian@@baselineskip@scale@ne%
3225 @nonlatintrue%
3226 \let\normalfont\persianfont%
3227 \let\reset@font\normalfont%
3228 \persianfont%
3229 \fontsize\f@size\f@baselineskip%
3230 \selectfont%
3231 \let\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3232 \let\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3233 }
3234 \bidi@newrobustcmd*{\lr}[1]{\LRE{\resetlatinfont#1}}
3235 \bidi@newrobustcmd*{\rl}[1]{\RLE{\setpersianfont#1}}
3236 \def\latin{\LTR\LatinAlphs@\RTL@footnotefalse\resetlatinfont}
3237 \def\endlatin{\endLTR}
3238 \newenvironment{latin*}{\latin
3239   \everypar{%
3240     {\setbox\z@\lastbox
3241       \ifvoid\z@
3242         \kern-\parindent
3243       \fi}%
3244     }%
3245 }{\endlatin\@endpetrue}
3246 \def\persian{\RTL\PersianAlphs@\RTL@footnotetrue\setpersianfont}

```



```

3247 \def\endpersian{\endRTL}
3248 \newenvironment{persian*}{\persian
3249   \everypar{%
3250     {\setbox\z@\lastbox
3251       \ifvoid\z@
3252         \kern-\parindent
3253       \fi}%
3254   }%
3255 }{\endpersian\@endpetrue}
3256 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end
3257 \newenvironment{persianitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end
3258 \let\originaltoday=\today
3259 \def\latintoday{\lr{\originaltoday}}
3260 \def\today{\rl{\persiantoday}}
3261 \def \@LTRmarginparreset {%
3262   \reset@font
3263   \resetlatinfont
3264   \normalsize
3265   \minipagetrue
3266   \everypar{\minipagefalse\everypar{}\beginL}%
3267 }
3268 \DeclareRobustCommand\Latincite{%
3269   \ifnextchar [{\@tempswattrue\@Latincitex}{\@tempswafalse\@Latincitex[]]}
3270 \def\@Latincitex[#1]{\leavevmode
3271   \let\@citea\empty
3272   \crite{\lr{\@for\@citeb:=#2\do
3273     {\@citea\def\@citea{,\penalty\@m\ }}%
3274     \edef\@citeb{\expandafter\firstofone\@citeb\empty}%
3275     \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
3276     \@ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
3277     \G@refundefinedtrue
3278     \@latex@warning
3279     {Citation `'\@citeb' on page \thepage \space undefined}%
3280     {\@cite@ofmt{\csname b@\@citeb\endcsname}}}}}{#1}}
3281
3282 \renewcommand*{\bidi@font@@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
3283
3284 \newif\if@xepersian@@computeautoilg
3285 \newcount\xepersian@tcl
3286 \newdimen\xepersian@ilg
3287 \newdimen\xepersian@strutilg
3288 \chardef\f@ur=4
3289 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
3290   \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
3291   \loop
3292   \iffontchar\font\xepersian@tcl
3293   \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\z@
3294   \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3295   \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3296 \fi

```



```

3297 \else
3298 \ifdim\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl<\z@
3299 \ifdim-\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3300 \xepersian@ilg=-\XeTeXglyphbounds\tw@ < \the\XeTeXcharglyph\xepersian@tcl
3301 \fi
3302 \fi
3303 \fi
3304 \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\z@
3305 \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3306 \xepersian@strutilg=\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl
3307 \fi
3308 \else
3309 \ifdim\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\z@
3310 \ifdim-\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3311 \xepersian@strutilg=-\XeTeXglyphbounds\f@ur < \the\XeTeXcharglyph\xepersian@tcl
3312 \fi
3313 \fi
3314 \fi
3315 \fi
3316 \advance\xepersian@tcl\@ne
3317 \ifnum\xepersian@tcl<1792\repeat
3318 \advance\xepersian@strutilg\xepersian@ilg
3319 % \ifdim\xepersian@strutilg>\baselineskip
3320 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3321 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3322 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
3323 % \selectfont
3324 % \fi
3325 }
3326
3327 \newif\if@@textdigitfont@on
3328
3329 \newcommand{\TextDigitFontOn}{\@@textdigitfont@ontrue}
3330 \newcommand{\TextDigitFontOff}{\@@textdigitfont@onfalse}
3331
3332 \TextDigitFontOn
3333
3334 \newcommand*\xepersian@setlength[4]{%
3335   \ifdim #2<\ifdim #2=\z@ \z@ \else \p@\fi
3336   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3337   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3338   \setlength{#1}{\p@ \cplus\p@ \cminus\p@}%
3339   \else
3340   \setlength{#1}{\p@ \cplus\p@ \cminus#4}%
3341   \fi
3342 \else
3343   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3344   \setlength{#1}{\p@ \cplus#3 \cminus\p@}%
3345   \else
3346   \setlength{#1}{\p@ \cplus#3 \cminus#4}%

```



```

3347     \fi
3348   \fi
3349 \else
3350   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3351     \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3352       \setlength{\#1}{\#2 \oplus \p@ \ominus \p@}%
3353     \else
3354       \setlength{\#1}{\#2 \oplus \p@ \ominus \#4}%
3355     \fi
3356   \else
3357     \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3358       \setlength{\#1}{\#2 \oplus \#3 \ominus \p@}%
3359     \else
3360       \setlength{\#1}{\#2 \oplus \#3 \ominus \#4}%
3361     \fi
3362   \fi
3363 \fi
3364 }
3365
3366 \newcommand*{\setfontsize}[2][1.2]{\tempdima}%
3367   \defaultunits{\tempdima#2pt\relax\@nnil
3368   \setlength{\tempdimc}{\tempdima}%
3369   \addtolength{\tempdimc}{-10\p@}%
3370   \edef\ptsizes{\strip@pt\tempdimc}%
3371   \defaultunits{\tempdimb#1pt\relax\@nnil
3372   \setlength{\tempdimc}{\dimexpr (100\tempdimb / \tempdima * \p@)}%
3373   \edef\tempb{\the\tempdimc}%
3374   \setlength{\tempdimc}{\tempdima}%
3375   \def\tempa##1##2##3##4##5\@nnil{\def##1{##2##3##4}}%
3376   \expandafter\tempa\expandafter\tempb\@nnil%
3377     \xepersian@setlength{\abovedisplayskip}%
3378       {.8333\tempdimb}{.1667\tempdimb}{.5\tempdimb}%
3379     \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\tempdimb}{\z@}%
3380     \xepersian@setlength{\belowdisplayshortskip}%
3381       {.5\tempdimb}{.25\tempdimb}{.25\tempdimb}%
3382   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3383   \edef\normalsize{%
3384     \noexpand\setfontsize\noexpand\normalsize
3385     {\tempdima}{\tempdimb}%
3386     \abovedisplayskip \the\abovedisplayskip
3387     \abovedisplayshortskip \the\abovedisplayshortskip
3388     \belowdisplayskip \the\belowdisplayskip
3389     \belowdisplayshortskip \the\belowdisplayshortskip
3390     \let\noexpand\@listi\noexpand\@listI
3391   }%
3392   \setlength{\tempdima}{0.9125\tempdimc}%
3393   \setlength{\tempdimb}{\tempb\tempdima}%
3394     \xepersian@setlength{\abovedisplayskip}%
3395       {.8333\tempdimb}{.1667\tempdimb}{.5\tempdimb}%
3396     \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\tempdimb}{\z@}%

```



```

3397 \xepersian@setlength{\belowdisplayshortskip}%
3398   {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3399 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3400 \edef\small{%
3401   \noexpand\@setfontsize\noexpand\small
3402   {\the\@tempdima}{\the\@tempdimb}%
3403   \abovedisplayskip \the\abovedisplayskip
3404   \abovedisplayshortskip \the\abovedisplayshortskip
3405   \belowdisplayskip \the\belowdisplayskip
3406   \belowdisplayshortskip \the\belowdisplayshortskip
3407   \let\noexpand\@listi\noexpand\@listi@small
3408 }%
3409 \setlength{\@tempdima}{.83334\@tempdimc}%
3410 \setlength{\@tempdimb}{\tempb\@tempdima}%
3411 \xepersian@setlength{\abovedisplayskip}%
3412   {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3413 \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3414 \xepersian@setlength{\belowdisplayshortskip}%
3415   {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3416 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3417 \edef\footnotesize{%
3418   \noexpand\@setfontsize\noexpand\footnotesize
3419   {\the\@tempdima}{\the\@tempdimb}%
3420   \abovedisplayskip \the\abovedisplayskip
3421   \abovedisplayshortskip \the\abovedisplayshortskip
3422   \belowdisplayskip \the\belowdisplayskip
3423   \belowdisplayshortskip \the\belowdisplayshortskip
3424   \let\noexpand\@listi\noexpand\@listi@footnotesize
3425 }%
3426 \setlength{\@tempdima}{.66667\@tempdimc}%
3427 \setlength{\@tempdimb}{\tempb\@tempdima}%
3428 \edef\scriptsize{%
3429   \noexpand\@setfontsize\noexpand\scriptsize
3430   {\the\@tempdima}{\the\@tempdimb}%
3431 }%
3432 \setlength{\@tempdima}{.5\@tempdimc}%
3433 \setlength{\@tempdimb}{\tempb\@tempdima}%
3434 \edef\tiny{%
3435   \noexpand\@setfontsize\noexpand\tiny
3436   {\the\@tempdima}{\the\@tempdimb}%
3437 }%
3438 \setlength{\@tempdima}{1.2\@tempdimc}%
3439 \setlength{\@tempdimb}{\tempb\@tempdima}%
3440 \edef\large{%
3441   \noexpand\@setfontsize\noexpand\large
3442   {\the\@tempdima}{\the\@tempdimb}%
3443 }%
3444 \setlength{\@tempdima}{1.44\@tempdimc}%
3445 \setlength{\@tempdimb}{\tempb\@tempdima}%
3446 \edef\Large{%

```



```

3447   \noexpand\@setfontsize\noexpand\Large
3448   {\the\@tempdima}{\the\@tempdimb}%
3449 }%
3450 \setlength{\@tempdima}{1.728\@tempdimc}%
3451 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3452 \edef\LARGE{%
3453   \noexpand\@setfontsize\noexpand\Large
3454   {\the\@tempdima}{\the\@tempdimb}%
3455 }%
3456 \setlength{\@tempdima}{2.074\@tempdimc}%
3457 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3458 \edef\huge{%
3459   \noexpand\@setfontsize\noexpand\huge
3460   {\the\@tempdima}{\the\@tempdimb}%
3461 }%
3462 \setlength{\@tempdima}{2.488\@tempdimc}%
3463 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3464 \edef\Huge{%
3465   \noexpand\@setfontsize\noexpand\Huge
3466   {\the\@tempdima}{\the\@tempdimb}%
3467 }%
3468 \normalsize
3469   \setlength{\@tempdimb}{\f@baselineskip}%
3470   \xepersian@setlength{\parsep}%
3471     {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3472   \xepersian@setlength{\topsep}%
3473     {.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3474 \tempswafalse
3475 \begingroup
3476   \def\@list@extra{\aftergroup\tempswatrue}%
3477   \csname @listi\endcsname
3478 \endgroup
3479 \edef\@listi{\leftmargin\leftmargini
3480   \topsep \the\topsep
3481   \parsep \the\parsep
3482   \itemsep \parsep
3483   \if@tempswa\noexpand\@list@extra\fi
3484 }%
3485 \let\@listI\@listi
3486   \xepersian@setlength{\parsep}%
3487     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3488   \xepersian@setlength{\topsep}%
3489     {.3333\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3490 \tempswafalse
3491 \begingroup
3492   \def\@list@extra{\aftergroup\tempswatrue}%
3493   \csname @listi\endcsname
3494 \endgroup
3495 \edef\@listi@small{\leftmargin\leftmargini
3496   \topsep \the\topsep

```



```

3497 \parsep \the\parsep
3498 \itemsep \parsep
3499 \if@tempswa\noexpand\@list@extra\fi
3500 }%
3501 \xepersian@setlength{\parsep}%
3502     {.125\@tempdimb}{.0625\@tempdimb}{.0625\@tempdimb}%
3503 \xepersian@setlength{\topsep}%
3504     {.25\@tempdimb}{.125\@tempdimb}{.125\@tempdimb}%
3505 \if@tempswafalse
3506 \begingroup
3507 \def\@list@extra{\aftergroup\@tempswatrue}%
3508 \csname @listi\endcsname
3509 \endgroup
3510 \edef\@listi@footnotesize{\leftmargin\leftmargini
3511     \topsep \the\topsep
3512     \parsep \the\parsep
3513     \itemsep \parsep
3514     \if@tempswa\noexpand\@list@extra\fi
3515 }%
3516 \xepersian@setlength{\parsep}%
3517     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3518 \xepersian@setlength{\topsep}%
3519     {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3520 \if@tempswafalse
3521 \begingroup
3522 \def\@list@extra{\aftergroup\@tempswatrue}%
3523 \csname @listii\endcsname
3524 \endgroup
3525 \edef\@listii{\leftmargin\leftmarginii
3526     \labelwidth=\dimexpr \leftmargin-\labelsep
3527     \topsep \the\topsep
3528     \parsep \the\parsep
3529     \itemsep \parsep
3530     \if@tempswa\noexpand\@list@extra\fi
3531 }%
3532 \xepersian@setlength{\topsep}%
3533     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3534 \setlength{\partopsep}{\z@\oplus\z@\ominus\p@}%
3535 \if@tempswafalse
3536 \begingroup
3537 \def\@list@extra{\aftergroup\@tempswatrue}%
3538 \csname @listiii\endcsname
3539 \endgroup
3540 \edef\@listiii{\leftmargin\leftmarginiii
3541     \labelwidth=\dimexpr \leftmargin-\labelsep
3542     \topsep \the\topsep
3543     \parsep \z@
3544     \partopsep \the\partopsep
3545     \itemsep \topsep
3546     \if@tempswa\noexpand\@list@extra\fi

```



```

3547   }%
3548   \atempswafalse
3549   \begingroup
3550     \def\@list@extra{\aftergroup\atempswatrue}%
3551     \csname @listiv\endcsname
3552   \endgroup
3553   \edef\@listiv{\leftmargin\leftmargininv
3554     \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3555     \if@tempswa\noexpand\@list@extra\fi
3556   }%
3557   \atempswafalse
3558   \begingroup
3559     \def\@list@extra{\aftergroup\atempswatrue}%
3560     \csname @listv\endcsname
3561   \endgroup
3562   \edef\@listv{\leftmargin\leftmargininv
3563     \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3564     \if@tempswa\noexpand\@list@extra\fi
3565   }%
3566   \atempswafalse
3567   \begingroup
3568     \def\@list@extra{\aftergroup\atempswatrue}%
3569     \csname @listvi\endcsname
3570   \endgroup
3571   \edef\@listvi{\leftmargin\leftmarginvi
3572     \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3573     \if@tempswa\noexpand\@list@extra\fi
3574   }%
3575   \@listi
3576     \setlength{\@tempdimb}{\f@baselineskip}%
3577     \setlength{\footnotesep}{.555\@tempdimb}%
3578     \xpersian@setlength{\skip\footins}%
3579       {.75\@tempdimb}{.3333\@tempdimb}{.1667\@tempdimb}%
3580     \xpersian@setlength{\floatsep}%
3581       {(.1667\@tempdimb){.1667\@tempdimb}}%
3582     \xpersian@setlength{\textfloatsep}%
3583       {1.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3584     \setlength{\intextsep}{\floatsep}%
3585     \setlength{\dblfloatsep}{\floatsep}%
3586     \setlength{\dbltextfloatsep}{\textfloatsep}%
3587     \setlength{\@fptop}{\z@ \oplus 1fil}%
3588     \setlength{\@fpsep}{.6667\@tempdimb \oplus 2fil}%
3589     \setlength{\@fpbot}{\@fptop}%
3590     \setlength{\@dblfpbot}{\@fptop}%
3591     \setlength{\@dblfpsep}{\@fpsep}%
3592     \setlength{\@dblfpbot}{\@fptop}%
3593     \xpersian@setlength{\partopsep}{.2\@tempdimb}{.1\@tempdimb}{.1\@tempdimb}%
3594   }
3595
3596 \renewcommand*{\@bidi@logo@}{%

```



```

3597  \@bidi@logo@hb@xt@columnwidth
3598  {\hss\bfseries
3599
3600  \textsf{\XePersian}\quad\@bidi@logo{xepersian-logo.pdf}}}
3601
3602 \renewcommand*{\@bidi@pdfcreator}{%
3603   The xepersian package, v\xepersian@version, \xepersiandate
3604 }
3605
3606 \newcommand*{\@xepersian@pdfcustomproperties}{%
3607   This is the xepersian package, Version \xepersian@version,
3608   Released May 17, 2020.
3609 }
3610
3611 \newcommand\twocolumnstableofcontents{%
3612 \if@bidi@csundef{multi@column@out}{%
3613 \PackageError{xepersian}{Oops! you should load multicol package before xepersian package for b
3614 \begin{multicols}{2}[\section*{\contentsname}]%
3615   \small
3616   \starttoc{toc}%
3617 \end{multicols}}}
3618 \bidi@newrobustcmd*{\XePersian}{\leavevmode$\smash{\hbox{\lower.5ex
3619 \hbox{\kern-.125em\bidi@reflect@box{E}}Persian}}}$}
3620 \def\figurename{\if@RTL else\ Figure\fi}
3621 \def\tablename{\if@RTL else\ Table\fi}
3622 \def\contentsname{\if@RTL else\ Contents\fi}
3623 \def\listfigurename{\if@RTL else\ List of Figures\fi}
3624 \def\listtablename{\if@RTL else\ List of Tables\fi}
3625 \def\appendixname{\if@RTL else\ Appendix\fi}
3626 \def\indexname{\if@RTL else\ Index\fi}
3627 \def\refname{\if@RTL else\ References\fi}
3628 \def\abstractname{\if@RTL else\ Abstract\fi}
3629 \def\partname{\if@RTL else\ Part\fi}
3630 \def\datename{\if@RTL else\ Date:\fi}
3631 \def\@and{\if@RTL else\ and\fi}
3632 \def\bibname{\if@RTL else\ Bibliography\fi}
3633 \def\chaptername{\if@RTL else\ Chapter\fi}
3634 \def\ccname{\if@RTL else\ cc\fi}
3635 \def\enclname{\if@RTL else\ encl\fi}
3636 \def\pagename{\if@RTL else\ Page\fi}
3637 \def\headtoname{\if@RTL else\ To\fi}
3638 \def\proofname{\if@RTL else\ Proof\fi}
3639 \def\@Abjad#1{%
3640   \ifcase#1\or\or\or\or\or\ %
3641     \or\or\or\or\or\or\ %
3642     \or\or\or\or\or\or\ %
3643     \or\or\or\or\or\ %
3644     \or\or\or\or\or\or\ %
3645     \or\or\or\or\or\or\ %
3646   \else@\ctrerr\fi}

```





```

3697 \or%
3698 \nil#2%
3699 \fi%
3700 }
3701 \def\xepersian@adadi#1#2#3#4#5#6#7\or#8\nil#9{%
3702 \ifnum#1#2#3>\z@%
3703 \xepersian@milyoongan#1#2#3%
3704 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ else\ \fi\else\ifnum#4#5#6>\z@ \ \fi\fi%
3705 \fi%
3706 \ifnum#4#5#6>\z@%
3707 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3708 \ifnum#4#5#6>\@ne\fi%
3709 %
3710 \ifnum#7>\z@ \ \fi%
3711 \fi%
3712 \xepersian@sadgan#7{#4#5#6}1#9%
3713 }
3714 \def\xepersian@milyoongan#1#2#3{%
3715 \ifnum#1#2#3=\@ne%
3716 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3717 %
3718 %
3719 \else%
3720 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3721 %
3722 %
3723 \fi%
3724 }
3725 \def\xepersian@sadgan#1#2#3#4#5#6{%
3726 \ifnum#1>\z@%
3727 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3728 %
3729 \ifnum#2#3>\z@ \ \fi%
3730 \fi%
3731 \ifnum#2#3<20%
3732 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
3733 \else%
3734 \xepersian@dahgan#2%
3735 \ifnum#3>\z@ \ \xepersian@yekani#3\fi%
3736 #60%
3737 \fi%
3738 }
3739 \def\xepersian@yekani#1{%
3740 \ifcase#1\@empty\or\or\or\or\or\or\or\or\or\ %
3741 \or\or\or\or\or\or\or\or\or\or\ %
3742 \or\or\or\or\or\ %
3743 \or\or\%fi\%
3744 }
3745 \def\xepersian@yekanii#1{%
3746 \ifcase#1\@empty\or \%else\xepersian@yekani{#1}\fi\

```





```

3797 \or#1%           case 9: Add no leading zeros
3798 \or%
3799 \@nil#2%
3800 \fi%
3801 }
3802 \def\xepersian@@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3803 \ifnum#1#2#3>\z@
3804 \xepersian@milyoongan@tartibi#1#2#3%
3805 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \else\ \fi\else\ifnum#4#5#6>\z@\ \ \fi\fi%
3806 \fi%
3807 \ifnum#4#5#6>\z@%
3808 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3809 \ifnum#4#5#6>\@ne \fi%
3810 %
3811 \ifnum#7>\z@\ \ \fi%
3812 \fi%
3813 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3814 }
3815 \def\xepersian@milyoongan@tartibi#1#2#3{%
3816 \ifnum#1#2#3=\@ne%
3817 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekanii%
3818 %
3819 %
3820 \else%
3821 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3822 %
3823 %
3824 \fi%
3825 }
3826 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3827 \ifnum#1>\z@%
3828 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3829 %
3830 \ifnum#2#3>\z@\ \ \fi%
3831 \fi%
3832 \ifnum#2#3<20%
3833 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
3834 \else%
3835 \ifnum#2#3=30%
3836 \xepersian@dahgan@tartibi#2%
3837 \else%
3838 \xepersian@dahgan#2%
3839 \fi%
3840 \ifnum#3>\z@\ \ \xepersian@yekanv#3\fi%
3841 #60%
3842 \fi%
3843 }
3844 \def\xepersian@dahgan@tartibi#1{%
3845 \ifcase#1\or\or\ or\ or\ %
3846 \or\ or\ or\ or\ %

```



```

3847 \or \%fi\
3848 }
3849 \def\xepersian@tartibi#1{%
3850 \ifcase#1\or\or\or\or\or\or\ %
3851 \or\or\or\or\or\or\or\ %
3852 \or\or\or\or\or\or\ %
3853 \or\or\or\or\ %
3854 \or\or\or\or\ %
3855 }
3856 \def\xepersian@yekanv#1{%
3857 \ifcase#1\empty\or\or\or\or\or\or\ %
3858 \or\or\or\or\or\or\or\ %
3859 \or\or\or\or\or\ %
3860 \or\or\ %
3861 }
3862 \providecommand*\{xpg@warning}[1]{%
3863   \PackageWarning{XePersian}%
3864   {#1}}
3865 \if@bidi@csundef{@abjad}{%
3866 \def@abjad#1{%
3867 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}
3868 \else
3869   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3870   \else
3871     \ifnum#1<10\expandafter\abj@num@i\number#1%
3872     \else
3873       \ifnum#1<100\expandafter\abj@num@ii\number#1%
3874     \else
3875       \ifnum#1<\@m\expandafter\abj@num@iii\number#1%
3876     \else
3877       \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3878     \fi
3879   \fi
3880   \fi
3881   \fi
3882 \fi
3883 \fi
3884 }
3885 \def@abjad#1{\expandafter@abjad\csname c@#1\endcsname}
3886 \let@abjadnumeral@abjad
3887 \def@abjad@zero{%
3888 \def@abj@num@i#1{%
3889   \ifcase#1\or\or\or\or\ %
3890     \or\or\or\or\or\ %
3891   \ifnum#1=\z@\abjad@zero\fi}
3892 \def@abj@num@ii#1{%
3893   \ifcase#1\or\or\or\or\or\ %
3894     \or\or\or\or\ %
3895   \ifnum#1=\z@\fi\abj@num@i}
3896 \def@abj@num@iii#1{%

```



```

3897 \ifcase#1\or or\ or\ or\ or\ or\ %
3898   \or or\ or\ or\ fi\
3899 \ifnum#1=\z@\fi\abj@num@ii}%
3900 \def\abj@num@iv#1{%
3901 \ifcase#1\or fi\
3902 \ifnum#1=\z@\fi\abj@num@iii}%
3903 }{}%
3904 \let\@latinalph\@alph%
3905 \let\@latinAlph\@Alph%
3906 \def\LatinAlphs{%
3907 \let\@alph\@latinalph%
3908 \let\@Alph\@latinAlph%
3909 }%
3910 \def\thempfootnote{{\itshape\@latinalph\c@mpfootnote}}%
3911 \renewcommand*{\bidi@@thebibliography@font@hook}{%
3912 \if@LTRbibitems
3913 \resetlatinfont
3914 \fi}
3915 \bidi@AfterEndPreamble{%
3916 \if@bidi@csundef{persianfont}{%
3917 \PackageError{xepersian}{You have not specified any font\MessageBreak
3918 for the main Persian text}{Use `settextfont' to load a font.}}%
3919 }{}%
3920 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}%
3921 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}%
3922 \@ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}%
3923 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}%
3924 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}%
3925 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}%
3926 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}%
3927 \@ifpackageloaded{fancyref}{\input{fancyref-xepersian.def}}{}%
3928 \@ifpackageloaded{biditufte sidenote}{\input{biditufte sidenote-xepersian.def}}{}%
3929 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}%
3930 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}%
3931 \@ifpackageloaded{enumitem}{\input{enumitem-xepersian.def}}{}%
3932 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}%
3933 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}%
3934 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}%
3935 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}%
3936 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}%
3937 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}%
3938 \@ifpackageloaded{tikz}{\input{tikz.code-xepersian.def}}{}%
3939 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}%
3940 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}}{}%
3941 \@ifpackageloaded{variorref}{\input{variorref-xepersian.def}}{}%
3942 \@ifclassloaded{article}{\input{article-xepersian.def}}{}%
3943 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}%
3944 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}%
3945 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}%
3946 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}%

```



```

3947 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}
3948 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
3949 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
3950 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
3951 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
3952 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
3953 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
3954 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
3955 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
3956 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
3957 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
3958 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
3959 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
3960 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
3961 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
3962 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
3963 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
3964 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
3965
3966 \def\xepersian@#1{%
3967   \tempcnta\z@%
3968   \for\xepersian@tmp:=#1\do{%
3969     \KV@sp@def\xepersian@frag{\xepersian@tmp}%
3970     \ifcase\tempcnta\relax% cnta == 0
3971       \edef\xepersian@value{\xepersian@frag}%
3972       \setfontsize{\xepersian@frag}%
3973     \or% cnta == 1
3974       \setfontsize[\xepersian@frag]{\xepersian@value}%
3975     \else\fi
3976     \advance\tempcnta\@ne}%
3977   }
3978
3979
3980 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,defau
3981   \ifcase\xepersian@tempb\relax
3982     \AutoMathsDigits
3983   \or
3984     \DefaultMathsDigits
3985   \or
3986     \PersianMathsDigits
3987   \fi}
3988 \define@choicekey{xepersian.sty}{inlinemathdigits}[\xepersian@tempa\xepersian@tempb]{automatic
3989   \ifcase\xepersian@tempb\relax
3990     \AutoInlineMathsDigits
3991   \or
3992     \DefaultInlineMathsDigits
3993   \or
3994     \PersianInlineMathsDigits
3995   \fi}
3996 \define@choicekey{xepersian.sty}{displaymathdigits}[\xepersian@tempa\xepersian@tempb]{automati

```



```

3997 \ifcase\xepersian@tempb\relax
3998   \AutoDisplayMathsDigits
3999 \or
4000   \DefaultDisplayMathsDigits
4001 \or
4002   \PersianDisplayMathsDigits
4003 \fi}
4004 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4005 \ifcase\xepersian@tempb\relax
4006   \RTLtrue
4007 \or
4008   \RTLfalse
4009 \fi}
4010
4011 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{righttoleft,%
4012   \ifcase\xepersian@tempb\relax
4013     \RTLtrue
4014   \or
4015     \RTLfalse
4016   \fi}
4017
4018
4019 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft,%
4020   \ifcase\xepersian@tempb\relax
4021     \RTLtabtrue
4022   \or
4023     \RTLtabfalse
4024   \fi}
4025
4026 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[lat,%
4027   \ifcase\xepersian@tempb\relax
4028     \nonlatinfalse
4029   \or
4030     \nonlatintrue
4031   \fi}
4032
4033 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4034 \ifcase\xepersian@tempb\relax
4035   \RTLtrue
4036 \or
4037   \RTLfalse
4038 \fi}
4039 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,lef,%
4040   \ifcase\xepersian@tempb\relax
4041     \autofootnoterule
4042   \or
4043     \leftfootnoterule
4044   \or
4045     \rightfootnoterule
4046   \or

```



```

4047     \SplitFootnoteRule
4048   \or
4049     \textwidthfootnoterule
4050   \fi}
4051 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{righttol}
4052   \ifcase\xepersian@tempb\relax
4053     \@RTL@footnotetrue
4054   \or
4055     \@RTL@footnotefalse
4056   \fi}
4057 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,off}
4058   \ifcase\xepersian@tempb\relax
4059     \footdir@debugtrue
4060   \or
4061     \footdir@debugfalse
4062   \fi}
4063 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4064   \ifcase\xepersian@tempb\relax
4065     \input{kashida-xepersian.def}
4066   \fi}
4067 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4068   \ifcase\xepersian@tempb\relax
4069     \input{localise-xepersian.def}
4070   \fi}
4071 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4072   \ifcase\xepersian@tempb\relax
4073     \extrafootnotefeaturestrue
4074   \or
4075     \extrafootnotefeaturesfalse
4076   \fi}
4077 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4078   \ifcase\xepersian@tempb\relax
4079     \PackageWarning{xepersian}{Obsolete option}%
4080     \ifwritexviii%
4081       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir class}%
4082         \renewcommand{\printindex}{\newpage\immediate\closeout\@indexfile}%
4083         \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.ind}%
4084       }%
4085     \else
4086       \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "texindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.ind" to generate the index}%
4087     \fi
4088   \fi}
4089 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4090   \ifcase\xepersian@tempb\relax
4091     \ifwritexviii%
4092       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir class}%
4093         \renewcommand{\printindex}{\newpage\immediate\closeout\@indexfile}%
4094         \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobname.ind}%
4095       }%

```



```

4097     \@input@\{\jobname.ind\}}}%
4098     \else
4099     \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run
4100     \fi
4101   \fi}
4102 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,off}
4103   \ifcase\xepersian@tempb\relax
4104     \ifwritexviii%
4105       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the
4106         \renewcommand\printindex{\newpage%
4107           \immediate\closeout\@indexfile
4108           \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
4109           \@input@\{\jobname.ind\}}}}%
4110         \else
4111           \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run
4112           \fi
4113         \fi}
4114 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
4115   \ifcase\xepersian@tempb\relax
4116     \def\PersianAlphs{%
4117       \let\@alph\@abjad%
4118       \let\@Alpha\@Abjad%
4119     }
4120   \or
4121     \def\PersianAlphs{%
4122       \let\@alph\@Abjad%
4123       \let\@Alpha\@Abjad%
4124     }
4125   \fi}
4126 \DeclareOptionX{defaultlatinfontfeatures}{%
4127 \defaultfontfeatures
4128 [\latinfont]
4129 {#1}
4130 }
4131
4132 \DeclareOptionX{mathfontsizescale}{%
4133   \def\xepersian@@math@fontsize@scale{#1}%
4134 }
4135
4136 \DeclareOptionX{fontsizescale}{%
4137   \def\xepersian@@fontsize@scale{#1}%
4138 }
4139
4140 \DeclareOptionX{fontsize}{%
4141   \xepersian@@fontsize@branch{#1}%
4142 }
4143
4144 \DeclareOptionX{latinfontsizescale}{%
4145   \def\xepersian@@latin@fontsize@scale{#1}%
4146 }

```



```

4147
4148 \DeclareOptionX{baselineskipsscale}{%
4149   \def\xepersian@baselineskip@scale{\#1}%
4150 }
4151
4152 \DeclareOptionX{latinbaselineskipsscale}{%
4153   \def\xepersian@latin@baselineskip@scale{\#1}%
4154 }
4155
4156 \define@choicekey{xepersian.sty}{logo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4157   \ifcase\xepersian@tempb\relax
4158     \AtBeginDocument{\@bidi@inslogo@}%
4159   \or
4160     \let\@bidi@logo@\empty\let\@bidi@inslogo@\empty
4161   \fi}
4162
4163 \define@choicekey{xepersian.sty}{pdfinfo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4164   \ifcase\xepersian@tempb\relax
4165     \@bidi@pdfm@marktrue
4166   \or
4167     \@bidi@pdfm@markfalse
4168   \fi}
4169
4170 \define@choicekey{xepersian.sty}{computeautoilg}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4171   \ifcase\xepersian@tempb\relax
4172     \@xepersian@computeautoilgtrue
4173   \or
4174     \@xepersian@computeautoilgfalse
4175   \fi}
4176
4177 \define@choicekey{xepersian.sty}{DetectColumn}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4178   \ifcase\xepersian@tempb\relax
4179   \def\bidi@firstcolumn@status@write{%
4180     \protected@write\@auxout{}%
4181     {\string\bidi@column@status
4182       {1}}}}%
4183   \def\bidi@lastcolumn@status@write{%
4184     \protected@write\@auxout{}%
4185     {\string\bidi@column@status{2}}}}%
4186   \or
4187     \let\bidi@firstcolumn@status@write\relax
4188     \let\bidi@lastcolumn@status@write\relax
4189   \fi}
4190
4191
4192 \define@choicekey{xepersian.sty}{debugtextdigitfont}[\xepersian@tempa\xepersian@tempb]{on,off}{%
4193   \ifcase\xepersian@tempb\relax
4194     \bidi@AtEndPreamble{%
4195       \bidi@patchcmd{\xepersian@start@switch@textdigitfont}%
4196       {\xepersian@textdigitfont}{\addfontfeature{Color=C71585}}{}{}}%

```



```

4197      }
4198      \or
4199      \relax
4200      \fi}
4201
4202 \define@choicekey{xepersian.sty}{perpagefootnote}[\xepersian@tempa\xepersian@tempb]{on,off}[on
4203   \ifcase\xepersian@tempb\relax
4204     \@bidi@perpage@footnotetrue
4205   \or
4206     \@bidi@perpage@footnotefalse
4207   \fi}
4208
4209 \ExecuteOptionsX{%
4210   documentdirection=righttoleft,
4211   tabledirection=righttoleft,
4212   script=nonlatin,
4213   footnotedirection=righttoleft,
4214   footnoterule=automatic,
4215   abjadvariant=two,
4216   DetectColumn=off,
4217   fontsizescale=\@ne,
4218   latinfontsizescale=\@ne,
4219   mathfontsizescale=\@ne,
4220   baselineskipscale=\@ne,
4221   latinbaselineskipscale=\@ne
4222 }
4223
4224 \ProcessOptionsX
4225
4226 \if@extrafootnotefeatures
4227   \input{extrafootnotefeatures-xetex-bidi.def}%
4228   \input{extrafootnotefeatures-xepersian.def}%
4229 \fi
4230
4231 \bidi@patchcmd{\set@fontsize}{\@tempdimb#2pt}{%
4232   \@tempdimb\xepersian@@fontsize@scale\dimexpr#2pt\relax
4233 }{}{}
4234
4235 \bidi@patchcmd{\set@fontsize}{\@tempskipa#3pt}{%
4236   \@tempskipa\xepersian@@baselineskip@scale\dimexpr#3pt\relax
4237 }{}{}
4238
4239
4240 \newcommand*{\xepersian@update@math@fontsize}[1]{%
4241   \strip@pt\dimexpr\xepersian@@math@fontsize@scale
4242   \dimexpr 1pt * \dimexpr #1 pt\relax /
4243   \dimexpr \xepersian@@fontsize@scale pt\relax
4244   \relax\relax
4245 }
4246

```



```

4247 \bidi@patchcmd{\getanddefine@fonts}{%
4248   \xdef\font@name{\csname \string#2/\tf@size\endcsname}%
4249 }{%
4250   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\tf@size\endcsname}%
4251 }{}{%
4252
4253 \bidi@patchcmd{\getanddefine@fonts}{%
4254   \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
4255 }{%
4256   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\sf@size\endcsname}%
4257 }{}{%
4258
4259 \bidi@patchcmd{\getanddefine@fonts}{%
4260   \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
4261 }{%
4262   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\ssf@size\endcsname}%
4263 }{}{%
4264
4265
4266 \if@xepersian@computeautoilg
4267 \bidi@patchcmd{\set@fontsize}{%
4268 \baselineskip\f@baselineskip\relax
4269 }{%
4270 \baselineskip\f@baselineskip\relax
4271 \xepersian@computeautoilg
4272 \ifdim\xepersian@strutilg>\baselineskip
4273 \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
4274 \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
4275 \baselineskip\xepersian@strutilg
4276 \ifdim\footnotesep=.7\baselineskip
4277 \else
4278   \footnotesep.7\baselineskip
4279 \fi
4280 \fi
4281 }{}{%
4282 \fi
4283
4284 \setlatintextfont[Path,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic},ItalicF
4285 \PersianAlphs

```

59 File `xepersian-magazine.cls`

```

4286 \NeedsTeXFormat{LaTeX2e}
4287 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
4288 \RequirePackage{ifthen}
4289 \newlength{\xepersian@imgsize}
4290 \newlength{\xepersian@coltitsize}
4291 \newlength{\xepersian@pageneed}
4292 \newlength{\xepersian@pageleft}
4293 \newlength{\xepersian@indexwidth}

```



```

4294 \newcommand{\xepersian@ncolumns}{0}
4295 \newlength{\columnlines}
4296 \setlength{\columnlines}{0 pt} % no lines by default
4297 \newboolean{xepersian@hyphenatedtitles}
4298 \setboolean{xepersian@hyphenatedtitles}{true}
4299 \newboolean{xepersian@ninepoints}
4300 \setboolean{xepersian@ninepoints}{false}
4301 \newboolean{xepersian@showgrid}
4302 \setboolean{xepersian@showgrid}{false}
4303 \newboolean{xepersian@a3paper}
4304 \setboolean{xepersian@a3paper}{false}
4305 \newboolean{xepersian@insidefrontpage}
4306 \setboolean{xepersian@insidefrontpage}{false}
4307 \newboolean{xepersian@insideweather}
4308 \setboolean{xepersian@insideweather}{false}
4309 \newboolean{xepersian@insideindex}
4310 \setboolean{xepersian@insideindex}{false}
4311 \newcount\xepersian@gridrows
4312 \newcount\xepersian@gridcolumns
4313 \xepersian@gridrows=40
4314 \xepersian@gridcolumns=50
4315 \newcount\minraggedcols
4316 \minraggedcols=5
4317 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
4318 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
4319 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
4320 \DeclareOption{twocolumn}%
4321 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
4322 \DeclareOption{notitlepage}%
4323 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
4324 \DeclareOption{twoside}%
4325 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
4326 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
4327 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
4328 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
4329 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
4330 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
4331 \ProcessOptions\relax
4332 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
4333 \RequirePackage{ifxetex}
4334 \RequirePackage{multido}
4335 \RequirePackage{datetime}
4336 \RequirePackage{multicol}
4337 \RequirePackage{fancyhdr}
4338 \RequirePackage{fancybox}
4339 \ifthenelse{\boolean{xepersian@a3paper}}{%
4340 \RequirePackage[a3paper, headsep=0.5cm, vmargin={2cm,2cm}, hmargin={1.5cm,1.5cm}]{geometry}
4341 }{%
4342 \RequirePackage[headsep=0.5cm, vmargin={2cm,2cm}, hmargin={1.5cm,1.5cm}]{geometry}
4343 }

```



```

4344 \RequirePackage[absolute]{textpos} % absoulte positioning
4345 \RequirePackage{hyphenat} % when hyphenate
4346 \RequirePackage{lastpage} % to know the last page number
4347 \RequirePackage{setspace} % set space between lines
4348 \RequirePackage{ragged2e}
4349 \newcommand{\raggedFormat}{\RaggedLeft}
4350 \AtEndOfClass{\xepersianInit}
4351 \ifthenelse{\boolean{xepersian@showgrid}}{%
4352 \AtBeginDocument{%
4353 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4354 \advance\minraggedcols by -1
4355 }{%
4356 \AtBeginDocument{%
4357 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4358 \advance\minraggedcols by -1
4359 }
4360 \ifthenelse{\boolean{xepersian@ninepoints}}{%
4361 \renewcommand{\normalsize}{%
4362 \@setfontsize{\normalsize}{9pt}{10pt}%
4363 \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
4364 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4365 \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
4366 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4367
4368 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}%
4369
4370 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}%
4371
4372 \renewcommand{\small}{%
4373 \@setfontsize{\small}{8pt}{9pt}%
4374 \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
4375 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4376 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4377 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4378
4379 \renewcommand{\footnotesize}{%
4380 \@setfontsize{\footnotesize}{8pt}{9pt}%
4381 \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
4382 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4383 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4384 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4385
4386 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}%
4387 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}%
4388 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}%
4389 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}%
4390 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}%
4391 }{%
4392 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lrf{#1}}}}
4393 \newcommand{\xepersian@wwwFormat}{\sffamily}

```



```

4394 \newcommand{\xepersian@www}{%
4395 \raisebox{-3pt}{{\xepersian@wwwFormat\@customwwwTxt}}%
4396 }
4397 \newcommand{\xepersian@edition}{%
4398 \newcommand{\editionFormat}{\large\bfseries\textrm}
4399 \newcommand{\xepersian@editionLogo}{%
4400 \raisebox{-3pt}{%
4401 {\editionFormat\xepersian@edition}}%
4402 }%
4403 }
4404 \newcommand{\indexFormat}{\large\bfseries}
4405 \newcommand{\xepersian@indexFrameTitle}[1]{%
4406 {\begin{flushright}{\indexFormat #1}\end{flushright}}%
4407 }
4408 \newcommand{\indexEntryFormat}{\normalsize}
4409 \newcommand{\xepersian@indexEntry}[1]{%
4410 {\begin{minipage}{13\TPHorizModule}%
4411 {\indexEntryFormat\noindent\ignorespaces{#1}}%
4412 \end{minipage}}%
4413 \newcommand{\indexEntryPageTxt}{%
4414 \newcommand{\indexEntryPageFormat}{\footnotesize}
4415 \newcommand{\xepersian@indexEntryPage}[1]{%
4416 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}%
4417 }%
4418 \newcommand{\headDateFormat}{}
4419 \newcommand{\xepersian@headDateTime}{%
4420 \headDateFormat\date\hspace{5pt}\$\\parallel\$\\hspace{5pt}%
4421 \currenttime %
4422 }%
4423 \newcommand{\weatherFormat}{\bfseries}
4424 \newcommand{\xepersian@weather}[1]{%
4425 \noindent{\weatherFormat #1}}%
4426 }
4427 \newcommand{\weatherTempFormat}{\small}
4428 \newcommand{\weatherUnits}{\textdegree C}
4429 \newcommand{\xepersian@section}[0]{%
4430 \newcommand{\xepersian@headleft}{%
4431 {\small\bfseries \@custommagazinename} \date
4432 }%
4433 \newcommand{\xepersian@headcenter}{%
4434 \xepersian@section{}%
4435 }%
4436 \newcommand{\xepersian@headright}{%
4437 \small\xepersian@edition%
4438 \hspace*{5pt}\beginL{\thepage}\ / \pageref{LastPage}\endL
4439 }%
4440 \newcommand{\heading}[3]{%
4441 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
4442 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%

```



```

4444 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
4445 }
4446 \newcommand{\xepersian@footright}{%
4447 {\footnotesize\lr{\copyright\ \@customwwwTxt{}-- - \lr{\XePersian}}}%
```

```

4448 }
4449 \newcommand{\xepersian@footcenter}{%
4450 }
4451 \newcommand{\xepersian@footleft}{%
4452 }
4453
4454 \newcommand{\foot}[3]{%
4455 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
4456 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
4457 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
4458 }
4459 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
4460 \newcommand{\xepersian@firstTitle}[1]{%
4461 {%
4462 \begin{spacing}{2.0}{%
4463 \noindent\ignorespaces
4464 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4465 {\nohyphens{\firstTitleFormat #1}}{%
4466 {{\firstTitleFormat #1}}{%
4467 }{%
4468 \end{spacing}}{%
4469 }{%
4470 }{%
4471 \newcommand{\firstTextFormat}{}
4472 \newcommand{\xepersian@firstText}[1]{%
4473 {\noindent\ignorespaces\firstTextFormat #1}}{%
4474 }{%
4475 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
4476 \newcommand{\xepersian@secondTitle}[1]{%
4477 \begin{spacing}{1.5}{%
4478 \noindent\ignorespaces\flushright
4479 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4480 {\nohyphens{\secondTitleFormat #1}}{%
4481 {{\secondTitleFormat #1}}{%
4482 }\end{spacing}}{%
4483 }{%
4484 \newcommand{\secondSubtitleFormat}{\large}
4485 \newcommand{\xepersian@secondSubtitle}[1]{%
4486 {\noindent\ignorespaces{\secondSubtitleFormat #1}}{%
4487 }{%
4488 \newcommand{\secondTextFormat}{}
4489 \newcommand{\xepersian@secondText}[1]{%
4490 \begin{multicols}{2}{%
4491 {\noindent\ignorespaces\secondTextFormat #1}
4492 \end{multicols}}{%
4493 }

```



```

4494 \newcommand{\thirdTitleFormat}{\Large\bfseries}
4495 \newcommand{\xepersian@thirdTitle}[1]{%
4496 \begin{spacing}{1.5}{%
4497 \noindent\ignorespaces\flushright
4498 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4499 {\nohyphens{\thirdTitleFormat #1}}}{%
4500 {{\thirdTitleFormat #1}}}{%
4501 }\end{spacing}{%
4502 }%
4503 \newcommand{\thirdSubtitleFormat}{\large}
4504 \newcommand{\xepersian@thirdSubtitle}[1]{%
4505 {{\noindent\ignorespaces\thirdSubtitleFormat #1}}%
4506 \newcommand{\thirdTextFormat}{%
4507 \newcommand{\xepersian@thirdText}[1]{{\thirdTextFormat #1}}%
4508 \newcommand{\pictureCaptionFormat}{\small\bfseries}
4509 \newcommand{\xepersian@pictureCaption}[1]{%
4510 {\noindent\pictureCaptionFormat #1}}{%
4511 }%
4512 \newcommand{\pagesFormat}{\bfseries\footnotesize}
4513 \newcommand{\xepersian@pages}[1]{%
4514 {\noindent{\pagesFormat\MakeUppercase{#1}}}}%
4515 \newcommand{\innerTitleFormat}{\Huge}
4516 \newcommand{\xepersian@innerTitle}[1]{%
4517 \begin{flushright}{%
4518 \noindent
4519 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4520 {\nohyphens{\innerTitleFormat #1}}}{%
4521 {{\innerTitleFormat #1}}}{%
4522 }{%
4523 \\%
4524 }\end{flushright}{%
4525 }%
4526 \newcommand{\innerSubtitleFormat}{\large}
4527 \newcommand{\xepersian@innerSubtitle}[1]{{\innerSubtitleFormat #1}}%
4528 \newcommand{\timestampTxt}{%
4529 \newcommand{\timestampSeparator}{|}%
4530 \newcommand{\timestampFormat}{\small}%
4531 \newcommand{\timestamp}[1]{%
4532 {\timestampFormat}%
4533 #1~\timestampTxt{}{%
4534 }~\timestampSeparator{}{%
4535 }%
4536 \newcommand{\innerAuthorFormat}{\footnotesize}
4537 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
4538 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}%
4539 \newcommand{\editorialTitleFormat}{\LARGE\textit}%
4540 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}%
4541 \newcommand{\editorialAuthorFormat}{\textsc}%
4542 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
4543 \newcommand{\xepersian@shortarticleTitle}[1]{\shortarticleTitleFormat #1}}%

```



```

4544 \newcommand{\shortarticleSubtitleFormat}{\Large}
4545 \newcommand{\xepersian@shortarticleSubtitle}[1]{\shortarticleSubtitle #1}
4546 \newcommand{\shortarticleItemFormat}{\large\bfseries}
4547 \newcommand{\xepersian@shortarticleItemTitle}[1]{\shortarticleItemFormat #1}
4548 \renewcommand{\maketitle}{\begin{titlepage}%
4549   \let\footnotesize\small
4550   \let\footnoterule\relax
4551   \let \footnote \thanks
4552   \null\vfil
4553   \vskip 60\p@
4554   \begin{center}%
4555     {\LARGE \@title \par}%
4556     \vskip 1em%
4557     {\LARGE «\xepersian@edition» \par}%
4558     \vskip 3em%
4559     {\large
4560       \lineskip .75em%
4561       \begin{tabular}{t}{c}%
4562         \author
4563         \end{tabular}\par}%
4564     \vskip 1.5em%
4565     {\large \@date \par}%
4566   \end{center}\par
4567   \thanks
4568   \vfil\null
4569   \end{titlepage}%
4570   \setcounter{footnote}{0}%
4571   \global\let\thanks\relax
4572   \global\let\maketitle\relax
4573   \global\let\@thanks\@empty
4574   \global\let\@author\@empty
4575   \global\let\@date\@empty
4576   \global\let\@title\@empty
4577   \global\let\title\relax
4578   \global\let\author\relax
4579   \global\let\date\relax
4580   \global\let\and\relax
4581 }
4582 \newcommand{\xepersian@say}[1]{\typeout{#1}}
4583 \newsavebox{\xepersian@fmbox}
4584 \newenvironment{xepersian@fmpage}[1]
4585   {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
4586   {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
4587 \newcommand{\image}[2]{%
4588   \vspace{5pt}
4589   \setlength{\fboxsep}{1pt}
4590   \addtolength{\xepersian@imgsize}{\columnwidth}
4591   \addtolength{\xepersian@imgsize}{-\columnsep}
4592   \ifxetex
4593     \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}

```



```

4594 \addtolength{\xepersian@pageneed}{50pt}
4595 \ClassWarning{xepersian-magazine}{%
4596 Image #1 needs: \the\xepersian@pageneed \space %
4597 and there is left: \the\page@free\space%
4598 }
4599 \ifdim \xepersian@pageneed < \page@free
4600
4601 {\centering\fbox{%
4602 \includegraphics[width = \xepersian@imgsize,
4603 height = \xepersian@imgsize,
4604 keepaspectratio ]{#1}}}
4605 \xepersian@pictureCaption{#2}
4606
4607 \vspace{5pt}
4608 \else
4609 \ClassWarning{Image #1 needs more space!}{%
4610 It was not inserted!}
4611 \fi
4612 \fi
4613 }
4614 \textblockorigin{1cm}{1cm}
4615 \newdimen\xepersian@dx
4616 \newdimen\xepersian@dy
4617 \newcount\xepersian@cx
4618 \newcount\xepersian@cy
4619 \newcommand{\grid}[3][]{%
4620 \xepersian@dx=\textwidth%
4621 \xepersian@dy=\textheight%
4622 \xepersian@cx=#3% %columns
4623 \xepersian@cy=#2% %rows
4624
4625 \count1=#3%
4626 \advance\count1 by 1
4627
4628 \count2=#2%
4629 \advance\count2 by 1
4630
4631 \divide\xepersian@dx by #3
4632 \divide\xepersian@dy by #2
4633
4634 \setlength{\TPHorizModule}{\xepersian@dx}
4635 \setlength{\TPVertModule}{\xepersian@dy}
4636
4637 \ifthenelse{\equal{#1}{show}}{%
4638 \multido{\xepersian@nrow=0+1}{\count2}{%
4639 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
4640 \rule[0pt]{\textwidth}{.1pt}
4641 \end{textblock}
4642 }
4643

```



```

4644 \multido{\xepersian@ncol=0+1}{\count1}{
4645 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
4646 \rule[0pt]{.1pt}{\textheight}
4647 \end{textblock}
4648 }
4649 }()
4650 }
4651 \newcommand{\xepersianInit}{
4652 \setlength{\headheight}{14pt}
4653 \renewcommand{\headrulewidth}{0.4pt}
4654
4655 \pagestyle{fancy}
4656
4657 \setlength{\columnseprule}{\columnlines}
4658 \setlength{\fboxrule}{0.1 pt}
4659
4660 }
4661
4662 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
4663 \def\customminilogo#1{\gdef\@customminilogo{\beginR#1\endR}}
4664 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
4665 \newcommand{\logo}[0]{
4666 %% Heading %%
4667 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
4668
4669 \vspace*{-3pt}
4670
4671 {\Large\bfseries \@customlogo}
4672 \hrulefill
4673 \hspace{10pt}\xepersian@headDateTime
4674
4675 }
4676 \newcommand{\minilogo}[0]{
4677 {\large\bfseries \@customminilogo}
4678
4679 \vspace*{5pt}
4680 }
4681 \newcommand{\mylogo}[1]{
4682 {\beginR#1\endR}
4683
4684 \noindent
4685 \xepersian@editionLogo\hspace{5pt}
4686 \hrulefill
4687 \hspace{5pt}\xepersian@headDateTime
4688 }
4689 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
4690 \newenvironment{frontpage}[0]
4691 {
4692 \setboolean{xepersian@insidefrontpage}{true}
4693 \thispagestyle{empty}

```



```

4694 \logo
4695
4696 }%
4697 {
4698 \thispagestyle{empty}
4699 \clearpage
4700 \newpage
4701 \fancyhead{}
4702 \fancyfoot{}
4703 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
4704 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
4705 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
4706 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
4707 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
4708 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
4709 \renewcommand{\headrulewidth}{0.4pt}
4710 \setboolean{xepersian@insidefrontpage}{false}
4711 }
4712 }
4713 \newcommand{\firstarticle}[3]
4714 {
4715 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4716 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4717 \begin{textblock}{24}(22,5)
4718 }
4719 {
4720 \begin{textblock}{28}(22,5)
4721 }
4722 \vspace{-7pt}
4723 \xepersian@firstTitle{#1}
4724 \end{textblock}
4725 \begin{textblock}{29}(22,10)
4726 \vspace{5pt plus 2pt minus 2pt}
4727
4728 \xepersian@firstText{\timestamp{#3}~#2}
4729
4730 \end{textblock}
4731
4732 \begin{textblock}{50}(0,15)
4733 \rule{50\TPHorizModule}{.3pt}
4734 \end{textblock}
4735 }{%
4736 \ClassError{xepersian-magazine}{%
4737 \protect\firstarticle\space in a wrong place.\MessageBreak
4738 \protect\firstarticle\space may only appear inside frontpage environment.
4739 }{%
4740 \protect\firstarticle\space may only appear inside frontpage environment.
4741 }%
4742 }
4743 }

```



```

4744 \newcommand{\secondarticle}[5]
4745 {
4746 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4747 \begin{textblock}{33}(2,16)
4748 \xepersian@pages{#4}
4749 \vspace{-5pt}
4750 \xepersian@secondTitle{#1}
4751
4752 \vspace*{5pt}
4753
4754 \xepersian@secondSubtitle{#2}
4755
4756 \vspace*{-7pt}
4757
4758 \xepersian@secondText{\timestamp{#5}~#3}
4759
4760 \end{textblock}
4761
4762 \begin{textblock}{33}(2,25)
4763 \vspace{5pt plus 2pt minus 2pt}
4764
4765 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4766 \end{textblock}
4767 }{%
4768 \ClassError{xepersian-magazine}{%
4769 \protect\secondarticle\space in a wrong place.\MessageBreak
4770 \protect\secondarticle\space may only appear inside frontpage environment.
4771 }{%
4772 \protect\secondarticle\space may only appear inside frontpage environment.
4773 }%
4774 }
4775 }
4776 \newcommand{\thirdarticle}[6]
4777 {
4778 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4779 \begin{textblock}{32}(2,26)
4780 \xepersian@pages{#5}
4781 \vspace{-5pt}
4782 \setlength{\fboxsep}{1pt}
4783 \xepersian@thirdTitle{#1}
4784
4785 \vspace*{5pt}
4786
4787 \xepersian@thirdSubtitle{#2}
4788
4789 \vspace*{5pt}
4790
4791 {\noindent\ignorespaces %
4792 \ifthenelse{\equal{#4}{}}{}{%
4793

```



```

4794 \xepersian@thirdText{\timestam{#6}~#3}
4795 }
4796 }
4797
4798 \vspace*{5pt}
4799
4800 \end{textblock}
4801 }{\%else
4802 {\ClassError{xepersian-magazine}{%
4803 \protect\thirdarticle\space in a wrong place.\MessageBreak
4804 \protect\thirdarticle\space may only appear inside frontpage environment.
4805 }{%
4806 \protect\thirdarticle\space may only appear inside frontpage environment.
4807 }{%
4808 }
4809 }
4810 \newcommand{\firstimage}[2]
4811 {
4812 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4813 \begin{textblock}{18}(2,5)
4814 \setlength{\fboxsep}{1pt}
4815 \ifxetex % only in PDF
4816 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4817 \fi
4818
4819 \xepersian@pictureCaption{#2}
4820 \end{textblock}%
4821 }
4822 {\ClassError{xepersian-magazine}{%
4823 \protect\firstimage\space in a wrong place.\MessageBreak
4824 \protect\firstimage\space may only appear inside frontpage environment.
4825 }{%
4826 \protect\firstimage\space may only appear inside frontpage environment.
4827 }{%
4828 }{%
4829 \newcommand{\weatheritem}[5]{%
4830 \ifthenelse{\boolean{xepersian@insideweather}}{%
4831 \begin{minipage}{45pt}
4832 \ifxetex
4833 \includegraphics[width=40pt]{#1}
4834 \fi
4835 \end{minipage}
4836 \begin{minipage}{50pt}
4837 \weatherTempFormat
4838 #2\\
4839 \begin{L#3} \$\|\$ #4 \lr{\weatherUnits{}}\end{L}\\
4840 #5
4841 \end{minipage}
4842 }{\%else
4843 \ClassError{xepersian-magazine}{%

```



```

4844 \protect\weatheritem\space in a wrong place.\MessageBreak
4845 \protect\weatheritem\space may only appear inside weatherblock environment.
4846 }{%
4847 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4848 weatherblock environment may only appear inside frontpage environment.
4849 }%
4850 }
4851 }
4852 \newenvironment{weatherblock}[1]
4853 {
4854 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4855 \setboolean{xepersian@insideweather}{true}
4856 \begin{textblock}{32}(2,38)
4857 \vspace*{-15pt}
4858
4859 \xepersian@weather{\beginR#1\endR}
4860
4861 \vspace*{5pt}
4862
4863 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4864 \begin{minipage}{32\TPHorizModule}
4865 \hspace{5pt}
4866
4867 }{%
4868 \ClassError{xepersian-magazine}{%
4869 weatherblock in a wrong place.\MessageBreak
4870 weatherblock may only appear inside frontpage environment.
4871 }{%
4872 weatherblock may only appear inside frontpage environment.
4873 }
4874 }
4875 }%
4876 {
4877 \end{minipage}
4878 \end{xepersian@fmpage}
4879 \end{textblock}
4880 \setboolean{xepersian@insideweather}{false}
4881 }
4882 \newenvironment{authorblock}[0]
4883 {
4884 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4885 \begin{textblock}{15}(36,35)
4886 \setlength{\fboxsep}{5pt}
4887 \begin{xepersian@fmpage}{13\TPHorizModule}
4888 \begin{minipage}{13\TPHorizModule}
4889 \centering
4890 \minilogo
4891
4892 }{%
4893 \ClassError{xepersian-magazine}{%

```



```

4894 authorblock in a wrong place.\MessageBreak
4895 authorblock may only appear inside frontpage environment.
4896 }{%
4897 authorblock may only appear inside frontpage environment.
4898 }
4899 }
4900 }
4901 {
4902 \end{minipage}
4903 \end{xepersian@fmpage}
4904 \end{textblock}
4905 }
4906 \newenvironment{indexblock}[1]
4907 {
4908 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4909 \setboolean{xepersian@insideindex}{true}}%let's in
4910 \begin{textblock}{15}(36,16)
4911 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4912 \xepersian@indexFrameTitle{#1}
4913
4914 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4915 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4916 \begin{minipage}{\xepersian@indexwidth}
4917 \vspace*{10pt}
4918 }{%
4919 \ClassError{xepersian-magazine}{%
4920 indexblock in a wrong place.\MessageBreak
4921 indexblock may only appear inside frontpage environment.
4922 }{%
4923 indexblock may only appear inside frontpage environment.
4924 }
4925 }
4926 }%
4927 {
4928 \end{minipage}
4929 \end{xepersian@fmpage}
4930 \end{textblock}
4931 \setboolean{xepersian@insideindex}{false}}%let's out
4932 }
4933 \newcommand{\indexitem}[2]
4934 {
4935 \ifthenelse{\boolean{xepersian@insideindex}}{%
4936 \xepersian@indexEntry{#1} \xepersian@indexEntryPage{\pageref{#2}}}
4937
4938 \vspace{0.5cm}
4939
4940 \noindent\ignorespaces\indexEntrySeparator{}}
4941 }{%
4942 \ClassError{xepersian-magazine}{%
4943 \protect\indexitem\space in a wrong place.\MessageBreak

```



```

4944 \protect\indexitem{space may only appear inside indexblock environment.}%
4945 }{%
4946 \protect\indexitem{space may only appear inside indexblock environment.\MessageBreak
4947 indexblock environment may only appear inside frontpage environment.}%
4948 }%
4949 }
4950 }
4951 \newcommand{\xepersian@inexpandedtitle}[1]{%
4952 \begin{minipage}{.95\textwidth}%
4953 \begin{center}%
4954 \noindent\Large\textbf{\begin{R}\end{R}}%
4955 \end{center}%
4956 \end{minipage}%
4957 }%
4958 \newcommand{\expandedtitle}[2]{%
4959 \end{multicols}%
4960 %
4961 \begin{center}%
4962 \setlength{\fboxsep}{5pt}%
4963 \setlength{\shadowsize}{2pt}%
4964 \ifthenelse{\equal{#1}{shadowbox}}{%
4965 \shadowbox{%
4966 \xepersian@inexpandedtitle{#2}}%
4967 }%
4968 }{}%
4969 \ifthenelse{\equal{#1}{doublebox}}{%
4970 \doublebox{%
4971 \xepersian@inexpandedtitle{#2}}%
4972 }%
4973 }{}%
4974 \ifthenelse{\equal{#1}{ovalbox}}{%
4975 \ovalbox{%
4976 \xepersian@inexpandedtitle{#2}}%
4977 }%
4978 }{}%
4979 \ifthenelse{\equal{#1}{Ovalbox}}{%
4980 \Ovalbox{%
4981 \xepersian@inexpandedtitle{#2}}%
4982 }%
4983 }{}%
4984 \ifthenelse{\equal{#1}{lines}}{%
4985 \hrule%
4986 \vspace*{8pt}%
4987 \begin{center}%
4988 \noindent\Large\textbf{\#2}%
4989 \end{center}%
4990 \vspace*{8pt}%
4991 \hrule%
4992 }{}%
4993 \end{center}%

```



```

4994
4995 \begin{multicols}{\xepersian@ncolumns{}}
4996 \ifnum \xepersian@ncolumns > \minraggedcols
4997 \raggedFormat
4998 \fi
4999 }
5000 \newcommand{\xepersian@incolumntitle}[2]{
5001 \begin{minipage}{#1}
5002 \begin{center}
5003 \noindent\normalsize\textbf{#2}
5004 \end{center}
5005 \end{minipage}
5006 }
5007
5008 \newcommand{\columntitle}[2]{
5009 \vspace*{5pt}
5010 \begin{center}
5011 \setlength{\fboxsep}{5pt}
5012 \setlength{\shadowsize}{2pt}
5013 \addtolength{\xepersian@coltitsize}{\columnwidth}
5014 \addtolength{\xepersian@coltitsize}{-1\columnsep}
5015 \addtolength{\xepersian@coltitsize}{-5pt}
5016 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
5017 \ifthenelse{\equal{#1}{shadowbox}}{%
5018 \shadowbox{%
5019 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5020 }%
5021 }{%
5022 \ifthenelse{\equal{#1}{doublebox}}{%
5023 \doublebox{%
5024 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5025 }%
5026 }{%
5027 \ifthenelse{\equal{#1}{ovalbox}}{%
5028 \ovalbox{%
5029 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5030 }%
5031 }{%
5032 \ifthenelse{\equal{#1}{Ovalbox}}{%
5033 \Ovalbox{%
5034 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5035 }%
5036 }{%
5037 \ifthenelse{\equal{#1}{lines}}{%
5038 \hrule
5039 \vspace*{5pt}
5040 \begin{center}
5041 \noindent\normalsize\textbf{#2}
5042 \end{center}
5043 \vspace*{5pt}

```



```

5044 \hrule
5045 }){}
5046 \end{center}
5047 }
5048 \renewcommand{\date}{%
5049 \longdate{\today}%
5050 }
5051 \newcommand{\authorandplace}[2]{%
5052 \rightline{%
5053 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}%
5054 }%
5055 \par %
5056 }
5057 \newcommand{\newsection}[1]{%
5058 \renewcommand{\xepersian@section}{#1}%
5059 }
5060 \newenvironment{article}[5]
5061 {
5062 \xepersian@say{Adding a new piece of article}
5063 \renewcommand{\xepersian@ncolumns}{#1}
5064 \begin{multicols}{#1}[
5065 \xepersian@pages{#4}
5066 \xepersian@innerTitle{#2}%
5067 \xepersian@innerSubtitle{#3}%
5068 ] [4cm]%
5069 \label{#5}
5070 \ifnum #1 > \minraggedcols
5071 \raggedFormat
5072 \fi
5073 }
5074 {~\innerTextFinalMark{}}%
5075 \end{multicols}
5076 }
5077 \newcommand{\articlesep}{%
5078 \setlength{\xepersian@pageneed}{16000pt}
5079 \setlength\xepersian@pageleft{\pagegoal}
5080 \addtolength\xepersian@pageleft{-\pagetotal}
5081
5082 \xepersian@say{How much left \the\xepersian@pageleft}
5083
5084 \ifdim \xepersian@pageneed < \xepersian@pageleft
5085 \xepersian@say{Not enough space}
5086 \else
5087 \xepersian@say{Adding sep line between articles}
5088 \vspace*{10pt plus 10pt minus 5pt}
5089 \hrule
5090 \vspace*{10pt plus 5pt minus 5pt}
5091 \fi
5092
5093 }

```



```

5094 \newcommand{\xepersian@editorialTit}[2]{
5095 \setlength{\arrayrulewidth}{.1pt}
5096 \begin{center}
5097 \begin{tabular}{c}
5098 \noindent
5099 \xepersian@editorialTitle{#1}
5100 \vspace{2pt plus 1pt minus 1pt}
5101 \\
5102 \hline
5103 \vspace{2pt plus 1pt minus 1pt}
5104 \\
5105 \editorialAuthorFormat{#2}
5106 \end{tabular}
5107 \end{center}
5108 }
5109 \newenvironment{editorial}[4]
5110 {
5111 \xepersian@say{Adding a new editorial}
5112 \begin{multicols}{#1}[%
5113 \xepersian@editorialTit{#2}{#3}%
5114 ][4cm]
5115 \label{#4}
5116 \ifnum #1 > \minraggedcols
5117 \raggedFormat
5118 \fi
5119 }
5120 {
5121 \end{multicols}
5122 }
5123 \newcommand{\xepersian@shortarticleTit}[2]{
5124 \begin{center}
5125 \vbox{%
5126 \noindent
5127 \xepersian@shortarticleTitle{#1}
5128 \vspace{4pt plus 2pt minus 2pt}
5129 \hrule
5130 \vspace{4pt plus 2pt minus 2pt}
5131 \xepersian@shortarticleSubtitle{#2}
5132 }
5133 \end{center}
5134 }
5135 \newenvironment{shortarticle}[4]
5136 {
5137 \xepersian@say{Adding a short article block}
5138 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}][4cm] %
5139 \label{#4}
5140 \par %
5141 \ifnum #1 > \minraggedcols
5142 \raggedFormat
5143 \fi

```



```

5144 }
5145 {
5146 \end{multicols}
5147 }
5148 \newcommand{\shortarticleitem}[2]{
5149 \goodbreak
5150 \vspace{5pt plus 3pt minus 3pt}
5151 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
5152 \vspace{5pt plus 3pt minus 3pt}
5153 {\noindent #2}\\
5154 }

```

60 File `xepersian-mathsdigtspec.sty`

```

5155 \NeedsTeXFormat{LaTeX2e}
5156 \ProvidesPackage{xepersian-mathsdigtspec}
5157 [2018/12/16 v1.1.7 Unicode Persian maths digits in XeLaTeX]
5158 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
5159 \let\newfam\new@mathgroup
5160 \def\select@group#1#2#3#4{%
5161   \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
5162   {%
5163     \ifmmode
5164       \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5165         \begingroup
5166           \escapechar\m@ne
5167           \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5168           \globaldefs\@ne \math@fonts
5169         \endgroup
5170         \init@restore@version
5171         \xdef#1{\noexpand\use@mathgroup\noexpand#2%
5172           {\number\csname c@mv@\math@version\endcsname}}%
5173         \global\advance\csname c@mv@\math@version\endcsname\@ne
5174       \else
5175         \let#1\relax
5176         \@latex@error{Too many math alphabets used in
5177           version \math@version}%
5178         \@eha
5179       \fi
5180     \else \expandafter\non@alpherr\fi
5181   #1{#4}%
5182 }%
5183 }
5184 \def\document@select@group#1#2#3#4{%
5185   \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
5186   {%
5187     \ifmmode
5188       \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5189         \begingroup
5190           \escapechar\m@ne

```



```

5191      \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5192      \globaldefs\@ne \math@fonts
5193  \endgroup
5194  \expandafter\extract@alph@from@version
5195      \csname mv@\math@version\expandafter\endcsname
5196      \expandafter{\number\csname
5197          c@mv@\math@version\endcsname}%
5198      #1%
5199      \global\advance\csname c@mv@\math@version\endcsname\@ne
5200  \else
5201      \let#1\relax
5202      \@latex@error{Too many math alphabets used
5203                      in version \math@version}%
5204      \c@eha
5205  \fi
5206 \else \expandafter\non@alpherr\fi
5207 #1{#4}%
5208 }%
5209 }
5210 \ExplSyntaxOn
5211 \bool_set_false:N \g__fontspec_math_bool
5212 \tl_map_inline:nn
5213 {
5214     \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
5215     \o@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@
5216     \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
5217     \version@list\version@elt\alpha@list\alpha@elt
5218     \restore@mathversion\init@restore@version\dorestore@version\process@table
5219     \new@mathversion\DeclareSymbolFont\group@list\group@elt
5220     \new@symbolfont\SetSymbolFont\SetSymbolFont@get@cdp
5221     \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@
5222     \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
5223     \set@mathsymbol\DeclareMathDelimiter\oxx\DeclareMathDelimiter
5224     \o@DeclareMathDelimiter\oxx\DeclareMathDelimiter\set@mathdelimiter
5225     \set@mathdelimiter\DeclareMathRadical\mathchar@type
5226     \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@
5227 }
5228 {
5229     \tl_remove_once:Nn \o@preamblecmds {\do#1}
5230 }
5231 \ExplSyntaxOff
5232 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigtspec}{#1}}
5233 \newcommand\SetMathCode[4]{%
5234     \Umathcode#1="mathchar@type#2 \csname sym#3\endcsname #4\relax}
5235 \newcommand\SetMathCharDef[4]{%
5236     \Umathchardef#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5237 \ExplSyntaxOn
5238 \cs_new_eq:NN \orig_mathbf:n \mathbf
5239 \cs_new_eq:NN \orig_mathit:n \mathit
5240 \cs_new_eq:NN \orig_mathrm:n \mathrm

```



```

5241 \cs_new_eq:NN \orig_mathsfs:n \mathsf
5242 \cs_new_eq:NN \orig_mathtt:n \mathtt
5243 \NewDocumentCommand \new@mathbf { m } {
5244   \orig_mathbf:n {
5245     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
5246       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
5247     }
5248   #1
5249 }
5250 }
5251 \NewDocumentCommand \new@mathit { m } {
5252   \orig_mathit:n {
5253     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
5254       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
5255     }
5256   #1
5257 }
5258 }
5259 \NewDocumentCommand \new@mathrm { m } {
5260   \orig_mathrm:n {
5261     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
5262       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
5263     }
5264   #1
5265 }
5266 }
5267 \NewDocumentCommand \new@mathsf{ m } {
5268   \orig_mathsf:n {
5269     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
5270       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
5271     }
5272   #1
5273 }
5274 }
5275 \NewDocumentCommand \new@mathtt{ m } {
5276   \orig_mathtt:n {
5277     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
5278       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
5279     }
5280   #1
5281 }
5282 }
5283
5284 \cs_new:Npn \__xepersian_mathsigitspec_error:nxx { \msg_error:nnxx {xepersian-mathsdigit}
5285 \cs_new:Nn \__xepersian_mathsigitspec_msg_new:nnnn
5286 { \msg_new:nnxx {#1} {#2} { \tl_trim_spaces:n {#3} } { \tl_trim_spaces:n {#4} } }
5287 \char_set_catcode_space:n {32}
5288 \__xepersian_mathsigitspec_msg_new:nnnn {xepersian-mathsdigit} {char-not-exist}
5289 {
5290   The font "#1" does not contain U+#2.

```



```

5291 }
5292 {
5293 Select another font and rerun xelatex.
5294 }
5295 \char_set_catcode_ignore:n {32}
5296
5297 \prg_new_conditional:Nnn \__xepersian_mathsdigtspec_primitive_font_char_if_exist:n {p,TF,T,F}
5298 {
5299     \etex_iffontchar:D \l_fontsname "##1 \scan_stop:
5300         \prg_return_true:
5301     \else:
5302         \prg_return_false:
5303     \fi:
5304 }
5305
5306 \clist_new:N \l_xepersian_mathsdigtspec_char_clist
5307
5308 \cs_new:Nn \__xepersian_mathsdigtspec_char_set_not_exist_error:nn
5309 {
5310     \clist_set:Nn \l_xepersian_mathsdigtspec_char_clist { #1 }
5311     \clist_map_inline:Nn \l_xepersian_mathsdigtspec_char_clist {
5312         \__xepersian_mathsdigtspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathsdigtspec_char_set_not_exist_error:nn }
5313     }
5314 }
5315
5316 \cs_new:Nn \__xepersian_mathsdigtspec_char_prepend_not_exist_error:nn
5317 {
5318     \clist_put_left:Nn \l_xepersian_mathsdigtspec_char_clist { #1 }
5319     \clist_map_inline:Nn \l_xepersian_mathsdigtspec_char_clist {
5320         \__xepersian_mathsdigtspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathsdigtspec_char_set_not_exist_error:nn }
5321     }
5322 }
5323
5324 \cs_new:Nn \__xepersian_mathsdigtspec_char_append_not_exist_error:nn
5325 {
5326     \clist_put_right:Nn \l_xepersian_mathsdigtspec_char_clist { #1 }
5327     \clist_map_inline:Nn \l_xepersian_mathsdigtspec_char_clist {
5328         \__xepersian_mathsdigtspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathsdigtspec_char_set_not_exist_error:nn }
5329     }
5330 }
5331
5332 \cs_new:Nn \__xepersian_mathsdigtspec_char_not_exist_error:n
5333 {
5334     \__xepersian_mathsdigtspec_char_set_not_exist_error:nn {
5335         06F0 , 06F1 , 06F2 , 06F3 , 06F4 , 06F5 , 06F6 , 06F7 , 06F8 ,
5336         06F9 , 066A , 066B
5337     } { #1 }
5338 }
5339
5340 \DeclareDocumentCommand \setmathdigitfont { O{} m O{} } {

```



```

5341  {
5342    \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
5343  }
5344 \cs_new:Nn \__xepersian_main_setmathdigitfont:nn
5345  {
5346  \let\glb@currsize\relax
5347  \fontspec_set_family:Nnn \g__xepersian_mathdigitsfamily_tl {Ligatures=PersianTeX,#1} {#2}
5348  \__xepersian_setmathdigitfont_hook:nn {#1} {#2}
5349    \xepersian@PackageInfo{Defining the default Persian maths digits font as '#2'}
5350  \DeclareSymbolFont{OPERATORS}  {\g_fontspec_encoding_t1}{\g_xepersian_mathdigitsfamily_tl}
5351  \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_mathdigits}
5352  \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_mathdigits}
5353  \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_mathdigits}
5354  \__xepersian_mathsdigitspec_char_not_exist_error:n { #2 }
5355  \def\persianmathsdigits{%
5356  \SetMathCode{'0}{\mathalpha}{OPERATORS}{`0}
5357  \SetMathCode{'1}{\mathalpha}{OPERATORS}{`1}
5358  \SetMathCode{'2}{\mathalpha}{OPERATORS}{`2}
5359  \SetMathCode{'3}{\mathalpha}{OPERATORS}{`3}
5360  \SetMathCode{'4}{\mathalpha}{OPERATORS}{`4}
5361  \SetMathCode{'5}{\mathalpha}{OPERATORS}{`5}
5362  \SetMathCode{'6}{\mathalpha}{OPERATORS}{`6}
5363  \SetMathCode{'7}{\mathalpha}{OPERATORS}{`7}
5364  \SetMathCode{'8}{\mathalpha}{OPERATORS}{`8}
5365  \SetMathCode{'9}{\mathalpha}{OPERATORS}{`9}
5366  \SetMathCode{'\%}{\mathbin}{OPERATORS}{`%}
5367  \SetMathCharDef{\decimalseparator}{\mathord}{OPERATORS}{066B}
5368  \tl_set_eq:NN \mathbf \new@mathbf
5369  \tl_set_eq:NN \mathit \new@mathit
5370  \tl_set_eq:NN \mathrm \new@mathrm
5371  }
5372
5373 \cs_set_eq:NN \__xepersian_setmathdigitfont_hook:nn      \use_none:nn
5374
5375 \DeclareDocumentCommand \setmathsf digitfont { O{} m O{} } {
5376  \__xepersian_main_setmathsf digitfont:nn {#1,#3} {#2}
5377
5378  }
5379 \cs_new:Nn \__xepersian_main_setmathsf digitfont:nn
5380  {
5381  \fontspec_set_family:Nnn \g__xepersian_mathsf digitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5382  \__xepersian_setmathsf digitfont_hook:nn {#1} {#2}
5383    \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_mathsf}
5384    \__xepersian_mathsdigitspec_char_not_exist_error:n { #2 }
5385    \def\persianmathsf digits{\tl_set_eq:NN \mathsf \new@mathsf}
5386  }
5387
5388 \cs_set_eq:NN \__xepersian_setmathsf digitfont_hook:nn      \use_none:nn
5389
5390 \DeclareDocumentCommand \setmathtt digitfont { O{} m O{} } {

```



```

5391  {
5392    \__xepersian_main_setmathtdigitfont:nn {#1,#3} {#2}
5393  }
5394 \cs_new:Nn \__xepersian_main_setmathtdigitfont:nn
5395  {
5396   \fontspec_set_family:Nnn \g__xepersian_mathtdigitfamily_t1 {Ligatures=PersianTeX,#1} {#2}
5397   \__xepersian_setmathtdigitfont_hook:nn {#1} {#2}
5398   \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_t1}{\g__xepersian_mathtt}
5399   \__xepersian_mathsigitspec_char_not_exist_error:n { #2 }
5400   \def\persianmathtdigits{\tl_set_eq:NN \mathtt \new@mathtt}
5401 }
5402
5403 \cs_set_eq:NN \__xepersian_setmathtdigitfont_hook:nn      \use_none:nn
5404
5405 \ExplSyntaxOff
5406 \ifx\newcommand\undefined\else
5407   \newcommand{\ZifferAn}{}
5408 \fi
5409 \mathchardef\ziffer@DotOri="013A
5410 {\ZifferAn
5411 \catcode`\.=\active\gdef.{\begingroup\obeyspaces\futurelet\n\ziffer@dcheck}}
5412 \def\ziffer@dcheck{\ziffer@check\ZifferLeer\ziffer@DotOri}
5413 \def\ziffer@check#1#2{%
5414   \ifx\n1\endgroup#1\else
5415     \ifx\n2\endgroup#1\else
5416       \ifx\n3\endgroup#1\else
5417         \ifx\n4\endgroup#1\else
5418           \ifx\n5\endgroup#1\else
5419             \ifx\n6\endgroup#1\else
5420               \ifx\n7\endgroup#1\else
5421                 \ifx\n8\endgroup#1\else
5422                   \ifx\n9\endgroup#1\else
5423                     \ifx\n0\endgroup#1\else
5424                       \ifx\n\overline\endgroup#1\else
5425                         \endgroup#2%
5426                       \fi
5427                     \fi
5428                   \fi
5429                 \fi
5430               \fi
5431             \fi
5432           \fi
5433         \fi
5434       \fi
5435     \fi
5436   \fi}
5437 \mathcode`.=8000\relax
5438 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
5439 \def\DefaultInlineMathsDigits{\def\SetInlineMathsDigits{}}
5440 \def\DefaultDisplayMathsDigits{\def\SetDisplayMathsDigits{}}

```



```

5441 \def\DefaultMathsDigits{%
5442   \DefaultInlineMathsDigits%
5443   \DefaultDisplayMathsDigits%
5444 }
5445 \def\PersianInlineMathsDigits{\def\SetInlineMathsDigits{%
5446 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
5447 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5448 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}%
5449 \def\PersianDisplayMathsDigits{\def\SetDisplayMathsDigits{%
5450 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
5451 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5452 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}%
5453 \def\PersianMathsDigits{%
5454   \PersianInlineMathsDigits%
5455   \PersianDisplayMathsDigits%
5456 }
5457 \def\AutoInlineMathsDigits{\def\SetInlineMathsDigits{%
5458 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
5459 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi%
5460 \ifx\persianmathtt digits\undefined\else\if@nonlatin\persianmathtt digits\fi\fi}%
5461 \def\AutoDisplayMathsDigits{\def\SetDisplayMathsDigits{%
5462 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
5463 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi%
5464 \ifx\persianmathtt digits\undefined\else\if@nonlatin\persianmathtt digits\fi\fi}%
5465 \def\AutoMathsDigits{%
5466   \AutoInlineMathsDigits%
5467   \AutoDisplayMathsDigits%
5468 }
5469 \AutoMathsDigits
5470 \everymath\expandafter{\the\everymath\SetInlineMathsDigits%
5471   \let\SetDisplayMathsDigits\relax%
5472 }
5473 \everydisplay\expandafter{%
5474   \the\everydisplay\SetDisplayMathsDigits%
5475   \let\SetInlineMathsDigits\relax%
5476 }

```

61 File `xepersian-multiplechoice.sty`

```

5477 \NeedsTeXFormat{LaTeX2e}
5478 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
5479                                     Multiple Choice Questionnaire class for Persian in XeLaTeX]
5480 \RequirePackage{pifont}
5481 \RequirePackage{fullpage}
5482 \RequirePackage{ifthen}
5483 \RequirePackage{calc}
5484 \RequirePackage{verbatim}
5485 \RequirePackage{tabularx}
5486 \def\@headerfont{\bfseries}
5487 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}

```



```

5488 \def\@X{X}
5489 \newcommand\X[1]{\gdef\@X{\#1}}
5490 \def\pbs#1{\let\tmp=\#1\let\\=\tmp}
5491 \newcolumntype{D}{>{\pbs\centering}X}
5492 \newcolumntype{Q}{>{\@headerfont}X}
5493
5494 \renewcommand\tabularxcolumn[1]{m{\#1}}
5495 \newcommand\makeform@nocorrection{%
5496   \addtocontents{frm}{\protect\end{tabularx}}%
5497   \starttoc{frm}}%
5498 \newcommand\makeform@correction{%
5499   \addtocontents{frm}{\protect\end{tabularx}}}%
5500 \newcommand\makemask@nocorrection{%
5501   \addtocontents{msk}{\protect\end{tabularx}}%
5502   \starttoc{msk}}%
5503 \newcommand\makemask@correction{%
5504   \addtocontents{msk}{\protect\end{tabularx}}}%
5505 \newlength\questionspace
5506 \setlength\questionspace{0pt}
5507 \newcommand\answerstitle[1]{\gdef\@answerstitle{\#1}}
5508 \def\@answerstitlefont{\bfseries}
5509 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{\#1}}
5510 \def\@answernumberfont{\bfseries}
5511 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{\#1}}
5512 \newcounter{question}\stepcounter{question}
5513 \newcounter{@choice}
5514 \def\@initorcheck{%
5515   \xdef\@choices{\the@choice}%
5516   \setcounter{@choice}{1}%
5517   \gdef\@arraydesc{|Q||}%
5518   \gdef\@headerline{}%
5519   \whiledo{\not{\value{@choice}>\@choices}}{%
5520     \xdef\@arraydesc{\@arraydesc D|}%
5521     \def\@appendheader{\g@addto@macro\@headerline}%
5522     \@appendheader{\&\protect\@headerfont}%
5523     \edef\@the@choice{\alph{@choice}}%
5524     \expandafter\@appendheader\@the@choice
5525     \stepcounter{@choice}%
5526   \addtocontents{frm}{%
5527     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5528     \protect\hline
5529     \@headerline\protect\\ \protect\hline\protect\hline}%
5530   \addtocontents{msk}{%
5531     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5532     \protect\hline
5533     \@headerline\protect\\ \protect\hline\protect\hline}%
5534   \gdef\@initorcheck{%
5535     \ifthenelse{\value{@choice} = \@choices}{}{%
5536       \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
5537         (\the@choice\space instead of \@choices)}}%

```



```

5538     Questions must all have the same number of proposed answers.%  

5539     \MessageBreak  

5540     Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}}  

5541 \newenvironment{question}[1]{%  

5542   %% \begin{question}  

5543   \begin{minipage}{\textwidth}  

5544     \xdef\@formanswerline{\@questionheader}%  

5545     \xdef\@maskanswerline{\@questionheader}%  

5546     \fbox{\parbox[c]{\linewidth}{#1}}  

5547     \vspace\questionspace\par  

5548     {\@answerstitlefont\@answerstitle}  

5549     \begin{list}{\@answernumberfont\alph{@choice})~}{\usecounter{@choice}}}{%  

5550   %% \end{question}  

5551   \end{list}  

5552   \@initorcheck%  

5553   \addtocontents{frm}{\@formanswerline\protect\\protect\\hline}%  

5554   \addtocontents{msk}{\@maskanswerline\protect\\protect\\hline}%  

5555   \end{minipage}  

5556   \stepcounter{question}  

5557 \def\@truesymbol{\ding{52}~}  

5558 \def\@falsesymbol{\ding{56}~}  

5559 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}  

5560 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}  

5561 \def\@true@nocorrection{\item}  

5562 \def\@false@nocorrection{\item}  

5563 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}  

5564 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}  

5565 \newcommand\true{  

5566   \xdef\@formanswerline{\@formanswerline&}%  

5567   \xdef\@maskanswerline{\@maskanswerline&\@X} %  

5568   \@true}%  

5569 \newcommand\false{  

5570   \xdef\@formanswerline{\@formanswerline&}%  

5571   \xdef\@maskanswerline{\@maskanswerline&}%  

5572   \@false}%  

5573 \def\@correctionstyle{\itshape}  

5574 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}  

5575 \newenvironment{@correction}{\@correctionstyle}{}  

5576 \def\@questionheader{ \thequestion}  

5577 \answerstitle{ :  

5578 \DeclareOption{nocorrection}{%  

5579   \let\@true\@true@nocorrection  

5580   \let\@false\@false@nocorrection  

5581   \let\correction\comment  

5582   \let\endcorrection\endcomment  

5583   \def\makeform{\makeform@nocorrection}  

5584   \def\makemask{\makemask@nocorrection}}  

5585 \DeclareOption{correction}{%  

5586   \let\@true\@true@correction  

5587   \let\@false\@false@correction

```



```

5588 \let\correction@correction
5589 \let\endcorrection\end@correction
5590 \def\makeform{\makeform@correction}
5591 \def\makemask{\makemask@correction}}
5592 \ExecuteOptions{nocorrection}
5593 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
5594 \def\@questiontitlefont{\bfseries}
5595 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
5596 \newlength\questiontitlespace
5597 \setlength\questiontitlespace{5pt}
5598 \newlength\questionsepspace
5599 \setlength\questionsepspace{20pt}
5600 \gdef\@questionsepspace{0pt}
5601 \let\old@question\question
5602 \let\old@endquestion\endquestion
5603 \renewenvironment{question}[1]{%
5604   %% \begin{question}
5605   \vspace\@questionsepspace
5606   \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
5607   \nopagebreak\vspace\questiontitlespace\par
5608   \old@question{#1}}{%
5609   %% \end{question}
5610   \old@endquestion
5611   \gdef\@questionsepspace{\questionsepspace}}
5612 \questiontitle{ \thequestion:}
5613 \ProcessOptions

```

62 File `xepersian-persiancal.sty`

```

5614 \NeedsTeXFormat{LaTeX2e}
5615 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
5616
5617 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
5618 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
5619 \newcount\XePersian@latini \newcount\XePersian@persiani
5620 \newcount\XePersian@latinii \newcount\XePersian@persianii
5621 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
5622 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
5623 \newcount\XePersian@latinv \newcount\XePersian@persianv
5624 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5625 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
5626 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
5627 \newcount\XePersian@latinix \newcount\XePersian@persianix
5628 \newcount\XePersian@latinx \newcount\XePersian@persianx
5629 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
5630 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
5631 \newcount\XePersian@persianxiii
5632
5633 \newcount\XePersian@temp
5634 \newcount\XePersian@temptwo

```



```

5635 \newcount\XePersian@tempthree
5636 \newcount\XePersian@yModHundred
5637 \newcount\XePersian@thirtytwo
5638 \newcount\XePersian@dn
5639 \newcount\XePersian@sn
5640 \newcount\XePersian@mminusone
5641
5642
5643 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
5644 \XePersian@temp=\XePersian@y
5645 \divide\XePersian@temp by 100\relax
5646 \multiply\XePersian@temp by 100\relax
5647 \XePersian@yModHundred=\XePersian@y
5648 \advance\XePersian@yModHundred by -\XePersian@temp\relax
5649 \ifodd\XePersian@yModHundred
5650   \XePersian@leapfalse
5651 \else
5652   \XePersian@temp=\XePersian@yModHundred
5653   \divide\XePersian@temp by 2\relax
5654   \ifodd\XePersian@temp\XePersian@leapfalse
5655   \else
5656     \ifnum\XePersian@yModHundred=0%
5657       \XePersian@temp=\XePersian@y
5658       \divide\XePersian@temp by 400\relax
5659       \multiply\XePersian@temp by 400\relax
5660       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
5661     \else\XePersian@leaptrue
5662     \fi
5663   \fi
5664 \fi
5665 \XePersian@latini=31\relax
5666 \ifXePersian@leap
5667   \XePersian@latinii = 29\relax
5668 \else
5669   \XePersian@latinii = 28\relax
5670 \fi
5671 \XePersian@latiniii = 31\relax
5672 \XePersian@latiniv = 30\relax
5673 \XePersian@latinv = 31\relax
5674 \XePersian@latinvi = 30\relax
5675 \XePersian@latinvii = 31\relax
5676 \XePersian@latinviii = 31\relax
5677 \XePersian@latinix = 30\relax
5678 \XePersian@latinx = 31\relax
5679 \XePersian@latinxi = 30\relax
5680 \XePersian@latinxii = 31\relax
5681 \XePersian@thirtytwo=32\relax
5682 \XePersian@temp=\XePersian@y
5683 \advance\XePersian@temp by -17\relax
5684 \XePersian@temptwo=\XePersian@temp

```



```

5685 \divide\XePersian@temptwo by 33\relax
5686 \multiply\XePersian@temptwo by 33\relax
5687 \advance\XePersian@temp by -\XePersian@temptwo
5688 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
5689 \else
5690   \XePersian@temptwo=\XePersian@temp
5691   \divide\XePersian@temptwo by 4\relax
5692   \multiply\XePersian@temptwo by 4\relax
5693   \advance\XePersian@temp by -\XePersian@temptwo
5694   \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
5695 \fi
5696 \XePersian@tempthree=\XePersian@temp          % Number of Leap years
5697 \advance\XePersian@tempthree by -1
5698 \XePersian@temp=\XePersian@tempthree          % T := (MY-1) div 4
5699 \divide\XePersian@temp by 4\relax
5700 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((MY-1) div 100)
5701 \divide\XePersian@temptwo by 100\relax
5702 \advance\XePersian@temp by -\XePersian@temptwo
5703 \XePersian@temptwo=\XePersian@tempthree      % T := T + ((MY-1) div 400)
5704 \divide\XePersian@temptwo by 400\relax
5705 \advance\XePersian@temp by \XePersian@temptwo
5706 \advance\XePersian@tempthree by -611           % Number of Kabise years
5707 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((SY+10) div 33) * 8
5708 \divide\XePersian@temptwo by 33\relax
5709 \multiply\XePersian@temptwo by 8\relax
5710 \advance\XePersian@temp by -\XePersian@temptwo
5711 \XePersian@temptwo=\XePersian@tempthree      %
5712 \divide\XePersian@temptwo by 33\relax
5713 \multiply\XePersian@temptwo by 33\relax
5714 \advance\XePersian@tempthree by -\XePersian@temptwo
5715 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T)
5716 \divide\XePersian@tempthree by 4\relax        % T := T - ((SY+10) mod 33) div 4
5717 \advance\XePersian@temp by -\XePersian@tempthree
5718 \advance\XePersian@temp by -137              % T := T - 137 Adjust the value
5719 \XePersian@persiani=31
5720 \advance\XePersian@persiani by -\XePersian@temp          % now 31 - T is the persiani
5721 \XePersian@persianii = 30\relax
5722 \ifXePersian@kabiseh
5723   \XePersian@persaniii = 30\relax
5724 \else
5725   \XePersian@persaniii = 29\relax
5726 \fi
5727 \XePersian@persaniv = 31\relax
5728 \XePersian@persianv = 31\relax
5729 \XePersian@persanvi = 31\relax
5730 \XePersian@persanvii = 31\relax
5731 \XePersian@persanviii= 31\relax
5732 \XePersian@persanix = 31\relax
5733 \XePersian@persanx = 30\relax
5734 \XePersian@persanxi = 30\relax

```



```

5735 \XePersian@persianxii = 30\relax
5736 \XePersian@persianxiii= 30\relax
5737 \XePersian@dn= 0\relax
5738 \XePersian@sn= 0\relax
5739 \XePersian@mminusone=\XePersian@m
5740 \advance\XePersian@mminusone by -1\relax
5741 \XePersian@i=0\relax
5742 \ifnum\XePersian@i < \XePersian@mminusone
5743 \loop
5744 \advance \XePersian@i by 1\relax
5745 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
5746 \ifnum\XePersian@i<\XePersian@mminusone \repeat
5747 \fi
5748 \advance \XePersian@dn by \XePersian@d
5749 \XePersian@i=1\relax
5750 \XePersian@sn = \XePersian@persiani
5751 \ifnum \XePersian@sn<\XePersian@dn
5752 \loop
5753 \advance \XePersian@i by 1\relax
5754 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5755 \ifnum \XePersian@sn<\XePersian@dn \repeat
5756 \fi
5757 \ifnum \XePersian@i < 4
5758   \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
5759   \advance \XePersian@y by -622\relax
5760 \else
5761   \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
5762   \advance \XePersian@y by -621\relax
5763 \fi
5764 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\%
5765 \endcsname
5766 \ifnum\XePersian@i = 1
5767   \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@
5768 \else
5769   \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
5770 \fi
5771 \newcommand*\{\persiantoday}{%
5772 \number\XePersian@d\space%
5773 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
5774 }
5775 \let\persianyear\XePersian@y
5776 \let\persianmonth\XePersian@m
5777 \let\persianday\XePersian@d
5778 \def\XePersian@persian@month#1{\ifcase#1\or \or \
5779 \or \
5780 \or \or \
5781 \or \
5782 \or \or \
5783 \or \or \
5784 \or \or \

```



5785 {fi\



Index

Symbols	
\!	2354
\%	5366
\.	5411
\@and	3631
\@math	166
\@maybeautodot	2569, 2570, 2588, 2603, 2604, 2622, 2633, 2634, 2652
\@par	1881
\@textdigitfont@onfalse	2676, 3330
\@textdigitfont@ontrue	.. 3329
\@Abjad	1209, 3639, 3647, 3648, 4122, 4123
\@Alph	2582, 2616, 2646, 3905, 3908, 4118, 4123
\@DeclareMathDelimiter	.. 5224
\@DeclareMathSizes	5215
\@False	154, 156
\@Kashida@onfalse	1612
\@Kashida@ontrue	1611
\@LTRfootnotetext	1911
\@LTRmarginparreset	3261
\@Latincitex	73, 74, 2145, 2154, 2344, 3269, 3270
\@M	170, 3681, 3782, 3877
\@Mi	166
\@Mii	1804
\@Miii	1806
\@RTL@footnotefalse	. 3236, 3256, 4055
\@RTL@footnotetrue	. 3246, 3257, 4053
\@RTLfalse	136, 148, 161, 4008, 4015, 4037
\@RTLfootnotetext	1912
\@RTLtabfalse	4023
\@RTLtabtrue	4021
\@RTLtrue	4006, 4013, 4035
\@Roman	2584, 2618, 2648
\@SepMark	1740
\@SetTab	2680
\@True	149, 155
\@X	5488, 5489, 5567
\@abjad	1210, 3866, 3885, 3886, 4117, 4118
\@acol	2036, 2044
\@acolampacol	.. 2034, 2036, 2042, 2044
\@adadi	1207, 2580, 2614, 2644, 3655, 3657, 3660
\@addamp	2035, 2043
\@addtopreamble	2003
\@alph	2583, 2617, 2647, 2681, 3904, 3907, 4117, 4122
\@ampacol	2034, 2042
\@answernumberfont	. 5510, 5511, 5549
\@answerstitle	5507, 5548
\@answerstitlefont	. 5508, 5509, 5548
\@appendheader	.. 5521, 5522, 5524
\@arrayclassz	2034
\@arraydesc	. 5517, 5520, 5527, 5531
\@arrayrule	1982, 1983, 1984, 2026, 2027, 2028
\@author	4562, 4574
\@autodottrue	.. 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650
\@auxout	.. 3275, 4180, 4184
\@begin@tempboxa	1881
\@biblabel	2146, 2155
\@bibsetup	2147, 2156
\@bidi@inslogo@	.. 4158, 4160
\@bidi@list@minipage@parbox@not@nobtrue	.. 1878, 1900
\@bidi@list@minipage@parboxtrue	

\@bidi@logo	1879, 1901
\@bidi@logo	3600
\@bidi@logo@	3596, 4160
\@bidi@logo@hb@xt@columnwidth	3597
\@bidi@pdfcreator	3602
\@bidi@pdfm@markfalse	4167
\@bidi@pdfm@marktrue	4165
\@bidi@perpage@footnotefalse	4206
\@bidi@perpage@footnotetrue	4204
\@biditufesidenote@LTRmarginfont	86
\@biditufesidenote@RTLmarginfont	88
\@bsphack	1803
\@capttype ..	1791, 1854, 2101, 2111
\@cclvi	5158, 5164, 5188
\@chapapp ..	30, 102, 113, 120, 132, 1285, 1297, 1746, 2536, 2543, 2550, 2558, 2599, 2629
\@chclass ..	1916, 1924, 1932, 1947, 1961, 1966, 1981, 1997, 2017, 2025, 2055, 2078, 2092
\@chnum ..	1918, 1919, 1920, 1921, 1922, 1923, 1933, 1940, 1954, 1967, 1974, 1990, 2003, 2019, 2020, 2021, 2022, 2023, 2024, 2038, 2046, 2056, 2063, 2085
\@choices ..	5515, 5519, 5535, 5537
\@cite ..	2133, 2140, 2152, 2168, 2257, 3272
\@cite@ofmt	3280
\@citea ..	2173, 2187, 2201, 2210, 2211, 2212, 2217, 2232, 2240, 2241, 2242, 2276, 2292, 2310, 3271, 3273
\@citeb ..	2169, 2171, 2173, 2176, 2178, 2179, 2181, 2204, 2235, 2258, 2260, 2262, 2265, 2267, 2268, 2270, 3272, 3274, 3275, 3276, 3279, 3280
\@citex	2144, 2153
\@classx	2000
\@classz	2000
\@correction	5588
\@correctionstyle	5573, 5574, 5575
\@ctrerr	3646, 3651
\@currbox ..	1811, 1857, 1861, 2100, 2104, 2110, 2114
\@currenvir	2418, 2420, 2421
\@customlogo	4662, 4671
\@custommagazinename ..	4431, 4664
\@customminilogo ..	4663, 4677
\@customwwwTxt ..	4392, 4395, 4447
\@date	4565, 4575
\@dblfpbot	3592
\@dblfpsep	3591
\@dblftop	3590
\@defaultunits	3367, 3371
\@dgroup	148
\@dmath	136, 165
\@doendpe	2435
\@dseries	161
\@eha	5178, 5204
\@empty ..	151, 1798, 2158, 2168, 2171, 2257, 2260, 2389, 3271, 3274, 3740, 3746, 3749, 3752, 3857, 4160, 4573, 4574, 4575, 4576
\@emptytoks	150
\@enGroup	1199
\@enLabel ..	1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197
\@enOther	1201
\@enSpace	1198
\@end@tempboxa	1896
\@endpbox	2010, 2011
\@endpetrue	3245, 3255
\@enhook	1202
\@enloop@	1189
\@entemp ..	1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200
\@enum@	1200
\@extra@b@citeb ..	2173, 2179, 2181, 2204, 2235, 2262, 2268, 2270
\@extrafootnotefeaturesfalse ..	4075
\@extrafootnotefeaturestrue ..	4073
\@false	5572, 5580, 5587



\@false@correction .. 5564, 5587
 \@false@nocorrection . 5562, 5580
 \@falsesymbol ... 5558, 5560, 5564
 \@firststampfalse 2036, 2044
 \@firstofone 1512, 1513, 2171, 2260,
 3274, 5161, 5185
 \@firstoftwo 2813, 2819, 2825
 \@float@HH 2097, 2098
 \@float@Hx 2096, 2097
 \@float@ 2097, 2108
 \@floatboxreset . 1867, 2106, 2116
 \@floatcapt 2101, 2111
 \@floatpenalty .. 1804, 1806, 1809
 \@flstylefalse 2103, 2113
 \@flstyletrue 2103, 2113
 \@fltovf 1859
 \@footnotetext 1910
 \@for 2169, 2258, 3272, 3968
 \@formanswerline 5544, 5553, 5566,
 5570
 \@fpbot 3589
 \@fps .. 1792, 1793, 1795, 1798, 1815
 \@fpsadddefault 1796, 1799
 \@fpsep 3588, 3591
 \@fptop 3587, 3589, 3590, 3592
 \@freelist 1811
 \@gobble 1200
 \@charfi 12, 20, 31, 34, 43, 49, 55, 61,
 103, 114, 121, 133, 1208, 1275,
 1286, 1298, 1534, 1747, 2537,
 2544, 2551, 2559, 2566, 2579,
 2600, 2613, 2630, 2643, 3649,
 3652, 3653
 \@headerfont 5486, 5487, 5492, 5522
 \@headerline 5518, 5521, 5529, 5533
 \@ifclassloaded 3940, 3942, 3943,
 3944, 3945, 3946, 3947, 3948,
 3949, 3950, 3951, 3952, 3953,
 3954, 3955, 3956, 3957, 3958,
 3959, 3960, 3961, 3962, 3963,
 3964, 4081, 4093, 4105
 \@ifdefinable 2453, 2455
 \@ifdefinitionfileloaded 1788,
 1931, 1964, 2054, 2095, 3920,
 3921
 \@ifnextchar 2097, 2338, 2344, 3269
 \@ifnum 2275, 2277, 2279, 2286, 2287,
 2290, 2302, 2325, 2327
 \@ifpackageloaded 76, 1662, 1666,
 2347, 2351, 2443, 2451, 3922,
 3923, 3924, 3925, 3926, 3927,
 3928, 3929, 3930, 3931, 3932,
 3933, 3934, 3935, 3936, 3937,
 3938, 3939, 3940, 3941
 \@ifstar 2337
 \@ifundefined 72, 2173, 2179, 2262,
 2268, 3276
 \@ignoretrue 172
 \@iiiminipage 1897
 \@iiiparbox 1875
 \@indexfile 4083, 4095, 4107
 \@initorcheck .. 5514, 5534, 5552
 \@inlabelfalse 139
 \@input@ 4085, 4097, 4109
 \@lastchclass .. 1916, 1917, 1933,
 1934, 1935, 1936, 1938, 1967,
 1968, 1969, 1970, 1972, 2017,
 2018, 2034, 2042, 2056, 2057,
 2058, 2059, 2061
 \@latex@error 5176, 5202
 \@latex@warning 3278
 \@latinAlph 3905, 3908
 \@latinalph . 2681, 3904, 3907, 3910
 \@list@extra 3476, 3483, 3492, 3499,
 3507, 3514, 3522, 3530, 3537,
 3546, 3550, 3555, 3559, 3564,
 3568, 3573
 \@listI 3390, 3485
 \@listdepth 1913
 \@listi 3390, 3407, 3424, 3479, 3485,
 3575
 \@listi@footnotesize . 3424, 3510
 \@listi@small 3407, 3495
 \@listii 3525
 \@listiii 3540
 \@listiv 3553
 \@listv 3562
 \@listvi 3571
 \@m 2150, 3273, 3680, 3781, 3875
 \@mainmatterfalse .. 97, 108, 126,
 1279, 2593



\@maskanswerline 5545, 5554, 5567,
 5571
 \@memfront 1738
 \@minipagefalse 3266
 \@minipagerestore 1914
 \@minipagetrue 3265
 \@minus 3338, 3340, 3344, 3346, 3352,
 3354, 3358, 3360, 3534
 \@mpLTRfootnotetext 1911
 \@mpRTLfootnotetext 1912
 \@mpargs 1903
 \@mpfn 1909
 \@mpfootnotetext 1910
 \@mplistdepth 1913
 \@namedef .. 2127, 2181, 2270, 2434
 \@ne .. 1575, 1821, 1827, 1920, 1921,
 1924, 1933, 1943, 1944, 1948,
 1967, 1977, 1978, 1982, 1983,
 1984, 2021, 2022, 2026, 2027,
 2028, 2056, 2066, 2067, 2079,
 2275, 2287, 2289, 2302, 2310,
 3223, 3224, 3316, 3667, 3708,
 3715, 3727, 3732, 3768, 3809,
 3816, 3828, 3833, 3976, 4217,
 4218, 4219, 4220, 4221, 5168,
 5173, 5192, 5199
 \@next 1811
 \@nextchar 1939, 1941, 1942, 1943,
 1944, 1945, 1946, 1948, 1949,
 1950, 1951, 1952, 1955, 1956,
 1957, 1958, 1959, 1960, 1973,
 1975, 1976, 1977, 1978, 1979,
 1980, 1982, 1983, 1984, 1985,
 1986, 1987, 1988, 1991, 1992,
 1993, 1994, 1995, 1996, 2008,
 2010, 2011, 2062, 2064, 2065,
 2066, 2067, 2068, 2069, 2070,
 2071, 2072, 2073, 2074, 2075,
 2076, 2077, 2079, 2080, 2081,
 2082, 2083, 2086, 2087, 2088,
 2090, 2091
 \@nextchar 2089
 \@nil . 2364, 2368, 2369, 2374, 2376,
 3698, 3701, 3799, 3802
 \@nnil 3367, 3371, 3375, 3376
 \@nodocument 1790
 \@nonlatinfalse 3211, 4028
 \@nonlatintrue 3225, 4030
 \@onelevel@sanitize 1793
 \@parboxrestore 1866, 1881, 1908,
 2105, 2115
 \@parboxto 1884, 1893
 \@parmoderr 1809
 \@pboxswfalse 1877, 1899
 \@pboxswtrue 1891
 \@plus 3338, 3340, 3344, 3346, 3352,
 3354, 3358, 3360, 3534, 3587,
 3588
 \@ppsavesec 25
 \@preamble 2037, 2045
 \@preamblecmds 5229
 \@preamerr 1927, 1961, 1997, 2031,
 2092
 \@ptsize 3370
 \@questionheader 5544, 5545, 5576
 \@questionsepspace . 5600, 5605,
 5611
 \@questiontitle 5593, 5606
 \@questiontitlefont . 5594, 5595,
 5606
 \@resets@pp 24, 1518, 1519
 \@roman 2585, 2619, 2649
 \@safe@activesfalse .. 2172, 2261
 \@safe@activestrue .. 2170, 2259
 \@secondoftwo .. 2815, 2821, 2827
 \@setfontsize .. 3384, 3401, 3418,
 3429, 3435, 3441, 3447, 3453,
 3459, 3465, 4362, 4368, 4370,
 4373, 4380, 4386, 4387, 4388,
 4389, 4390
 \@setfpsbit 1831, 1834, 1837, 1840,
 1843, 1846
 \@setminipage 1915
 \@setnobreak 2106, 2116
 \@sharp 2039, 2040, 2041, 2047, 2048,
 2049
 \@smemfront 1739
 \@sptoken 1198
 \@startpbox 2010, 2011
 \@starttoc 3616, 5497, 5502
 \@stop 2570, 2604, 2634



\@sx@\xepersian@localize@verbatim 2127
 \@tabclassz 2042
 \@tartibi 9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1206, 1271, 1281, 1293, 1531, 1741, 1742, 2532, 2539, 2546, 2554, 2562, 2581, 2595, 2615, 2625, 2645, 3761, 3763, 3766
 \@tempa 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1204, 2374, 2376, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 3375, 3376
 \@tempb 3373, 3376, 3393, 3410, 3427, 3433, 3439, 3445, 3451, 3457, 3463
 \@tempboxa 1904
 \@tempc 2389, 2402, 2412, 2414, 2415, 2418, 2426
 \@tempcnta 1813, 1819, 1821, 1825, 1827, 1849, 1850, 1856, 1857, 2001, 2284, 2285, 2286, 2289, 2290, 3967, 3970, 3976
 \@tempcntb 1854, 1855, 1856
 \@tempdima 1880, 1881, 1902, 1906, 3366, 3367, 3368, 3372, 3374, 3385, 3392, 3393, 3402, 3409, 3410, 3419, 3426, 3427, 3430, 3432, 3433, 3436, 3438, 3439, 3442, 3444, 3445, 3448, 3450, 3451, 3454, 3456, 3457, 3460, 3462, 3463, 3466
 \@tempdimb 1883, 1884, 3371, 3372, 3378, 3379, 3381, 3385, 3393, 3395, 3396, 3398, 3402, 3410, 3412, 3413, 3415, 3419, 3427, 3430, 3433, 3436, 3439, 3442, 3445, 3448, 3451, 3454, 3457, 3460, 3463, 3466, 3469, 3471, 3473, 3487, 3489, 3502, 3504, 3517, 3519, 3533, 3576, 3577, 3579, 3581, 3583, 3588, 3593, 4231, 4232
 \@tempdimc 3368, 3369, 3370, 3372,

3373, 3374, 3392, 3409, 3426, 3432, 3438, 3444, 3450, 3456, 3462
 \@tempskipa 4235, 4236
 \@tempswafalse 2302, 3269, 3474, 3490, 3505, 3520, 3535, 3548, 3557, 3566
 \@tempswatrue 2301, 3269, 3476, 3492, 3507, 3522, 3537, 3550, 3559, 3568
 \@temptokena 2375, 2382, 2387, 2393, 2400, 2410, 2424
 \@testpach 1916, 1932, 1966, 2017, 2055
 \@tfor 1814, 2459
 \@thanks 4567, 4573
 \@the@choice 5523, 5524
 \@title 4555, 4576
 \@true 5568, 5579, 5586
 \@true@correction 5563, 5586
 \@true@nocorrection 5561, 5579
 \@truesymbol 5557, 5559, 5563
 \@verbatim 2124, 2127, 2432, 2434, 2445
 \@vobeyspaces 2124, 2432
 \@warning 2431
 \@x@\xepersian@localize@verbatim 2124
 \@xDeclareMathDelimiter 5224
 \@xepersian@@baselineskip@scale 3200, 3209, 3222, 3232
 \@xepersian@@computeautoilgfalse 4174
 \@xepersian@@computeautoilgtrue 4172
 \@xepersian@@fontsize@scale 3199, 3204, 3221, 3231
 \@xepersian@info 2783, 2806, 2808
 \@xepersian@pdfcustomproperties 3606
 \@xfloat 1789, 2096, 2097
 \@xxDeclareMathDelimiter 5223
 \@xxxii 1855
 @\ 1768, 1769
 @\ 1764, 1765, 1767
 @\ 2346



\[. 2354
 \\ 2121, 2354, 4523, 4838, 4839, 5101,
 5104, 5153, 5490, 5529, 5533,
 5553, 5554
 \{ 2120, 2354
 \} 2120, 2354
 \] 2354
 \^ 2355
 _ 2877, 2880, 2893, 2897, 2901, 2904,
 2916, 2938, 2942, 2943, 2950,
 2953, 2965, 2969, 2976, 2981,
 2984, 3000, 3005, 3008, 3055,
 3058, 3071, 3075, 3079, 3082,
 3095, 3099, 3103, 3106, 3119,
 3123, 3127, 3130, 3143, 3147,
 3151, 3154, 3167, 3171, 3175,
 3178, 3191, 3195, 5284, 5285,
 5288, 5297, 5308, 5312, 5316,
 5320, 5324, 5328, 5332, 5334,
 5342, 5344, 5348, 5354, 5373,
 5377, 5379, 5382, 5384, 5388,
 5392, 5394, 5397, 5399, 5403
 \| 4839
 \~ 2355

\u 1473, 1475, 3273, 3704, 3710, 3729,
 3735, 3805, 3811, 3830, 3840,
 4438, 4447

A

\abj@num@i 3871, 3888, 3895
 \abj@num@ii 3873, 3892, 3899
 \abj@num@iii 3875, 3896, 3902
 \abj@num@iv 3877, 3900
 \Abjad 1209, 1214, 3647
 \abjad 1210, 1215, 3885
 \abjad@zero 3887, 3891
 \Abjadnumeral 3648
 \abjadnumeral 3886
 \abovedisplayshortskip .. 3379,
 3387, 3396, 3404, 3413, 3421,
 4365, 4366, 4376, 4377, 4383,
 4384
 \abovedisplayskip .. 3377, 3382,
 3386, 3394, 3399, 3403, 3411,

3416, 3420, 4363, 4364, 4374,
 4375, 4381, 4382
 \abstractname 3628
 \active 2355, 5411
 \adadi 1191, 1207, 1212, 2573, 2607,
 2637, 3654
 \adadinumeral 3660
 \AddEnumerateCounter 1206, 1207,
 1208, 1209, 1210
 \addfontfeature 4196
 \addfontfeatures .. 136, 148, 161
 \addtocontents . 5496, 5499, 5501,
 5504, 5526, 5530, 5553, 5554
 \addtolength 3369, 4590, 4591, 4594,
 5013, 5014, 5015, 5016, 5080
 \addtoversion 5216
 \adl@argarraydashrule 1984, 2028
 \adl@arraydashrule .. 1983, 2027
 \adl@arrayrule 1982, 2026
 \adl@box 2008, 2010, 2011
 \adl@class@iiiorvii .. 2014, 2051
 \adl@class@start 2013, 2050
 \adl@endmbox 2009
 \adl@putlrc 2005, 2006, 2007, 2039,
 2040, 2041, 2047, 2048, 2049
 \adl@startmbox 2008
 \advance .. 1476, 1821, 1827, 1850,
 1856, 2289, 3316, 3318, 3976,
 4354, 4358, 4626, 4629, 5173,
 5199, 5648, 5683, 5687, 5693,
 5697, 5702, 5705, 5706, 5710,
 5714, 5715, 5717, 5718, 5720,
 5740, 5744, 5745, 5748, 5753,
 5754, 5758, 5759, 5761, 5762,
 5764, 5767, 5769
 \aftergroup 3476, 3492, 3507, 3522,
 3537, 3550, 3559, 3568
 \ALG@name 5, 7
 \algorithmicensure 3
 \algorithmicrequire 2
 \ALGS@name 6, 7
 \aliasfontfeature .. 1678, 1679,
 1680, 1681, 1682, 1683, 1684,
 1685, 1686, 1687, 1688, 1689,
 1690, 1691, 1692, 1693, 1694,
 1695, 1696, 1697, 1698, 1699,



1700, 1701, 1702, 1703, 1704,
 1705, 1706, 1707, 1708, 1709,
 1710, 1711, 1712, 1713, 1714,
 1715, 1716, 1717, 1718, 1719,
 1720, 1721, 1722, 1723, 1724,
 1725, 1726, 1727, 1728, 1729,
 1730
`\aliasfontfeatureoption` . 1731,
 1732, 1733, 1734, 1735, 1736
`\alloc@` 5158
`\Alph` . 1193, 1505, 1506, 2575, 2609,
 2639
`\alph` . 1194, 2576, 2610, 2640, 2688,
 5523, 5549
`\alpha@elt` 5217
`\alpha@list` 5217
`\anappendixtrue` 1748
`\and` 4580
`\answernumberfont` 5511
`\answerstitle` 5507, 5577
`\answerstitlefont` 5509
`\appendix` 10, 17, 40, 46,
 52, 58, 99, 110, 117, 129, 1272,
 1282, 1294, 1502, 1503, 1532,
 1743, 2533, 2540, 2547, 2555,
 2563, 2596, 2626
`\appendixautefname` 1491
`\appendixname` 11, 19, 30,
 102, 113, 120, 132, 1285, 1297,
 1533, 1746, 2536, 2543, 2550,
 2558, 2599, 2629, 3625
`\arabic` 1197
`\arrayrulewidth` 5095
`\articlesep` 5077
`\AtBeginDocument` . 71, 1501, 1628,
 2127, 2334, 2439, 4158, 4352,
 4356
`\AtEndOfClass` 4350
`\author` 4578
`\authorandplace` 5051
`\AutoDisplayMathsDigits` . 3998,
 5461, 5467
`\autofootnoterule` 4041
`\AutoInlineMathsDigits` . . . 3990,
 5457, 5466
`\AutoMathsDigits` 3982, 5465, 5469

B

`\backrefpagesname` 63
`\baselineskip` . . . 3319, 3322, 4268,
 4270, 4272, 4275, 4276, 4278
`\begin` 2348, 2349, 3256, 3257, 3614,
 4406, 4409, 4462, 4477, 4490,
 4496, 4517, 4548, 4554, 4561,
 4585, 4639, 4645, 4717, 4720,
 4725, 4732, 4747, 4762, 4779,
 4813, 4831, 4836, 4856, 4863,
 4864, 4885, 4887, 4888, 4910,
 4915, 4916, 4952, 4953, 4961,
 4987, 4995, 5001, 5002, 5010,
 5040, 5064, 5096, 5097, 5112,
 5124, 5138, 5527, 5531, 5542,
 5543, 5549, 5604
`\begingroup` . 144, 2119, 2336, 2352,
 2432, 2434, 2832, 2834, 3475,
 3491, 3506, 3521, 3536, 3549,
 3558, 3567, 5165, 5189, 5411
`\beginL` 3266, 4438, 4839
`\beginR` 4442, 4443, 4444, 4455, 4456,
 4457, 4662, 4663, 4664, 4682,
 4703, 4704, 4705, 4706, 4707,
 4708, 4859, 4954
`\belowdisplayshortskip` . . 3380,
 3389, 3397, 3406, 3414, 3423,
 4366, 4377, 4384
`\belowdisplayskip` . . 3382, 3388,
 3399, 3405, 3416, 3422, 4364,
 4375, 4382
`\bfseries` . 2174, 2263, 3276, 3598,
 4398, 4404, 4423, 4431, 4459,
 4475, 4494, 4508, 4512, 4537,
 4542, 4546, 4671, 4677, 5486,
 5508, 5510, 5594
`\bgroup` 1199, 1864, 1904, 2105, 2115,
 2935, 5161, 5185
`\bibname` 3632
`\bidi@@footnotetext@font` . 1460
`\bidi@@LTRfootnotetext@font` . .
 1462
`\bidi@@RTLfootnotetext@font` . .
 1464
`\bidi@@thebibliography@font@hook`
 3911



\bidi@AfterEndPreamble	3915	\box	150
\bidi@appto	2664, 2668	\BR@Latincitex	64, 74
\bidi@AtEndPreamble	4194	\BRorg@Latincitex	65, 73
\bidi@column@status	4181, 4185		
\bidi@csdefcs	787, 1660		
\bidi@csletcs	482, 1660, 1664, 1665, 1668, 1669		
\bidi@digits@charclass	2917, 2918, 2919, 2920, 2921, 2922, 2924, 2925, 2926, 2927, 2928, 2929, 2930, 2931		
\bidi@firstcolumn@status@write		\C	2356
 4179, 4187	\c	5245, 5253, 5261, 5269, 5277
\bidi@font@@outputpage	3282	\c@book	1741
\bidi@isloaded	1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1630, 1633, 1636, 1639, 1642, 1645, 1648, 1651, 1654	\c@chapter	18, 20, 31, 103, 114, 121, 133, 1286, 1298, 1747, 2537, 2544, 2551, 2559, 2600, 2630
\bidi@lastcolumn@status@write		\c@mpfootnote	1909, 3910
 4183, 4188	\c@part	9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1271, 1281, 1293, 1531, 1742, 2532, 2539, 2546, 2554, 2562, 2595, 2625
\bidi@newrobustcmd	3234, 3235, 3618	\c@section	10, 12, 18, 34, 43, 49, 55, 61, 1275, 1532, 1534, 2566
\bidi@patchcmd	2673, 4195, 4231, 4235, 4247, 4253, 4259, 4267	\c@subsection	10, 1532
\bidi@reflect@box	3619	\catcode	1658, 2119, 2120, 2121, 2355, 5411
\bidi@sepmark@charclass	2921, 2922	\ccname	3634
\blacktriangleleft	1471, 1473	\cdp@elt	5214
\blacktriangleright	1471, 1473	\cdp@list	5214
\bm@b	1872	\centering	4601, 4889, 5491
\bm@c	1869	\cftchapname	2700
\bm@l	1870	\cftfigname	2706
\bm@r	1871	\cftpargname	2704
\bm@s	1874	\cftsecname	2701
\bm@t	1873	\cftsubfigname	2707
\bm@	1873	\cftsubparaname	2705
\bm@C	1871	\cftsubsecname	2702
\bm@C	1872	\cftsubsubsecname	2703
\bm@C	1869	\cftsubtabname	2709
\bm@C	1870	\cfttabname	2708
\bm@C	1874	\chapterautorefname	1492
\bool	5211	\chaptername	19, 1300, 3633
\boolean	4339, 4351, 4360, 4464, 4479, 4498, 4519, 4715, 4716, 4746, 4778, 4812, 4830, 4854, 4884, 4908, 4935	\char	5287, 5295
		\chardef	1554, 1555, 1556, 1558, 1559, 1560, 1561, 1562, 3288, 5158
		\charlist	1583, 1584, 1586, 1590
		\citation	3275
		\citemumfont	2313
		\citeyear	2135



\citeyearpar 2135
 \ClassError 4736, 4768, 4802, 4822,
 4843, 4868, 4893, 4919, 4942,
 5536
 \ClassWarning .. 4321, 4323, 4325,
 4595, 4609
 \cleardoubleoddpage 2592
 \cleardoublepage 15, 96, 107, 125,
 1278
 \clearpage 2592, 4699
 \clist 5306, 5310, 5311, 5318, 5319,
 5326, 5327
 \closeout 4083, 4095, 4107
 \color@begingroup 1905
 \color@vbox 1862, 2104, 2114
 \columnlines 4295, 4296, 4328, 4657
 \columnsep 4591, 5014
 \columnseprule 4657
 \columntitle 5008
 \columnwidth 1865, 1907, 2105, 2115,
 4590, 5013
 \comment 5581
 \contentsname 3614, 3622
 \copyright 4447
 \correction 5581, 5588
 \correctionstyle 5574
 \count 1857, 4625, 4626, 4628, 4629,
 4638, 4644
 \count@ 2001
 \cs 2442, 2444, 2880, 2897, 2904, 2938,
 2953, 2969, 2984, 2986, 2991,
 3008, 3010, 3015, 3058, 3075,
 3082, 3099, 3106, 3123, 3130,
 3147, 3154, 3171, 3178, 3195,
 5238, 5239, 5240, 5241, 5242,
 5284, 5285, 5308, 5316, 5324,
 5332, 5344, 5373, 5379, 5388,
 5394, 5403
 \csname 1661, 1854, 1894, 2099, 2102,
 2109, 2112, 2129, 2436, 2453,
 2454, 2455, 2456, 2457, 2567,
 2601, 2631, 2833, 2836, 2842,
 2844, 3280, 3477, 3493, 3508,
 3523, 3538, 3551, 3560, 3569,
 3647, 3652, 3655, 3761, 3885,
 4248, 4250, 4254, 4256, 4260,

 4262, 5164, 5167, 5172, 5173,
 5188, 5191, 5195, 5196, 5199,
 5234, 5236, 5745, 5754, 5764
 \currenttime 4421
 \customlogo 4662
 \custommagazinename 4664
 \customminilogo 4663
 \customwwwTxt 4392

D

\d@llarbegin 2005, 2006, 2007
 \d@llarend 2005, 2006, 2007
 \date 4420, 4431, 4579, 5048
 \datename 3630
 \day 5643
 \dblfloatsep 3585
 \dbltextfloatsep 3586
 \decimalseparator 5367, 5438
 \DeclareDocumentCommand . 2875,
 2899, 2940, 2948, 2974, 2979,
 2998, 3003, 3053, 3077, 3101,
 3125, 3149, 3173, 5340, 5375,
 5390
 \DeclareMathAccent 5222
 \DeclareMathAlphabet 5221
 \DeclareMathDelimiter 5223
 \DeclareMathRadical 5225
 \DeclareMathSizes 5214
 \DeclareMathSymbol 5222
 \DeclareMathVersion 5216
 \DeclareOption . 4317, 4318, 4319,
 4320, 4322, 4324, 4326, 4327,
 4328, 4329, 4330, 5578, 5585
 \DeclareOptionX 4126, 4132, 4136,
 4140, 4144, 4148, 4152
 \DeclareRobustCommand 2335, 2884,
 2909, 2956, 3028, 3031, 3034,
 3037, 3040, 3043, 3062, 3086,
 3110, 3134, 3158, 3182, 3268
 \DeclareSymbolFont . 5219, 5350,
 5351, 5352, 5353, 5383, 5398
 \DeclareSymbolFontAlphabet 5226
 \DeclareSymbolFontAlphabet@ .
 5226
 \DeclareTextFontCommand . 3046,
 3047, 3048, 3049, 3050, 3051



```

\def ..... 2, 3, 5,
  6, 7, 10, 12, 15, 17, 20, 63, 64,
  77, 92, 136, 148, 161, 168, 172,
  1189, 1190, 1191, 1192, 1193,
  1194, 1195, 1196, 1197, 1468,
  1470, 1472, 1474, 1485, 1486,
  1487, 1488, 1489, 1490, 1491,
  1492, 1493, 1494, 1495, 1496,
  1497, 1498, 1499, 1500, 1503,
  1514, 1519, 1532, 1534, 1564,
  1583, 1585, 1586, 1591, 1616,
  1617, 1751, 1752, 1753, 1754,
  1755, 1756, 1757, 1758, 1759,
  1789, 1791, 1792, 1794, 1875,
  1897, 1903, 1909, 1916, 1932,
  1966, 2000, 2013, 2014, 2017,
  2034, 2042, 2050, 2051, 2055,
  2097, 2098, 2101, 2108, 2111,
  2124, 2125, 2134, 2137, 2149,
  2150, 2160, 2163, 2176, 2191,
  2221, 2253, 2257, 2282, 2344,
  2358, 2362, 2364, 2365, 2368,
  2374, 2376, 2378, 2394, 2397,
  2413, 2414, 2417, 2430, 2432,
  2435, 2452, 2657, 2711, 2719,
  2727, 2735, 2743, 2751, 2759,
  2767, 2775, 2776, 2829, 2830,
  2831, 2837, 2838, 2842, 3198,
  3201, 3206, 3220, 3236, 3237,
  3246, 3247, 3259, 3260, 3261,
  3270, 3273, 3375, 3476, 3492,
  3507, 3522, 3537, 3550, 3559,
  3568, 3620, 3621, 3622, 3623,
  3624, 3625, 3626, 3627, 3628,
  3629, 3630, 3631, 3632, 3633,
  3634, 3635, 3636, 3637, 3638,
  3639, 3647, 3649, 3652, 3661,
  3666, 3675, 3701, 3714, 3725,
  3739, 3745, 3748, 3751, 3755,
  3767, 3776, 3802, 3815, 3826,
  3844, 3849, 3856, 3866, 3885,
  3887, 3888, 3892, 3896, 3900,
  3906, 3910, 3966, 4116, 4121,
  4133, 4137, 4145, 4149, 4153,
  4179, 4183, 4392, 4662, 4663,
  4664, 5158, 5160, 5184, 5355,
  5385, 5400, 5412, 5413, 5438,
  5439, 5440, 5441, 5445, 5449,
  5453, 5457, 5461, 5465, 5486,
  5488, 5490, 5508, 5510, 5514,
  5521, 5557, 5558, 5561, 5562,
  5563, 5564, 5573, 5576, 5583,
  5584, 5590, 5591, 5594, 5778
\def@NAT@last@cyr .... 2292, 2294
\DefaultDisplayMathsDigits 4000,
  5440, 5443
\defaultfontfeatures .... 4127
\DefaultInlineMathsDigits 3992,
  5439, 5442
\DefaultMathsDigits .. 3984, 5441
\define@choicekey .. 3980, 3988,
  3996, 4004, 4011, 4019, 4026,
  4033, 4039, 4051, 4057, 4063,
  4067, 4071, 4077, 4090, 4102,
  4114, 4156, 4163, 4170, 4177,
  4192, 4202
\define@key ..... 2458
\define@mathalphabet ..... 5216
\define@mathgroup ..... 5216
\deflatinfont ..... 2998
\defpersianfont ..... 2974
\depth ..... 2466, 2467
\DigitsDotDashInterCharToks ..
  ..... 2922
\dimexpr .. 1574, 3202, 3204, 3207,
  3209, 3322, 3372, 3526, 3541,
  3554, 3563, 3572, 4232, 4236,
  4241, 4242, 4243
\ding ..... 5557, 5558
\display@setup ..... 137, 162
\divide 4631, 4632, 5645, 5653, 5658,
  5685, 5691, 5699, 5701, 5704,
  5708, 5712, 5716
\do 1816, 2169, 2258, 2459, 3272, 3968,
  5229
\document@select@group .. 5184
\dorestore@version ..... 5218
\dosetclass ..... 1584, 1585, 1589
\doublebox ..... 4970, 5023
\dquad ..... 170, 172
\dsseries@display@setup ... 162

```



E

\e@alloc@intercharclass@top 2917, 2918
\edef . 1884, 1939, 1973, 2037, 2045, 2062, 2171, 2260, 2420, 2783, 2807, 2836, 2839, 3274, 3370, 3373, 3383, 3400, 3417, 3428, 3434, 3440, 3446, 3452, 3458, 3464, 3479, 3495, 3510, 3525, 3540, 3553, 3562, 3571, 3971, 5523
\edition 4689
\editionFormat 4398, 4401
\editorialAuthorFormat . . 4541, 5105
\editorialTitleFormat 4539, 4540
\egroup 2936
\else 2, 3, 5, 7, 32, 63, 92, 140, 170, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1289, 1304, 1311, 1319, 1326, 1334, 1341, 1349, 1356, 1363, 1370, 1377, 1384, 1391, 1398, 1405, 1412, 1419, 1426, 1433, 1440, 1447, 1454, 1460, 1471, 1473, 1475, 1485, 1486, 1487, 1488, 1489, 1490, 1491, 1492, 1493, 1494, 1495, 1496, 1497, 1498, 1499, 1500, 1588, 1616, 1617, 1629, 1632, 1635, 1638, 1641, 1644, 1647, 1650, 1653, 1751, 1752, 1753, 1754, 1755, 1756, 1757, 1758, 1759, 1797, 1805, 1810, 1820, 1826, 1879, 1882, 1887, 1888, 1889, 1890, 1891, 1901, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1933, 1934, 1935, 1937, 1938, 1941, 1942, 1943, 1944, 1945, 1946, 1948, 1949, 1950, 1951, 1952, 1955, 1956, 1957, 1958, 1959, 1960, 1967, 1968, 1969, 1971, 1972, 1975, 1976, 1977, 1978, 1979, 1980, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1991, 1992, 1993, 1994, 1995, 1996, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2026, 2027, 2028, 2029, 2030, 2031, 2056, 2057, 2058, 2060, 2061, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2079, 2080, 2081, 2082, 2083, 2086, 2087, 2088, 2089, 2090, 2091, 2103, 2113, 2138, 2151, 2183, 2188, 2197, 2200, 2214, 2218, 2227, 2231, 2234, 2246, 2250, 2251, 2272, 2293, 2307, 2309, 2312, 2326, 2328, 2339, 2362, 2373, 2386, 2388, 2391, 2406, 2408, 2414, 2422, 2430, 2457, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2571, 2592, 2605, 2635, 2660, 2684, 2700, 2701, 2702, 2703, 2704, 2705, 2706, 2707, 2708, 2709, 2715, 2723, 2731, 2739, 2747, 2755, 2763, 2770, 2814, 2820, 2826, 2853, 2935, 2936, 3282, 3297, 3308, 3335, 3336, 3337, 3339, 3342, 3343, 3345, 3349, 3350, 3351, 3353, 3356, 3357, 3359, 3620, 3621, 3622, 3623, 3624, 3625, 3626, 3627, 3628, 3629, 3630, 3631, 3632, 3633, 3634, 3635, 3636, 3637, 3638, 3646, 3651, 3669, 3671, 3679, 3680, 3681, 3682, 3683, 3684, 3685, 3686, 3704, 3719, 3733, 3746, 3749, 3770, 3772, 3780, 3781, 3782, 3783, 3784, 3785, 3786, 3787, 3805, 3820, 3833, 3834, 3837, 3868, 3870, 3872, 3874, 3876, 3975, 4086, 4098, 4110, 4277, 4608, 5086, 5161, 5174, 5180, 5185, 5200, 5206, 5301, 5406, 5414, 5415, 5416, 5417, 5418, 5419, 5420, 5421, 5422, 5423, 5424, 5438, 5446, 5447, 5448,



\endmath	167
\endpersian	3247, 3255
\endquestion	5602
\endR	4442, 4443, 4444, 4455, 4456, 4457, 4662, 4663, 4664, 4682, 4703, 4704, 4705, 4706, 4707, 4708, 4859, 4954
\endRTL	3247
\ends@math	167
\endtrivlist	2125, 2435
\end	2125, 2129, 2435, 2436
\ensuremath	2810
\eq@addpunct	172
\eq@group	140, 149
\eq@GRP@first@dmath	149
\eq@prelim	140, 157
\eq@setnumber	143
\eq@setup@a	145
\eq@startup	146
\eq@wdCond	164
\eqcommand	176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326,



327, 328, 329, 330, 331, 332,
333, 334, 335, 336, 337, 338,
339, 340, 341, 342, 343, 344,
345, 346, 347, 348, 349, 350,
351, 352, 353, 354, 355, 356,
357, 358, 359, 360, 361, 362,
363, 364, 365, 366, 367, 368,
369, 370, 371, 372, 373, 374,
375, 376, 377, 378, 379, 380,
381, 382, 383, 384, 385, 386,
387, 388, 389, 390, 391, 392,
393, 394, 395, 396, 397, 398,
399, 400, 401, 402, 403, 404,
405, 406, 407, 408, 409, 410,
411, 412, 413, 414, 415, 416,
417, 418, 419, 420, 421, 422,
423, 424, 425, 426, 427, 428,
429, 430, 431, 432, 433, 434,
435, 436, 437, 438, 439, 440,
441, 442, 443, 444, 445, 446,
447, 448, 449, 450, 451, 452,
453, 454, 455, 456, 457, 458,
459, 460, 461, 462, 463, 464,
465, 466, 467, 468, 469, 470,
471, 472, 473, 474, 475, 476,
477, 478, 479, 480, 481, 483,
484, 485, 486, 487, 488, 489,
490, 491, 492, 493, 494, 495,
496, 497, 498, 499, 500, 501,
502, 503, 504, 505, 506, 507,
508, 509, 510, 511, 512, 513,
514, 515, 516, 517, 518, 519,
520, 521, 522, 523, 524, 525,
526, 527, 528, 529, 530, 531,
532, 533, 534, 535, 536, 537,
538, 539, 540, 541, 542, 543,
544, 545, 546, 547, 548, 549,
550, 551, 552, 553, 554, 555,
556, 557, 558, 559, 560, 561,
562, 563, 564, 565, 566, 567,
568, 569, 570, 571, 572, 573,
574, 575, 576, 577, 578, 579,
580, 581, 582, 583, 584, 585,
586, 587, 588, 589, 590, 591,
592, 593, 594, 595, 596, 597,
598, 599, 600, 601, 602, 603,
604, 605, 606, 607, 608, 609,
610, 611, 612, 613, 614, 615,
616, 617, 618, 619, 620, 621,
622, 623, 624, 625, 626, 627,
628, 629, 630, 631, 632, 633,
634, 635, 636, 637, 638, 639,
640, 641, 642, 643, 644, 645,
646, 647, 648, 649, 650, 651,
652, 653, 654, 655, 656, 657,
658, 659, 660, 661, 662, 663,
664, 665, 666, 667, 668, 669,
670, 671, 672, 673, 674, 675,
676, 677, 678, 679, 680, 681,
682, 683, 684, 685, 686, 687,
688, 689, 690, 691, 692, 693,
694, 695, 696, 697, 698, 699,
700, 701, 702, 703, 704, 705,
706, 707, 708, 709, 710, 711,
712, 713, 714, 715, 716, 717,
718, 719, 720, 721, 722, 723,
724, 725, 726, 727, 728, 729,
730, 731, 732, 733, 734, 735,
736, 737, 738, 739, 740, 741,
742, 743, 744, 745, 746, 747,
748, 749, 750, 751, 752, 753,
754, 755, 756, 757, 758, 759,
760, 761, 762, 763, 764, 765,
766, 767, 768, 769, 770, 771,
772, 773, 774, 775, 776, 777,
778, 779, 780, 781, 782, 783,
784, 785, 786, 788, 789, 790,
791, 792, 793, 794, 795, 796,
797, 798, 799, 800, 801, 802,
803, 804, 805, 806, 807, 808,
809, 810, 811, 812, 813, 814,
815, 816, 817, 818, 819, 820,
821, 822, 823, 824, 825, 826,
827, 828, 829, 830, 831, 832,
833, 834, 835, 836, 837, 838,
839, 840, 841, 842, 843, 844,
845, 846, 847, 848, 849, 850,
851, 852, 853, 854, 855, 856,
857, 858, 859, 860, 861, 862,
863, 864, 865, 866, 867, 868,
869, 870, 871, 872, 873, 874,
875, 876, 877, 878, 879, 880,



881, 882, 883, 884, 885, 886,
 887, 888, 889, 890, 891, 892,
 893, 894, 895, 896, 897, 898,
 899, 900, 901, 902, 903, 904,
 905, 906, 907, 908, 909, 910,
 911, 912, 913, 914, 915, 916,
 917, 918, 919, 920, 921, 922,
 923, 924, 925, 926, 927, 928,
 929, 930, 931, 932, 933, 934,
 935, 936, 937, 938, 939, 940,
 941, 942, 943, 944, 945, 946,
 947, 948, 949, 950, 951, 952,
 953, 954, 955, 956, 957, 958,
 959, 960, 961, 962, 963, 964,
 965, 966, 967, 968, 969, 970,
 971, 972, 973, 974, 975, 976,
 977, 978, 979, 980, 981, 982,
 983, 984, 985, 986, 987, 988,
 989, 990, 991, 992, 993, 994,
 995, 996, 997, 998, 999, 1000,
 1001, 1002, 1003, 1004, 1005,
 1006, 1007, 1008, 1009, 1010,
 1011, 1012, 1013, 1014, 1015,
 1016, 1017, 1018, 1019, 1020,
 1021, 1022, 1023, 1024, 1025,
 1026, 1027, 1028, 1029, 1030,
 1031, 1032, 1033, 1034, 1035,
 1036, 1037, 1038, 1039, 1040,
 1041, 1042, 1043, 1044, 1045,
 1046, 1047, 1048, 1049, 1050,
 1051, 1052, 1053, 1054, 1055,
 1056, 1057, 1058, 1059, 1060,
 1061, 1062, 1063, 1064, 1065,
 1066, 1067, 1068, 1069, 1070,
 1071, 1072, 1073, 1074, 1075,
 1076, 1077, 1078, 1079, 1080,
 1081, 1082, 1083, 1084, 1085,
 1086, 1087, 1088, 1089, 1090,
 1091, 1092, 1093, 1094, 1095,
 1096, 1097, 1098, 1099, 1100,
 1101, 1102, 1103, 1104, 1105,
 1106, 1107, 1108, 1109, 1110,
 1111, 1112, 1113, 1114, 1115,
 1116, 1117, 1118, 1129, 1130,
 1131, 1132, 1133, 1134, 1135,
 1136, 1137, 1138, 1139, 1140,
 1141, 1142, 1143, 1144, 1145,
 1146, 1147, 1148, 1149, 1150,
 1151, 1152, 1153, 1154, 1155,
 1156, 1157, 1158, 1159, 1160,
 1161, 1162, 1163, 1164, 1165,
 1166, 1167, 1168, 1169, 1170,
 1171, 1172, 1173, 1174, 1175,
 1176, 1177, 1178, 1179, 1180,
 1181, 1182, 1183, 1184, 1185,
 1186, 1187, 1188, 1189, 1190
\eqenvironment 1217, 1218, 1219,
 1220, 1221, 1222, 1223, 1224,
 1225, 1226, 1227, 1228, 1229,
 1230, 1231, 1232, 1233, 1234,
 1235, 1236, 1237, 1238, 1239,
 1240, 1241, 1242, 1243, 1244,
 1245, 1246, 1247, 1248, 1249,
 1250, 1251, 1252, 1253, 1254,
 1255, 1256, 1257, 1258, 1260,
 1261, 1262, 1263, 1264, 1265,
 1266, 1267, 1268, 1269, 1661
\eqstyle 142
\equal 4637, 4792, 4964, 4969, 4974,
 4979, 4984, 5017, 5022, 5027,
 5032, 5037
\equationautorefname 1485
\escapechar 2835, 5166, 5190
\etex 5299
\everydisplay 137, 5473, 5474
\everyjob 2807, 2808
\everymath 5470
\everypar 3239, 3249, 3266
\ExecuteOptions 5592
\ExecuteOptionsX 4209
\exp 2884, 2886, 2887, 2888, 2909,
 2911, 2912, 2913, 2956, 2958,
 2959, 2960, 2989, 2991, 2992,
 2993, 3013, 3015, 3016, 3017,
 3062, 3064, 3065, 3066, 3086,
 3088, 3089, 3090, 3110, 3112,
 3113, 3114, 3134, 3136, 3137,
 3138, 3158, 3160, 3161, 3162,
 3182, 3184, 3185, 3186
\expandafter 137, 1584, 1590, 1814,
 1815, 1939, 1973, 2062, 2099,
 2102, 2109, 2112, 2129, 2171,



2260, 2376, 2381, 2382, 2387,
 2392, 2393, 2399, 2400, 2401,
 2402, 2409, 2410, 2411, 2412,
 2414, 2423, 2424, 2425, 2426,
 2436, 2453, 2454, 2455, 2456,
 2813, 2815, 2819, 2821, 2825,
 2827, 2832, 2833, 2836, 2839,
 2840, 2842, 2843, 3274, 3376,
 3647, 3652, 3655, 3670, 3676,
 3761, 3771, 3777, 3871, 3873,
 3875, 3877, 3885, 5161, 5180,
 5185, 5194, 5195, 5196, 5206,
 5470, 5473, 5524
`\expandedtitle` 4958
`\ExplSyntaxOff` . 2128, 2450, 3197,
 5231, 5405
`\ExplSyntaxOn` . . 2126, 2438, 2858,
 5210, 5237
`\extract@alph@from@version` 5194

F

`\f@baselineskip` 3215, 3229, 3469,
 3576, 4268, 4270
`\f@family` 2935, 2936
`\f@size` 3215, 3229
`\f@ur` . 1571, 3288, 3304, 3305, 3306,
 3309, 3310, 3311
`\false` 5569
`\falsesymbol` 5560
`\familydefault` . 2891, 2963, 3069,
 3093, 3117, 3141, 3165, 3189
`\fancyfoot` . 4702, 4706, 4707, 4708
`\fancyhead` . 4701, 4703, 4704, 4705
`\FancyVerbLineautorefname` 1498
`\fbox` . . 4586, 4601, 4816, 5546, 5606
`\fboxrule` . 1468, 1470, 1472, 1474,
 4658
`\fboxsep` . . 1468, 1470, 1472, 1474,
 4589, 4782, 4814, 4886, 4914,
 4962, 5011
`\fi` 2, 3, 5, 7, 35,
 63, 68, 92, 136, 138, 139, 140,
 148, 159, 161, 170, 1203, 1289,
 1306, 1313, 1321, 1328, 1336,
 1343, 1351, 1358, 1365, 1372,
 1379, 1386, 1393, 1400, 1407,
 1414, 1421, 1428, 1435, 1442,
 1449, 1456, 1460, 1471, 1473,
 1475, 1485, 1486, 1487, 1488,
 1489, 1490, 1491, 1492, 1493,
 1494, 1495, 1496, 1497, 1498,
 1499, 1500, 1580, 1589, 1616,
 1617, 1631, 1634, 1637, 1640,
 1643, 1646, 1649, 1652, 1655,
 1751, 1752, 1753, 1754, 1755,
 1756, 1757, 1758, 1759, 1800,
 1801, 1807, 1822, 1823, 1828,
 1829, 1832, 1835, 1838, 1841,
 1844, 1847, 1851, 1852, 1860,
 1878, 1879, 1885, 1892, 1895,
 1900, 1901, 1920, 1921, 1922,
 1923, 1927, 1928, 1929, 1943,
 1944, 1945, 1946, 1961, 1962,
 1977, 1978, 1979, 1980, 1997,
 1998, 2012, 2021, 2022, 2023,
 2024, 2031, 2032, 2036, 2041,
 2044, 2049, 2052, 2066, 2067,
 2068, 2069, 2092, 2093, 2103,
 2113, 2125, 2143, 2161, 2182,
 2184, 2195, 2199, 2208, 2209,
 2213, 2225, 2230, 2234, 2238,
 2239, 2243, 2248, 2249, 2250,
 2251, 2271, 2273, 2295, 2303,
 2311, 2312, 2321, 2322, 2328,
 2331, 2341, 2362, 2377, 2395,
 2415, 2428, 2431, 2457, 2469,
 2572, 2573, 2574, 2575, 2576,
 2577, 2578, 2579, 2580, 2581,
 2582, 2583, 2584, 2585, 2586,
 2587, 2592, 2606, 2607, 2608,
 2609, 2610, 2611, 2612, 2613,
 2614, 2615, 2616, 2617, 2618,
 2619, 2620, 2621, 2636, 2637,
 2638, 2639, 2640, 2641, 2642,
 2643, 2644, 2645, 2646, 2647,
 2648, 2649, 2650, 2651, 2662,
 2686, 2700, 2701, 2702, 2703,
 2704, 2705, 2706, 2707, 2708,
 2709, 2717, 2725, 2733, 2741,
 2749, 2757, 2765, 2772, 2816,
 2822, 2828, 2846, 2847, 2855,
 2935, 2936, 3243, 3253, 3275,



3282, 3296, 3301, 3302, 3303,
 3307, 3312, 3313, 3314, 3315,
 3324, 3335, 3336, 3337, 3341,
 3343, 3347, 3348, 3350, 3351,
 3355, 3357, 3361, 3362, 3363,
 3483, 3499, 3514, 3530, 3546,
 3555, 3564, 3573, 3620, 3621,
 3622, 3623, 3624, 3625, 3626,
 3627, 3628, 3629, 3630, 3631,
 3632, 3633, 3634, 3635, 3636,
 3637, 3638, 3646, 3651, 3673,
 3687, 3699, 3704, 3705, 3708,
 3710, 3711, 3723, 3727, 3729,
 3730, 3732, 3735, 3737, 3743,
 3746, 3749, 3753, 3758, 3774,
 3788, 3800, 3805, 3806, 3809,
 3811, 3812, 3824, 3828, 3830,
 3831, 3833, 3839, 3840, 3842,
 3847, 3854, 3860, 3878, 3879,
 3880, 3881, 3882, 3883, 3890,
 3891, 3894, 3895, 3898, 3899,
 3901, 3902, 3914, 3975, 3987,
 3995, 4003, 4009, 4016, 4024,
 4031, 4038, 4050, 4056, 4062,
 4066, 4070, 4076, 4088, 4089,
 4100, 4101, 4112, 4113, 4125,
 4161, 4168, 4175, 4189, 4200,
 4207, 4229, 4279, 4280, 4282,
 4611, 4612, 4817, 4834, 4998,
 5072, 5091, 5118, 5143, 5161,
 5179, 5180, 5185, 5205, 5206,
 5303, 5408, 5426, 5427, 5428,
 5429, 5430, 5431, 5432, 5433,
 5434, 5435, 5436, 5438, 5446,
 5447, 5448, 5450, 5451, 5452,
 5458, 5459, 5460, 5462, 5463,
 5464, 5660, 5662, 5663, 5664,
 5670, 5694, 5695, 5715, 5726,
 5747, 5756, 5763, 5770, 5785
 \figureautorefname 1488
 \figurename 1315, 3620
 \finishsetclass 1587, 1591
 \firstarticle 4713, 4737, 4738,
 4740
 \FirstFrameCommand 1470
 \firstimage 4810, 4823, 4824, 4826
 \firstTextFormat 4471, 4473
 \firstTitleFormat 4459, 4465, 4466
 \float@box 2100, 2110
 \float@endH 2099, 2109
 \floatsep 3580, 3584, 3585
 \flushright 4459, 4478, 4497
 \font 1574, 3292
 \font@name 4248, 4250, 4254, 4256,
 4260, 4262
 \fontcharwd 1574
 \fontencoding 2886, 2912, 2958,
 2992, 3016, 3064, 3088, 3112,
 3136, 3160, 3184
 \fontfamily 2887, 2911, 2959, 2991,
 3015, 3030, 3033, 3036, 3039,
 3042, 3045, 3065, 3089, 3113,
 3137, 3161, 3185
 \fontsize 3215, 3229
 \fontspec 2127, 2445, 2882, 2906,
 2955, 2986, 3010, 3060, 3084,
 3108, 3132, 3156, 3180, 5347,
 5381, 5396
 \foot 4454
 \footdir@debugfalse 4061
 \footdir@debugtrue 4059
 \footins 3578
 \footnote 4551
 \footnoteautorefname 1486
 \footnoterule 4550
 \footnotesep 3577, 4276, 4278
 \footnotesize 84, 86, 88, 1289, 1290,
 1291, 1460, 1462, 1464, 3417,
 3418, 4379, 4380, 4414, 4447,
 4512, 4536, 4537, 4549
 \foottextfont 1289
 \FrameCommand 1468
 \FrameRestore 1476
 \Frefchapname 1300, 1369, 1371
 \frefchapname 1367
 \Frefenumname 1301, 1376, 1378
 \frefenumname 1374
 \Frefeqname 1308, 1383, 1385
 \frefeqname 1381
 \Freffigname 1315, 1348, 1390, 1392
 \freffigname 1388
 \Freffigshortname 1346, 1439, 1441



\freffigshortname	1437
\Freffnname	1316, 1397, 1399
\freffnname	1395
\Frefonname	1323, 1404, 1406
\frefonname	1402
\Frefpgname	1330, 1355, 1411, 1413
\frefpgname	1409
\Frefpgshortname	1353, 1446, 1448
\frefpgshortname	1444
\Frefsecname	1331, 1418, 1420
\frefsecname	1416
\Frefseename	1338, 1425, 1427
\frefseename	1423
\Freftabname	1345, 1432, 1434
\freftabname	1430
\Freftabshortname	1360, 1453, 1455
\freftabshortname	1451
\frenchspacing	2124, 2432
\frontmatter	15, 95, 106, 124, 1277, 2591
\futurelet	2367, 5411
G	
\g	2886, 2892, 2912, 2958, 2964, 2992, 3016, 3064, 3070, 3088, 3094, 3112, 3118, 3136, 3142, 3160, 3166, 3184, 3190, 5211, 5347, 5350, 5351, 5352, 5353, 5381, 5383, 5396, 5398
\g@addto@macro	5521
\G@refundefinedtrue	3277
\gdef	43, 49, 55, 61, 102, 103, 113, 114, 120, 121, 132, 133, 1275, 1285, 1286, 1297, 1298, 1505, 1506, 1521, 1523, 1746, 1747, 2536, 2537, 2543, 2544, 2550, 2551, 2558, 2559, 2566, 2599, 2600, 2629, 2630, 4392, 4662, 4663, 4664, 5411, 5487, 5489, 5507, 5509, 5511, 5517, 5518, 5534, 5559, 5560, 5574, 5593, 5595, 5600, 5611
\get@cdp	5220
\getanddefine@fonts	4247, 4253, 4259, 5167, 5191
\Gin@boolkey	2452
H	
\harfi	1190, 1208, 1213, 1740, 2572, 2606, 2636, 3652
\harfinumeral	3653
\hbox	2008, 2665, 2669, 3276, 3618, 3619
\headDateTimeFormat	4418, 4420
\headerfont	5487
\headheight	4652
\heading	4441
\headrulewidth	4653, 4709
\headtoname	3637
\height	2464, 2465
\hfil	2004, 2005, 2006, 2007, 2039, 2040, 2041, 2047, 2048, 2049



```

\hline  5102, 5528, 5529, 5532, 5533,
      5553, 5554
\hrule  1569, 4985, 4991, 5038, 5044,
      5089, 5129
\hrulefill . . . . . 4667, 4672, 4686
\hsize  1476, 1865, 1881, 1906, 1907,
      2105, 2115
\hskip   . . . . . 1573, 2006, 2007, 2049
\hspace  4420, 4438, 4667, 4673, 4685,
      4687, 4865
\hss    . . . . . 1893, 3598
\Huge   . . 3464, 3465, 4390, 4459, 4515
\huge   . . . . . 3458, 3459, 4389
\Hy@AlphNoErr . . . . . 1521, 1523
\Hy@appendixstring . . 1507, 1525
\Hy@backout . . . . . 69, 77
\Hy@chapapp . . . . . 1507, 1525
\Hy@Org@appendix . . . . . 1502, 1508
\Hy@Org@resets@pp . . . . . 1518, 1526
\hyper@natlinkbreak . . 2203, 2234
\hyper@natlinkstart . . . . . 77

I

\if . 140, 159, 1818, 1824, 1830, 1833,
      1836, 1839, 1842, 1845, 1848,
      1879, 1886, 1887, 1888, 1889,
      1901, 1918, 1919, 1920, 1921,
      1922, 1923, 1924, 1925, 1926,
      1927, 1941, 1942, 1943, 1944,
      1945, 1946, 1948, 1949, 1950,
      1951, 1952, 1955, 1956, 1957,
      1958, 1959, 1960, 1975, 1976,
      1977, 1978, 1979, 1980, 1982,
      1983, 1984, 1985, 1986, 1987,
      1988, 1991, 1992, 1993, 1994,
      1995, 1996, 2019, 2020, 2021,
      2022, 2023, 2024, 2026, 2027,
      2028, 2029, 2030, 2031, 2064,
      2065, 2066, 2067, 2068, 2069,
      2070, 2071, 2072, 2073, 2074,
      2075, 2076, 2077, 2079, 2080,
      2081, 2082, 2083, 2086, 2087,
      2088, 2089, 2090, 2091, 2186,
      2216, 2234, 2244, 2250, 2251,
      2312, 2328, 2360, 2380, 2386,
      2388, 2398, 2406, 2408, 2430,
      2460, 2461, 2462, 2463, 2464,
      2465, 2466, 2467, 2468, 2469
\if@textdigitfont@on  2935, 2936,
      3327
\if@bidi@algorithmicloaded@ . .
      . . . . . 1629
\if@bidi@algorithmloaded@  1632
\if@bidi@backrefloaded@ . . 1635
\if@bidi@csprimitive . . . . . 1660
\if@bidi@csundef  2923, 3612, 3865,
      3916
\if@bidi@enumeratedloaded@  1638
\if@bidi@enumitemloaded@ . 1641
\if@bidi@fancyrefloaded@ . 1644
\if@bidi@tocloftloaded@ . . 1647
\if@bidi@urlloaded@ . . . . . 1650
\if@bidi@variorerefloaded@ . 1653
\if@chapter@pp . . . . . 28
\if@extrafootnotefeatures  4226
\if@filesw . . . . . 3275
\if@hboxRconstruct . . 1878, 1900
\if@inlabel . . . . . 139
\if@Kashida@on . . . . . 1563, 1565
\if@LTrbibitems . . . . . 3912
\if@newlist . . . . . 2125
\if@nonlatin  2658, 2935, 2936, 5458,
      5459, 5460, 5462, 5463, 5464
\if@noskipsec . . . . . 138
\if@pboxsw . . . . . 1895
\if@RTL . . . . . 2, 3, 5,
      7, 63, 92, 136, 148, 161, 1302,
      1309, 1317, 1324, 1332, 1339,
      1347, 1354, 1361, 1368, 1375,
      1382, 1389, 1396, 1403, 1410,
      1417, 1424, 1431, 1438, 1445,
      1452, 1471, 1473, 1475, 1485,
      1486, 1487, 1488, 1489, 1490,
      1491, 1492, 1493, 1494, 1495,
      1496, 1497, 1498, 1499, 1500,
      1616, 1617, 1751, 1752, 1753,
      1754, 1755, 1756, 1757, 1758,
      1759, 1879, 1901, 2700, 2701,
      2702, 2703, 2704, 2705, 2706,
      2707, 2708, 2709, 2712, 2720,
      2728, 2736, 2744, 2752, 2760,
      2768, 3620, 3621, 3622, 3623,

```



3624, 3625, 3626, 3627, 3628,
 3629, 3630, 3631, 3632, 3633,
 3634, 3635, 3636, 3637, 3638
`\if@RTL@footnote` 1289, 1460
`\if@RTLmain` 3282
`\if@RTLtab` 1920, 1921, 1922, 1923,
 1943, 1944, 1945, 1946, 1977,
 1978, 1979, 1980, 2021, 2022,
 2023, 2024, 2066, 2067, 2068,
 2069
`\if@tempswa` 2303, 3483, 3499, 3514,
 3530, 3546, 3555, 3564, 3573
`\if@twoside` 2592
`\if@xepersian@@computeautoilg`
 3284, 4266
`\ifadl@usingarypkg` 1965
`\ifBR@verbose` 66
`\ifcase` 2003, 2034, 2038, 2042, 2046,
 2185, 2215, 2308, 3640, 3649,
 3677, 3740, 3746, 3749, 3752,
 3756, 3778, 3845, 3850, 3857,
 3889, 3893, 3897, 3901, 3970,
 3981, 3989, 3997, 4005, 4012,
 4020, 4027, 4034, 4040, 4052,
 4058, 4064, 4068, 4072, 4078,
 4091, 4103, 4115, 4157, 4164,
 4171, 4178, 4193, 4203, 5778
`\ifdim` . 169, 2812, 2818, 2824, 3293,
 3294, 3298, 3299, 3304, 3305,
 3309, 3310, 3319, 3335, 3336,
 3337, 3343, 3350, 3351, 3357,
 4272, 4276, 4599, 5084
`\iffontchar` 3292
`\ifhmode` 1802
`\ifinner` 1808
`\ifmmode` 1890, 5163, 5187
`\ifNAT@full` 2183, 2272
`\ifNAT@longnames` 2179, 2268
`\ifNAT@numbers` 2132, 2339
`\ifNAT@super` 2133
`\ifNAT@sua` 2185, 2250, 2274, 2326
`\ifnum` . 170, 1849, 1916, 1917, 1933,
 1934, 1935, 1936, 1938, 1967,
 1968, 1969, 1970, 1972, 2017,
 2018, 2056, 2057, 2058, 2059,
 2061, 2682, 2851, 3317, 3667,
 3669, 3678, 3679, 3680, 3681,
 3682, 3683, 3684, 3685, 3702,
 3704, 3706, 3708, 3710, 3715,
 3726, 3727, 3729, 3731, 3732,
 3735, 3768, 3770, 3779, 3780,
 3781, 3782, 3783, 3784, 3785,
 3786, 3803, 3805, 3807, 3809,
 3811, 3816, 3827, 3828, 3830,
 3832, 3833, 3835, 3840, 3867,
 3869, 3871, 3873, 3875, 3877,
 3891, 3895, 3899, 3902, 4996,
 5070, 5116, 5141, 5164, 5188,
 5656, 5660, 5688, 5694, 5715,
 5742, 5746, 5751, 5755, 5757,
 5766
`\ifodd` 1819, 1825, 5649, 5654
`\ifthenelse` 4339, 4351, 4360, 4464,
 4479, 4498, 4519, 4637, 4715,
 4716, 4746, 4778, 4792, 4812,
 4830, 4854, 4884, 4908, 4935,
 4964, 4969, 4974, 4979, 4984,
 5017, 5022, 5027, 5032, 5037,
 5535
`\ifvoid` 3241, 3251
`\ifwritexviii` 2850, 4080, 4092,
 4104
`\ifx` 1190, 1191, 1192, 1193, 1194,
 1195, 1196, 1197, 1198, 1199,
 1200, 1587, 1795, 1798, 1882,
 2102, 2112, 2189, 2190, 2192,
 2219, 2220, 2222, 2291, 2309,
 2369, 2418, 2457, 2570, 2572,
 2573, 2574, 2575, 2576, 2577,
 2578, 2579, 2580, 2581, 2582,
 2583, 2584, 2585, 2586, 2604,
 2606, 2607, 2608, 2609, 2610,
 2611, 2612, 2613, 2614, 2615,
 2616, 2617, 2618, 2619, 2620,
 2634, 2636, 2637, 2638, 2639,
 2640, 2641, 2642, 2643, 2644,
 2645, 2646, 2647, 2648, 2649,
 2650, 2833, 2841, 2935, 2936,
 5161, 5185, 5406, 5414, 5415,
 5416, 5417, 5418, 5419, 5420,
 5421, 5422, 5423, 5424, 5438,
 5446, 5447, 5448, 5450, 5451,



5452, 5458, 5459, 5460, 5462,
 5463, 5464
`\ifXePersian@kabiseh` . 5617, 5722
`\ifXePersian@leap` 5617, 5666
`\IfxepersianPackageVersion` 2823
`\IfxepersianPackageVersionBefore`
 2817
`\IfxepersianPackageVersionLater`
 2811
`\ifxetex` 4592, 4815, 4832
`\ignorespaces` 173, 2107, 2117, 2878,
 2902, 2944, 2951, 3056, 3080,
 3104, 3128, 3152, 3176, 4410,
 4463, 4473, 4478, 4486, 4491,
 4497, 4505, 4765, 4791, 4940
`\image` 4587
`\immediate` 3275, 4083, 4084, 4095,
 4096, 4107, 4108
`\includegraphics` 4602, 4816, 4833
`\indexEntryFormat` 4408, 4410
`\indexEntryPageFormat` 4414, 4416
`\indexEntryPageTxt` 4413, 4416
`\indexEntrySeparator` . 4412, 4940
`\indexFormat` 4404, 4406
`\indexitem` . 4933, 4943, 4944, 4946
`\indexname` 3626
`\init@restore@version` 5170, 5218
`\innerAuthorFormat` 4536, 5053
`\innerPlaceFormat` 4537, 5053
`\innerSubtitleFormat` 4526, 4527
`\innerTextFinalMark` 4538, 5074
`\innerTitleFormat` 4515, 4520, 4521
`\input` 1671, 1672, 1673, 1674, 1675,
 1676, 1677, 3920, 3921, 3922,
 3923, 3924, 3925, 3926, 3927,
 3928, 3929, 3930, 3931, 3932,
 3933, 3934, 3935, 3936, 3937,
 3938, 3939, 3940, 3941, 3942,
 3943, 3944, 3945, 3946, 3947,
 3948, 3949, 3950, 3951, 3952,
 3953, 3954, 3955, 3956, 3957,
 3958, 3959, 3960, 3961, 3962,
 3963, 3964, 4065, 4069, 4227,
 4228
`\insert@column` . 2005, 2006, 2007,
 2008, 2010, 2011

`\int` 5245, 5253, 5261, 5269, 5277
`\intermath@penalty` 172
`\intextsep` 3584
`\iranicdefault` . 3024, 3036, 3181,
 3189
`\iranicfamily` 3034, 3035, 3048,
 3182
`\item` 5561, 5562, 5563, 5564
`\itemautorefname` 1487
`\itemsep` 3482, 3498, 3513, 3529,
 3545
`\itshape` 3910, 5573

J

`\jobname` 4084, 4085, 4096, 4097,
 4108, 4109

K

`\KashidaOff` 1612
`\KashidaOn` 1611, 1614
`\kern` 2137, 3242, 3252, 3619
`\keys` 2860, 2867
`\keyval@eq@alias@key` . 1663, 1667
`\KV@sp@def` 3969

L

`\l` 2862, 2863, 2864, 2871, 2882, 2883,
 2887, 2906, 2911, 2955, 2959,
 3060, 3061, 3065, 3084, 3085,
 3089, 3108, 3109, 3113, 3132,
 3133, 3137, 3156, 3157, 3161,
 3180, 3181, 3185, 5299, 5306,
 5310, 5311, 5318, 5319, 5326,
 5327
`\label` 5069, 5115, 5139
`\labelsep` 3526, 3541, 3554, 3563,
 3572
`\labelwidth` 3526, 3541, 3554, 3563,
 3572
`\LARGE` 3452, 3453, 4388, 4475, 4539,
 4542, 4555, 4557
`\Large` 3446, 3447, 4387, 4494, 4544,
 4671, 4954, 4988
`\large` 3440, 3441, 4386, 4398, 4404,
 4484, 4503, 4526, 4546, 4559,
 4565, 4677



\lastbox 3240, 3250
 \LastFrameCommand 1474
 \lastpenalty 170
 \lastskip 169
 \latin 3236, 3238
 \LatinAlphs 3236, 3256, 3906
 \Latincite 2335, 3268
 \latinfont . 2956, 3212, 3214, 4128
 \latintoday 3259
 \lccode 2354, 2355, 2356
 \leaders 1569
 \leavevmode . . 138, 139, 1876, 1898,
 2125, 3270, 3618
 \leftfootnoterule 4043
 \leftmargin 3479, 3495, 3510, 3525,
 3526, 3540, 3541, 3553, 3554,
 3562, 3563, 3571, 3572
 \leftmargini 3479, 3495, 3510
 \leftmarginii 3525
 \leftmarginiii 3540
 \leftmarginiv 3553
 \leftmarginv 3562
 \leftmarginvi 3571
 \let 11, 19, 73, 74, 149, 151, 154,
 155, 156, 162, 167, 1198, 1199,
 1200, 1201, 1502, 1512, 1513,
 1518, 1533, 1587, 1589, 1869,
 1870, 1871, 1872, 1873, 1874,
 1893, 1910, 1911, 1912, 1913,
 1982, 1983, 1984, 2026, 2027,
 2028, 2096, 2099, 2100, 2109,
 2110, 2129, 2133, 2135, 2136,
 2139, 2140, 2141, 2142, 2144,
 2145, 2146, 2147, 2152, 2153,
 2154, 2155, 2156, 2157, 2158,
 2168, 2177, 2180, 2183, 2184,
 2257, 2266, 2269, 2272, 2273,
 2281, 2336, 2361, 2372, 2379,
 2385, 2389, 2390, 2405, 2407,
 2427, 2436, 2454, 2456, 2570,
 2604, 2634, 2655, 2681, 3199,
 3200, 3212, 3213, 3217, 3218,
 3221, 3222, 3223, 3224, 3226,
 3227, 3231, 3232, 3258, 3271,
 3390, 3407, 3424, 3485, 3648,
 3653, 3660, 3766, 3886, 3904,
 3905, 3907, 3908, 4117, 4118,
 4122, 4123, 4160, 4187, 4188,
 4549, 4550, 4551, 4571, 4572,
 4573, 4574, 4575, 4576, 4577,
 4578, 4579, 4580, 5159, 5175,
 5201, 5346, 5471, 5475, 5490,
 5579, 5580, 5581, 5582, 5586,
 5587, 5588, 5589, 5601, 5602,
 5775, 5776, 5777
 \lineskip 4560
 \linespread 3322
 \linewidth . 5527, 5531, 5546, 5606
 \listalgorithmname 7
 \listfigurename 3623
 \listtablename 3624
 \LoadClass 4332
 \logo 4665, 4694
 \long 1875
 \longdate 5049
 \loop 3291, 5743, 5752
 \lower 3618
 \lowercase 2357
 \lr 1512, 2168, 2257, 3234, 3259, 3272,
 4392, 4447, 4839
 \LRE 3234
 \lstlistingname 1616
 \lstlistlistingname 1617
 \LTR 3236
 \LTRfoottextfont 1290
 \ltx@ifundefined 1504, 1516, 1520

M

\m@ne 2285, 5166, 5190
 \m@th 1895
 \makeform 5583, 5590
 \makeform@correction . 5498, 5590
 \makeform@nocorrection . . 5495,
 5583
 \MakeFramed 1476
 \MakeLowercase . 1371, 1378, 1385,
 1392, 1399, 1406, 1413, 1420,
 1427, 1434, 1441, 1448, 1455
 \makemask 5584, 5591
 \makemask@correction . 5503, 5591
 \makemask@nocorrection . . 5500,
 5584



\maketitle 4548, 4572
 \MakeUppercase 4514
 \makezwnjletter 1658, 1659
 \math@bgroup 5161, 5185
 \math@fonts 5168, 5192
 \math@version 5164, 5167, 5172,
 5173, 5177, 5188, 5191, 5195,
 5197, 5199, 5203
 \mathalpha 5356, 5357, 5358, 5359,
 5360, 5361, 5362, 5363, 5364,
 5365
 \mathbf 5238, 5368
 \mathbin 5366
 \mathchar@type 5225, 5234, 5236
 \mathchardef 5409
 \mathcode 5246, 5254, 5262, 5270,
 5278, 5437
 \mathgroup 5158
 \mathiranic 3035
 \mathit 5239, 5369
 \mathnavar 3038
 \mathord 5367
 \mathpersiansf 3029
 \mathpersiantt 3032
 \mathpook 3041
 \mathrm 5240, 5370
 \mathsayeh 3044
 \mathsf 5241, 5385
 \mathsurround 166
 \mathtt 5242, 5400
 \mbox 2139
 \meaning 2836, 2839
 \MessageBreak 2194, 2195, 2224,
 2225, 3917, 4737, 4769, 4803,
 4823, 4844, 4847, 4869, 4894,
 4920, 4943, 4946, 5539
 \MidFrameCommand 1472
 \minilogo 4676, 4890
 \minraggedcols 4315, 4316, 4354,
 4358, 4996, 5070, 5116, 5141
 \mlftitle 1755
 \mlttitle 1756
 \month 5643
 \msg 5284, 5286
 \mtctitle 1754
 \multido 4638, 4644
 \multiply 1855, 5646, 5659, 5686,
 5692, 5709, 5713
 \mylogo 4681

N
 \n 5411, 5414, 5415, 5416, 5417, 5418,
 5419, 5420, 5421, 5422, 5423,
 5424
 \NAT@cclose 2251, 2330
 \NAT@Latin@citetp 2338, 2342,
 2343, 2344
 \NAT@open 2234, 2310
 \NAT@alias 2212, 2242, 2277, 2320
 \NAT@call@names 2180, 2183, 2269,
 2272
 \NAT@aysep 2204
 \NAT@biblabel 2155
 \NAT@biblabelnum 2146
 \NAT@bibsetnum 2147
 \NAT@bibsetup 2156
 \NAT@cite 2152
 \NAT@cite@list 2169, 2258
 \NAT@citea@mbox 2303
 \NAT@citenum 2140
 \NAT@citesuper 2133
 \NAT@citeundefined 2174, 2264
 \NAT@citex 2153
 \NAT@citexnum 2144
 \NAT@close 2148, 2159
 \NAT@cmptrs 2279, 2325
 \NAT@cmt 2250, 2328
 \NAT@ctype 2185, 2215, 2275, 2277,
 2308, 2316, 2318, 2327, 2336
 \NAT@date 2159, 2176, 2186, 2187,
 2198, 2206, 2211, 2216, 2229,
 2236, 2241, 2244, 2251
 \NAT@def@citea 2213, 2245, 2306
 \NAT@def@citea@box 2314
 \NAT@def@citea@close 2247
 \NAT@exlab 2192, 2196, 2222, 2226
 \NAT@fullfalse 2337
 \NAT@fulltrue 2337
 \NAT@hyper@ 2187, 2196, 2198, 2201,
 2210, 2211, 2212, 2217, 2226,
 2229, 2232, 2240, 2241, 2242,
 2277, 2313



\NAT@hyper@citea@space 2316,
 2318, 2320
 \NAT@idxtxt 2148, 2159
 \NAT@ifcat@num 2280, 2283
 \NAT@last@nm 2177, 2189, 2219, 2266,
 2309
 \NAT@last@num 2266, 2283, 2284,
 2302
 \NAT@last@yr 2177, 2190, 2220, 2257,
 2291, 2325
 \NAT@last@yr@mbox 2287, 2297
 \NAT@Latin@cites 2337, 2338
 \NAT@Latin@citex 2154, 2162, 2163
 \NAT@Latin@citexnum 2145, 2252,
 2253
 \NAT@mbox 2134, 2139, 2310, 2313,
 2330
 \NAT@merge 2287, 2302
 \NAT@name 2148, 2159, 2180, 2184,
 2269, 2273
 \NAT@nm 2168, 2177, 2183, 2184, 2187,
 2189, 2202, 2210, 2217, 2219,
 2233, 2240, 2257, 2266, 2272,
 2273, 2281, 2282, 2286, 2290,
 2309
 \NAT@nmfmt 2187, 2202, 2210, 2217,
 2233, 2240
 \NAT@num 2148, 2257, 2266, 2280,
 2281, 2302, 2313
 \NAT@open 2148, 2159
 \NAT@parse 2178, 2267
 \NAT@partrue 2336
 \NAT@penalty 2150, 2158, 2294, 2309
 \NAT@reset@citea 2167, 2256
 \NAT@reset@parser 2165, 2254
 \NAT@set@cites 2131, 2334
 \NAT@sort@cites 2166, 2255
 \NAT@space 2136, 2141, 2157, 2309
 \NAT@spacechar 2141, 2148, 2157,
 2159, 2197, 2204, 2228, 2234,
 2310, 2312
 \NAT@super@kern 2137, 2142, 2310
 \NAT@swafalse 2340
 \NAT@swattrue 2336
 \NAT@temp 2191, 2192, 2221, 2222
 \NAT@test 2277, 2310, 2316, 2318
 \NAT@year 2168, 2177, 2190, 2220
 \NAT@yrsep 2189, 2219, 2309
 \natexlab 2149, 2160
 \navardefault 3025, 3039, 3109,
 3117
 \navarfamly 3037, 3038, 3049, 3110
 \NeedsTeXFormat 2774, 4286, 5155,
 5477, 5614
 \new@mathalphabet 5221
 \new@mathbf 5243, 5368
 \new@mathgroup 5158, 5159, 5214
 \new@mathit 5251, 5369
 \new@mathrm 5259, 5370
 \new@mathsf 5267, 5385
 \new@mathtt 5275, 5400
 \new@mathversion 5219
 \new@symbolfont 5220
 \newboolean 4297, 4299, 4301, 4303,
 4305, 4307, 4309
 \newcolumntype 5491, 5492
 \newcommand 1611, 1612, 1658, 1660,
 1661, 1663, 1667, 2162, 2252,
 2338, 2343, 2688, 2809, 2811,
 2817, 2823, 2935, 2936, 3022,
 3023, 3024, 3025, 3026, 3027,
 3289, 3329, 3330, 3334, 3366,
 3606, 3611, 3654, 3657, 3760,
 3763, 4240, 4294, 4349, 4393,
 4394, 4397, 4398, 4399, 4404,
 4405, 4408, 4409, 4412, 4413,
 4414, 4415, 4418, 4419, 4423,
 4424, 4427, 4428, 4429, 4430,
 4433, 4436, 4441, 4446, 4449,
 4451, 4454, 4459, 4460, 4471,
 4472, 4475, 4476, 4484, 4485,
 4488, 4489, 4494, 4495, 4503,
 4504, 4506, 4507, 4508, 4509,
 4512, 4513, 4515, 4516, 4526,
 4527, 4528, 4529, 4530, 4531,
 4536, 4537, 4538, 4539, 4540,
 4541, 4542, 4543, 4544, 4545,
 4546, 4547, 4582, 4587, 4619,
 4651, 4665, 4676, 4681, 4689,
 4713, 4744, 4776, 4810, 4829,
 4933, 4951, 4958, 5000, 5008,
 5051, 5057, 5077, 5094, 5123,



5148, 5232, 5233, 5235, 5406,
 5407, 5487, 5489, 5495, 5498,
 5500, 5503, 5507, 5509, 5511,
 5559, 5560, 5565, 5569, 5574,
 5593, 5595, 5771
`\newcount` . 3285, 4311, 4312, 4315,
 4617, 4618, 5618, 5619, 5620,
 5621, 5622, 5623, 5624, 5625,
 5626, 5627, 5628, 5629, 5630,
 5631, 5633, 5634, 5635, 5636,
 5637, 5638, 5639, 5640
`\newcounter` 5512, 5513
`\newdimen` 3286, 3287, 4615, 4616
`\NewDocumentCommand` . 2977, 3001,
 5243, 5251, 5259, 5267, 5275
`\newenvironment` 1661, 2348, 2349,
 3238, 3248, 3256, 3257, 4584,
 4690, 4852, 4882, 4906, 5060,
 5109, 5135, 5541, 5575
`\newfam` 5159
`\newfontface` 2656
`\newfontlanguage` 2857
`\newfontscript` 2856
`\newif` . 1563, 2850, 3284, 3327, 5617
`\newlength` 4289, 4290, 4291, 4292,
 4293, 4295, 5505, 5596, 5598
`\newmathalphabet` 5215
`\newmathalphabet@` 5215
`\newmathalphabet@@` 5215
`\newpage` 4082, 4094, 4106, 4700
`\newsavebox` 4583
`\newsection` 5057
`\next` . 1587, 1589, 1590, 2361, 2362,
 2363, 2367, 2369, 2372, 2376,
 2377, 2379, 2385, 2390, 2394,
 2396, 2405, 2407, 2413, 2416,
 2420, 2427, 2429
`\nobreak` 1568, 2134
`\noexpand` . 2360, 2380, 2386, 2388,
 2398, 2406, 2408, 2420, 2421,
 2430, 3384, 3390, 3401, 3407,
 3418, 3424, 3429, 3435, 3441,
 3447, 3453, 3459, 3465, 3483,
 3499, 3514, 3530, 3546, 3555,
 3564, 3573, 5171
`\nohyphens` . 4465, 4480, 4499, 4520
`\noindent` . 4410, 4425, 4463, 4473,
 4478, 4486, 4491, 4497, 4505,
 4510, 4514, 4518, 4667, 4684,
 4765, 4791, 4816, 4863, 4940,
 4954, 4988, 5003, 5041, 5098,
 5126, 5151, 5153
`\non@alpherr` 5180, 5206
`\nopagebreak` 5607
`\normalcolor` 1863, 2104, 2114
`\normalfont` 2894, 2966, 3072, 3096,
 3120, 3144, 3168, 3192, 3212,
 3213, 3226, 3227
`\normalsize` 3264, 3383, 3384, 3468,
 4361, 4362, 4408, 5003, 5041
`\not` 5519
`\not@math@alphabet` . 3029, 3032,
 3035, 3038, 3041, 3044
`\null` 4552, 4568
`\number` 3667, 3669, 3670, 3768, 3770,
 3771, 3871, 3873, 3875, 3877,
 5172, 5196, 5772, 5773
`\numexpr` 5246, 5254, 5262, 5270,
 5278

O

`\obeyspaces` 5411
`\old@endquestion` 5602, 5610
`\old@question` 5601, 5608
`\or` 2005, 2006, 2007, 2009, 2010, 2034,
 2035, 2036, 2040, 2041, 2042,
 2043, 2044, 2048, 2049, 2210,
 2211, 2212, 2240, 2241, 2242,
 2315, 2317, 2319, 3640, 3641,
 3642, 3643, 3644, 3645, 3649,
 3650, 3651, 3688, 3689, 3690,
 3691, 3692, 3693, 3694, 3695,
 3696, 3697, 3701, 3740, 3741,
 3742, 3743, 3746, 3749, 3752,
 3753, 3756, 3757, 3758, 3789,
 3790, 3791, 3792, 3793, 3794,
 3795, 3796, 3797, 3798, 3802,
 3845, 3846, 3847, 3850, 3851,
 3852, 3853, 3854, 3857, 3858,
 3859, 3860, 3889, 3890, 3893,
 3894, 3897, 3898, 3901, 3973,
 3983, 3985, 3991, 3993, 3999,



4001, 4007, 4014, 4022, 4029,
 4036, 4042, 4044, 4046, 4048,
 4054, 4060, 4074, 4120, 4159,
 4166, 4173, 4186, 4198, 4205,
 5778, 5779, 5780, 5781, 5782,
 5783, 5784
`\orig` . 5238, 5239, 5240, 5241, 5242,
 5244, 5252, 5260, 5268, 5276
`\originaltoday` 3258, 3259
`\Ovalbox` 4980, 5033
`\ovalbox` 4975, 5028
`\overline` 5424

P
`\p@` 2137, 3335, 3336, 3337, 3338, 3340,
 3343, 3344, 3346, 3350, 3351,
 3352, 3354, 3357, 3358, 3369,
 3372, 3534, 4553
`\PackageError` . . 1630, 1633, 1636,
 1639, 1642, 1645, 1648, 1651,
 1654, 3613, 3662, 3917, 4081,
 4087, 4093, 4099, 4105, 4111
`\PackageInfo` . . . 67, 79, 3320, 3321,
 4273, 4274, 5232
`\PackageWarning` 2175, 2264, 3863,
 4079
`\PackageWarningNoLine` 2192, 2222
`\page@free` 4597, 4599
`\pageautorefname` 1500
`\pagegoal` 5079
`\pagename` 1330, 3636
`\pagenumbering` . . 15, 98, 109, 127,
 1280, 1739, 2593
`\pageref` . . 2754, 2756, 2762, 2764,
 4438, 4936
`\pagesFormat` 4512, 4514
`\pagestyle` 4655
`\agetotal` 5080
`\par` . . . 10, 17, 24, 40, 46, 52, 58, 99,
 110, 117, 129, 787, 1272, 1282,
 1294, 1532, 1743, 2533, 2540,
 2547, 2555, 2563, 2596, 2626,
 4555, 4557, 4563, 4565, 4566,
 5055, 5140, 5547, 5607
`\paragraphautorefname` 1496
`\parallel` 4420

`\parbox` 5546, 5606
`\parindent` 3242, 3252
`\parsep` 3470, 3481, 3482, 3486, 3497,
 3498, 3501, 3512, 3513, 3516,
 3528, 3529, 3543
`\partautorefname` 1490
`\partname` 3629
`\partopsep` 3534, 3544, 3593
`\PassOptionsToClass` . 4317, 4318,
 4319
`\pbs` 5490, 5491
`\pdflastxpos` 1545
`\pdfsavepos` 1544
`\pdfstringdefDisableCommands` .
 1511
`\penalty` 166, 172, 2150, 3273
`\persian` 3246, 3248
`\PersianAlphs` . . 3246, 3257, 4116,
 4121, 4285
`\persianday` 5777
`\PersianDisplayMathsDigits` 4002,
 5449, 5455
`\persianfont` 2884, 3226, 3228
`\PersianInlineMathsDigits` 3994,
 5445, 5454
`\PersianMathsDigits` . . 3986, 5453
`\persianmathsdigits` . . 5355, 5446,
 5450, 5458, 5462
`\persianmathsfdigits` 5385, 5447,
 5451, 5459, 5463
`\persianmathttDigits` 5400, 5448,
 5452, 5460, 5464
`\persianmonth` 5776
`\persiansfdefault` . . 3022, 3030,
 3061, 3069
`\persiansffamily` 3028, 3029, 3046,
 3062
`\persiantoday` 3260, 5771
`\persianttdefault` . . 3023, 3033,
 3085, 3093
`\persianttfamily` 3031, 3032, 3047,
 3086
`\persianyear` 5775
`\pictureCaptionFormat` 4508, 4510
`\plftitle` 1752
`\plq` 2830



\pltttitle 1753
 \pookdefault 3026, 3042, 3133, 3141
 \pookfamily . 3040, 3041, 3050, 3134
 \postmath 172
 \PrefixCurrentTab 2688
 \premath 168
 \prepnext@tok 2002, 2012
 \prg 5297, 5300, 5302
 \printindex 4082, 4094, 4106
 \process@table 5218
 \ProcessOptions 4331, 5613
 \ProcessOptionsX 4224
 \proofname 3638
 \protect .. 4737, 4738, 4740, 4769,
 4770, 4772, 4803, 4804, 4806,
 4823, 4824, 4826, 4844, 4845,
 4847, 4943, 4944, 4946, 5496,
 5499, 5501, 5504, 5522, 5527,
 5528, 5529, 5531, 5532, 5533,
 5553, 5554
 \protected@write 4180, 4184
 \providecommand 3862
 \ProvidesClass 4287
 \ProvidesFile 1, 4,
 8, 14, 23, 38, 44, 50, 56, 62, 82,
 91, 93, 104, 115, 123, 135, 175,
 1128, 1188, 1205, 1216, 1259,
 1270, 1276, 1288, 1292, 1299,
 1458, 1466, 1480, 1484, 1529,
 1536, 1615, 1618, 1657, 1737,
 1750, 1760, 2130, 2531, 2538,
 2545, 2553, 2561, 2590, 2624,
 2654, 2672, 2679, 2699, 2710
 \ProvidesPackage 2777, 5156, 5478,
 5615
 \prq 2829
 \ptctitle 1751

Q

\quad 3600
 \question 5601
 \questionsepsspace 5598, 5599, 5611
 \questionspace .. 5505, 5506, 5547
 \questiontitle 5593, 5612
 \questiontitlefont 5595

\questiontitlespace . 5596, 5597,
 5607

R

\raggedFormat .. 4349, 4997, 5071,
 5117, 5142
 \RaggedLeft 4349
 \raisebox 4395, 4400
 \redeflatinfont 3003
 \redefpersianfont 2979
 \ref 2769, 2771
 \refname 92, 3627
 \refstepcounter 5563, 5564
 \reftextafter 2727
 \reftextbefore 2735
 \reftextcurrent 2743
 \reftextfaceafter 2711
 \reftextfacebefore 2719
 \reftextfaraway 2751
 \reftextlabelrange 2767
 \reftextpagerange 2759
 \reftextvario .. 2714, 2716, 2722,
 2724, 2730, 2732, 2738, 2740,
 2746, 2748
 \relax 1578, 1658, 1850, 1882, 2017,
 2018, 2039, 2040, 2041, 2102,
 2112, 2136, 2142, 2186, 2216,
 2244, 2251, 2257, 2284, 2291,
 2302, 2457, 2570, 2604, 2634,
 2682, 2833, 2851, 3203, 3204,
 3208, 3209, 3322, 3367, 3371,
 3554, 3563, 3572, 3970, 3981,
 3989, 3997, 4005, 4012, 4020,
 4027, 4034, 4040, 4052, 4058,
 4064, 4068, 4072, 4078, 4091,
 4103, 4115, 4157, 4164, 4171,
 4178, 4187, 4188, 4193, 4199,
 4203, 4232, 4236, 4242, 4243,
 4244, 4268, 4270, 4331, 4550,
 4571, 4572, 4577, 4578, 4579,
 4580, 5161, 5175, 5185, 5201,
 5234, 5236, 5246, 5254, 5262,
 5270, 5278, 5346, 5437, 5471,
 5475, 5645, 5646, 5648, 5653,
 5658, 5659, 5665, 5667, 5669,
 5671, 5672, 5673, 5674, 5675,



5676, 5677, 5678, 5679, 5680,
 5681, 5683, 5685, 5686, 5691,
 5692, 5699, 5701, 5704, 5708,
 5709, 5712, 5713, 5716, 5721,
 5723, 5725, 5727, 5728, 5729,
 5730, 5731, 5732, 5733, 5734,
 5735, 5736, 5737, 5738, 5740,
 5741, 5744, 5749, 5753, 5759,
 5761, 5762
`\renewcommand`
 . 9, 16, 24, 30, 31, 34, 39, 40,
 45, 46, 51, 52, 57, 58, 86, 88,
 94, 95, 99, 105, 106, 110, 116,
 117, 124, 128, 129, 1271, 1272,
 1277, 1281, 1282, 1289, 1290,
 1291, 1293, 1294, 1300, 1301,
 1308, 1315, 1316, 1323, 1330,
 1331, 1338, 1345, 1346, 1353,
 1360, 1367, 1374, 1381, 1388,
 1395, 1402, 1409, 1416, 1423,
 1430, 1437, 1444, 1451, 1460,
 1462, 1464, 1531, 1738, 1740,
 1741, 1742, 1743, 2131, 2148,
 2159, 2532, 2533, 2539, 2540,
 2546, 2547, 2554, 2555, 2562,
 2563, 2569, 2591, 2595, 2596,
 2603, 2625, 2626, 2633, 2680,
 2700, 2701, 2702, 2703, 2704,
 2705, 2706, 2707, 2708, 2709,
 3282, 3596, 3602, 3911, 4082,
 4094, 4106, 4361, 4368, 4370,
 4372, 4379, 4386, 4387, 4388,
 4389, 4390, 4442, 4443, 4444,
 4455, 4456, 4457, 4548, 4653,
 4689, 4709, 5048, 5058, 5063,
 5494
`\RenewDocumentCommand` 2982, 3006
`\ renewenvironment` . . . 1467, 5603
`\repeat` 3317, 5746, 5755
`\RequirePackage` 2779, 2780, 2781,
 2782, 4288, 4333, 4334, 4335,
 4336, 4337, 4338, 4340, 4342,
 4344, 4345, 4346, 4347, 4348,
 5480, 5481, 5482, 5483, 5484,
 5485
`\reserved@a` 1814, 1818, 1824, 1830,
 1833, 1836, 1839, 1842, 1845,
 1848
`\reserved@b` 1794, 1795
`\reset@font` 2174, 2263, 3213, 3227,
 3262, 3276
`\resetlatinfont` 84, 86, 1289, 1290,
 1460, 1462, 2664, 3198, 3234,
 3236, 3256, 3263, 3282, 3913
`\restore@mathversion` 5218
`\restoreapp` 36
`\rightfootnoterule` 4045
`\rightline` 5052
`\rl` 1513, 3235, 3260
`\RLE` 3235
`\rmdefault` 2883, 2891, 2963
`\Roman` 1196, 2577, 2611, 2641
`\roman` 1195, 2578, 2612, 2642
`\romannumeral` 2586, 2620, 2650,
 5745, 5754, 5764
`\RTL` 3246
`\RTLfoottextfont` 1291
`\rule` 4412, 4538, 4640, 4646, 4733,
 4765

S

`\sayehdefault` 3027, 3045, 3157,
 3165
`\sayehfamily` 3043, 3044, 3051, 3158
`\scan` 5299
`\scriptsize` 3428, 3429, 4370
`\secondarticle` 4744, 4769, 4770,
 4772
`\secondSubtitleFormat` 4484, 4486
`\secondTextFormat` 4488, 4491
`\secondTitleFormat` 4475, 4480,
 4481
`\section` 3614
`\sectionautorefname` 1493
`\sectionname` 11, 1533
`\select@group` 5160
`\selectfont` 2888, 2913, 2960, 2993,
 3017, 3030, 3033, 3036, 3039,
 3042, 3045, 3066, 3090, 3114,
 3138, 3162, 3186, 3216, 3230,
 3323
`\set@@mathdelimiter` 5225



\set@fontsize 4231, 4235, 4267
 \set@mathaccent 5222
 \set@mathchar 5222
 \set@mathdelimiter 5224
 \set@mathsymbol 5223
 \setboolean 2689, 2690, 4298, 4300,
 4302, 4304, 4306, 4308, 4310,
 4326, 4327, 4329, 4330, 4692,
 4710, 4855, 4880, 4909, 4931
 \setbox 150, 1861, 1904, 2008, 2010,
 2011, 2101, 2104, 2111, 2114,
 2665, 2669, 3240, 3250
 \setclass . 1583, 1593, 1594, 1595,
 1596, 1597, 1598, 1599, 1600
 \setcounter
 . 27, 29, 33, 41, 42, 47, 48, 53,
 54, 59, 60, 100, 101, 111, 112,
 118, 119, 130, 131, 1273, 1274,
 1283, 1284, 1295, 1296, 1744,
 1745, 2534, 2535, 2541, 2542,
 2548, 2549, 2556, 2557, 2564,
 2565, 2597, 2598, 2627, 2628,
 2683, 2687, 2691, 2692, 2693,
 2694, 2695, 2696, 2697, 4570,
 5516
 \setdigitfont 2940
 \SetDisplayMathsDigits .. 5440,
 5449, 5461, 5471, 5474
 \SetEnumerateShortLabel . 1211,
 1212, 1213, 1214, 1215
 \setfontsize 3366, 3972, 3974
 \SetInlineMathsDigits 5439, 5445,
 5457, 5470, 5475
 \setiranicfont 3173
 \setkeys 141, 158
 \setlatinmonofont 2972
 \setlatinsansfont 2971
 \setlatintextfont 2948, 4284
 \setlength 1880, 1883, 1902, 3338,
 3340, 3344, 3346, 3352, 3354,
 3358, 3360, 3368, 3372, 3374,
 3382, 3392, 3393, 3399, 3409,
 3410, 3416, 3426, 3427, 3432,
 3433, 3438, 3439, 3444, 3445,
 3450, 3451, 3456, 3457, 3462,
 3463, 3469, 3534, 3576, 3577,
 3584, 3585, 3586, 3587, 3588,
 3589, 3590, 3591, 3592, 4296,
 4328, 4363, 4364, 4365, 4366,
 4374, 4375, 4376, 4377, 4381,
 4382, 4383, 4384, 4589, 4593,
 4634, 4635, 4652, 4657, 4658,
 4782, 4814, 4886, 4911, 4914,
 4962, 4963, 5011, 5012, 5078,
 5079, 5095, 5506, 5597, 5599
 \setLTRcitationfont 84
 \SetMathAlphabet 5221
 \SetMathAlphabet@ 5221
 \SetMathCharDef 5235, 5367
 \SetMathCode 5233, 5356, 5357, 5358,
 5359, 5360, 5361, 5362, 5363,
 5364, 5365, 5366
 \setmathdigitfont 5340
 \setmathsfdigitfont 5375
 \setmathtdigitfont 5390
 \setmonofont 2972
 \setnavarfont 3101
 \setpersianfont .. 88, 1291, 1464,
 2668, 3220, 3235, 3246, 3257,
 3282
 \setpersianmonofont 3077
 \setpersiansansfont 3053
 \setpookfont 3125
 \setsansfont 2971
 \setsayehfont 3149
 \SetSymbolFont 5220
 \SetSymbolFont@ 5220
 \settextdigitfont 2899
 \settextfont 2875, 3918
 \setthesection 1740
 \sf@size 4254, 4256
 \sffamily 4393
 \shadowbox 4965, 5018
 \shadowsize 4963, 5012, 5016
 \shortarticleitem 5148
 \shortarticleItemFormat .
 4546, 4547
 \shortarticleSubtitleFormat ..
 4544, 4545
 \shortarticleTitleFormat 4542,
 4543
 \sixt@@n 1813, 1850



\skip 3578
 \slftitle 1758
 \sltttitle 1759
 \small 3400, 3401, 3615, 4372, 4373,
 4427, 4431, 4437, 4508, 4530,
 4549
 \smash 3618
 \SOUL@tt ... 2655, 2657, 2665, 2669
 \SOUL@tt@latin 2655, 2661
 \SOUL@tt@nonlatin ... 2656, 2659
 \SOUL@ttwidth 2666, 2670
 \space 2176, 2265, 2777, 3279, 3869,
 4596, 4597, 4737, 4738, 4740,
 4769, 4770, 4772, 4803, 4804,
 4806, 4823, 4824, 4826, 4844,
 4845, 4847, 4943, 4944, 4946,
 5053, 5537, 5772, 5773
 \SplitFootnoteRule 4047
 \ssf@size 4260, 4262
 \stctitle 1757
 \stepcounter . 26, 2685, 5512, 5525,
 5556
 \str .. 2891, 2963, 3069, 3093, 3117,
 3141, 3165, 3189
 \string . 67, 1939, 1973, 2062, 2431,
 3275, 4181, 4185, 4248, 4250,
 4254, 4256, 4260, 4262
 \strip@pt . 3202, 3207, 3322, 3370,
 4241
 \subparagraphautorefname . 1497
 \subsectionautorefname ... 1494
 \subsubsectionautorefname 1495
 \symnew@mathbf@font@digits 5246
 \symnew@mathit@font@digits 5254
 \symnew@mathrm@font@digits 5262
 \symnew@mathsf@font@digits 5270
 \symnew@mathtt@font@digits 5278

T

\tableautorefname 1489
 \tablename 1345, 1362, 3621
 \tabularxcolumn 5494
 \tartibi .. 1192, 1206, 1211, 2574,
 2608, 2638, 3760
 \tartibinumeral 3766
 \test 1586, 1587, 1588

\textbf 2, 3, 1469, 1471, 1473, 1475,
 4954, 4988, 5003, 5041
 \textblockorigin 4614
 \textdegree 4428
 \TextDigitFontOff 3330
 \TextDigitFontOn 3329, 3332
 \textfloatsep 3582, 3586
 \textheight 4621, 4646
 \textiranic 3048
 \textit 4539
 \textnavar 3049
 \textpersiansf 3046
 \textpersiantt 3047
 \textpook 3050
 \textsayeh 3051
 \textsc 4541
 \textsf 3600
 \textsuperscript 2134
 \texttt 4398
 \textwidth 1907, 4620, 4640, 4952,
 5543
 \textwidthfootnoterule ... 4049
 \tf@size 4248, 4250
 \thanks 4551, 4571
 \the 137, 142, 1570, 1572, 1576, 1578,
 1884, 2382, 2387, 2393, 2400,
 2410, 2424, 2807, 3293, 3294,
 3295, 3298, 3299, 3300, 3304,
 3305, 3306, 3309, 3310, 3311,
 3373, 3385, 3386, 3387, 3388,
 3389, 3402, 3403, 3404, 3405,
 3406, 3419, 3420, 3421, 3422,
 3423, 3430, 3436, 3442, 3448,
 3454, 3460, 3466, 3480, 3481,
 3496, 3497, 3511, 3512, 3527,
 3528, 3542, 3544, 4596, 4597,
 5082, 5470, 5474, 5745, 5754,
 5764
 \the@choice 5515, 5537
 \thebook 1741
 \thechapter 20, 31,
 103, 114, 121, 133, 1286, 1298,
 1740, 1747, 2537, 2544, 2551,
 2559, 2600, 2630
 \theclass 1583, 1588
 \theHchapter 1506, 1523



\theHsection	1505, 1521	
\thempfn	1909	
\thempfootnote	1909, 3910	
\theoremautorefname	1499	
\thepage ..	2176, 2193, 2223, 2265, 3279, 4438	
\thepart	9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1271, 1281, 1293, 1531, 1742, 2532, 2539, 2546, 2554, 2562, 2595, 2625	
\thequestion	5536, 5576, 5612	
\thesection ..	12, 34, 43, 49, 55, 61, 1275, 1534, 2566	
\thirdarticle ..	4776, 4803, 4804, 4806	
\thirdSubtitleFormat .	4503, 4505	
\thirdTextFormat ..	4506, 4507	
\thirdTitleFormat	4494, 4499, 4500	
\thispagestyle	4693, 4698	
\thr@@	1577, 1936, 1955, 1956, 1970, 1991, 1992, 2018, 2030, 2031, 2059, 2086, 2087	
\tikz@finish	2673	
\tikz@preactions ..	2674, 2677	
\timestamp .	4531, 4728, 4758, 4794	
\timestampFormat	4530, 4532	
\timestampSeparator ..	4529, 4534	
\timestampTxt	4528, 4533	
\tiny	3434, 3435, 4368	
\title	4577	
\TitleBarFrame .	1469, 1471, 1473, 1475	
\tl	2862, 2863, 2864, 2871, 2883, 2892, 2964, 2971, 2972, 3061, 3070, 3085, 3094, 3109, 3118, 3133, 3142, 3157, 3166, 3181, 3190, 5212, 5229, 5286, 5368, 5369, 5370, 5385, 5400	
\tmp	5490	
\today	3258, 3260, 5049	
\topsep	3472, 3480, 3488, 3496, 3503, 3511, 3518, 3527, 3532, 3542, 3545	
\TPHorizModule .	4409, 4634, 4733, 4765, 4816, 4863, 4864, 4887, 4888, 4911	
\TPVertModule	4635	
\true	5565	
\truesymbol	5559	
\ttdefault	2935, 2936	
\tw@ ..	1569, 1831, 1834, 1916, 1922, 1923, 1925, 1935, 1945, 1946, 1969, 1979, 1980, 2017, 2023, 2024, 2029, 2058, 2068, 2069, 2277, 3293, 3294, 3295, 3298, 3299, 3300	
\twocolumnstableofcontents	3611	
\typeout	2806, 2808, 4582	
U		
\Umathchardef	5236	
\Umathcode	5234	
\undefined	1771, 5406, 5438, 5446, 5447, 5448, 5450, 5451, 5452, 5458, 5459, 5460, 5462, 5463, 5464	
\unhbox	1893	
\unpenalty	172	
\unskip	169, 2047, 2048, 2049, 2134, 2197, 2228	
\unvbox	1893	
\use ..	2884, 2897, 2907, 2938, 2956, 2969, 2987, 2991, 3011, 3015, 3062, 3075, 3086, 3099, 3110, 3123, 3134, 3147, 3158, 3171, 3182, 3195, 5373, 5388, 5403	
\use@mathgroup	5171	
\usebox	4586	
\usecounter	5549	
V		
\value	2682, 5519, 5535	
\vbox .	1864, 1881, 1886, 1887, 1904, 2011, 2101, 2105, 2111, 2115, 5125, 5151	
\vcenter	1890, 1891	
\verbatim@addtoline .	2366, 2381, 2392, 2399, 2401, 2409, 2411, 2423, 2425	
\verbatim@finish	2419	
\verbatim@processline	2370, 2383, 2403	



```

\verbatim@startline . 2359, 2371,
    2384, 2404
\version@elt ..... 5217
\version@list ..... 5217
\vfil ..... 4552, 4568
\voidb@x ..... 150
\vrbc@catcodes ..... 2353
\vskip ..... 4553, 4556, 4558, 4564
\vspace 4588, 4607, 4669, 4679, 4722,
    4726, 4749, 4752, 4756, 4763,
    4781, 4785, 4789, 4798, 4857,
    4861, 4917, 4938, 4986, 4990,
    5009, 5039, 5043, 5088, 5090,
    5100, 5103, 5128, 5130, 5150,
    5152, 5547, 5605, 5607
\vs ..... 1893
\vtop ..... 1888, 1889, 2010

    W
\wd ..... 2666, 2670
\weatherFormat ..... 4423, 4425
\weatheritem 4829, 4844, 4845, 4847
\weatherTempFormat .. 4427, 4837
\weatherUnits ..... 4428, 4839
\whiledo ..... 5519
\width ..... 1477, 2462, 2463
\write ..... 3275, 4084, 4096, 4108
\writexviiifalse ..... 2854
\writexviiittrue ..... 2852

    X
\X ..... 5489
\x ..... 2836, 2841
\xdef . 1507, 1525, 4248, 4250, 4254,
    4256, 4260, 4262, 5171, 5515,
    5520, 5544, 5545, 5566, 5567,
    5570, 5571
\XePersian . 1514, 3600, 3618, 4447
\xepersian ..... 2440, 2442
\xepersian@adadi ... 3676, 3701
\xepersian@adadi@tartibi 3777,
    3802
\xepersian@baselineskip@scale
    3200, 3206, 3218, 3222, 3224,
    3232, 4149, 4236
\xepersian@@fontsize@branch ..
    ..... 3966, 4141
\xepersian@@fontsize@scale 3199,
    3201, 3217, 3221, 3223, 3231,
    4137, 4232, 4243
\xepersian@@latin@baselineskip@scale
    .... 3208, 3218, 4153
\xepersian@@latin@fontsize@scale
    .... 3203, 3217, 4145
\xepersian@@math@fontsize@scale
    ..... 4133, 4241
\xepersian@start@switch@textdigitfont
    2917, 2919, 2922, 2924, 2926,
    2928, 2930, 2935, 4195
\xepersian@stop@switch@textdigitfont
    2918, 2920, 2921, 2925, 2927,
    2929, 2931, 2936
\xepersian@update@math@fontsize
    .. 4240, 4250, 4256, 4262
\xepersian@A 1561, 1593, 1607, 1609,
    2928, 2929
\xepersian@adadi .... 3670, 3675
\xepersian@adadi@tartibi 3771,
    3776
\xepersian@cmds@temp . 2831, 2849
\xepersian@coltitsize 4290, 5013,
    5014, 5015, 5016, 5019, 5024,
    5029, 5034
\xepersian@computeautoilg 3289,
    4271
\xepersian@cx ... 4617, 4622, 4639
\xepersian@cy ... 4618, 4623, 4645
\XePersian@d 5618, 5643, 5748, 5767,
    5769, 5772, 5777
\xepersian@D 1558, 1595, 1596, 1597,
    1598, 1602, 1603, 1604, 1606,
    1607, 2924, 2925
\xepersian@dahgan 3734, 3755, 3838
\xepersian@dahgan@tartibi 3836,
    3844
\XePersian@dn .. 5638, 5737, 5745,
    5748, 5751, 5755, 5767, 5769
\xepersian@dx .. 4615, 4620, 4631,
    4634
\xepersian@dy .. 4616, 4621, 4632,
    4635

```



\xepersian@edition . 4397, 4401,
4437, 4557, 4689
\xepersian@editionLogo .. 4399,
4667, 4685
\xepersian@editorialTit . 5094,
5113
\xepersian@editorialTitle 4540,
5099
\xepersian@everyjob .. 2807, 2808
\xepersian@firstText . 4472, 4728
\xepersian@firstTitle 4460, 4723
\xepersian@fmbox 4583, 4585, 4586
\xepersian@footcenter 4449, 4456,
4708
\xepersian@footleft . 4451, 4455,
4707
\xepersian@footright 4446, 4457,
4706
\xepersian@frag 3969, 3971, 3972,
3974
\xepersian@gridcolumns .. 4312,
4314, 4353, 4357
\xepersian@gridrows . 4311, 4313,
4353, 4357
\xepersian@headcenter 4433, 4443,
4705
\xepersian@headDateTime . 4419,
4673, 4687
\xepersian@headleft . 4430, 4442,
4704
\xepersian@headright 4436, 4444,
4703
\XePersian@i 5618, 5741, 5742, 5744,
5745, 5746, 5749, 5753, 5754,
5757, 5758, 5761, 5764, 5766
\xepersian@ilg . 3286, 3290, 3294,
3295, 3299, 3300, 3318
\xepersian@imgsize . 4289, 4590,
4591, 4593, 4602, 4603
\xepersian@incolumntitle 5000,
5019, 5024, 5029, 5034
\xepersian@indexEntry 4409, 4936
\xepersian@indexEntryPage 4415,
4936
\xepersian@indexFrameTitle 4405,
4912
\xepersian@indexwidth 4293, 4412,
4911, 4915, 4916
\xepersian@inxpandedtitle 4951,
4966, 4971, 4976, 4981
\xepersian@innerSubtitle 4527,
5067
\xepersian@innerTitle 4516, 5066
\XePersian@kabisehfalse . 5688,
5694
\XePersian@kabisehtrue .. 5694
\xepersian@kashida . 1564, 1602,
1603, 1604, 1605, 1606, 1607,
1608
\xepersian@kashidachar .. 1556,
1570, 1572, 1574, 1576, 1578
\xepersian@L 1559, 1599, 1603, 1604,
1605, 1608, 1609, 2926, 2927
\XePersian@latini .. 5619, 5665
\XePersian@latinii . 5620, 5667,
5669
\XePersian@latiniii .. 5621, 5671
\XePersian@latiniv .. 5622, 5672
\XePersian@latinix .. 5627, 5677
\XePersian@latinv .. 5623, 5673
\XePersian@latinvi .. 5624, 5674
\XePersian@latinvii .. 5625, 5675
\XePersian@latinviii .. 5626, 5676
\XePersian@latinx .. 5628, 5678
\XePersian@latinxi .. 5629, 5679
\XePersian@latinxii .. 5630, 5680
\XePersian@leapfalse 5650, 5654,
5660
\XePersian@leaptrue .. 5660, 5661
\xepersian@localize@verbatim@
2361, 2362, 2364, 2372, 2385,
2394, 2405, 2413, 2427
\xepersian@localize@verbatim@
..... 2364, 2365
\xepersian@localize@verbatim@
..... 2367, 2368
\xepersian@localize@verbatim@
..... 2407, 2417
\xepersian@localize@verbatim@rescan
..... 2421, 2430
\xepersian@localize@verbatim@start
.. 2358, 2433, 2434, 2445



\xepersian@localize@verbatim@test 2376, 2378, 2379
 \xepersian@localize@verbatim@testend 2390, 2397
 \xepersian@lrm 1555, 1567
 \XePersian@m 5618, 5643, 5739, 5758, 5761, 5773, 5776
 \xepersian@milyoongan 3703, 3714
 \xepersian@milyoongan@tartibi 3804, 3815
 \XePersian@mminusone 5640, 5739, 5740, 5742, 5746
 \xepersian@ncol 4644, 4645
 \xepersian@ncolumns . 4294, 4995, 4996, 5063
 \xepersian@nrow 4638, 4639
 \xepersian@numberoutoffrange 3661, 3672, 3773
 \xepersian@numberstring . 3658, 3666
 \xepersian@numberstring@tartibi 3764, 3767
 \xepersian@PackageInfo 5232, 5349
 \xepersian@pageleft . 4292, 5079, 5080, 5082, 5084
 \xepersian@pageneed . 4291, 4593, 4594, 4596, 4599, 5078, 5084
 \xepersian@pages 4513, 4748, 4780, 5065
 \XePersian@persian@month 5773, 5778
 \XePersian@persiani . 5619, 5719, 5720, 5750, 5767
 \XePersian@persianii . 5620, 5721
 \XePersian@persianiii . 5621, 5723, 5725
 \XePersian@persianiv . 5622, 5727
 \XePersian@persianix . 5627, 5732
 \XePersian@persianv .. 5623, 5728
 \XePersian@persianvi . 5624, 5729
 \XePersian@persianvii . 5625, 5730
 \XePersian@persianviii .. 5626, 5731
 \XePersian@persianx .. 5628, 5733
 \XePersian@persianxi . 5629, 5734
 \XePersian@persianxii 5630, 5735
 \XePersian@persianxiii . . . 5631, 5736
 \xepersian@pictureCaption 4509, 4605, 4819
 \xepersian@R 1560, 1594, 1606, 1608, 2930, 2931
 \xepersian@sadgan . . . 3707, 3712, 3716, 3720, 3725, 3808, 3821
 \xepersian@sadgan@tartibi 3813, 3817, 3826
 \xepersian@say . . . 4582, 5062, 5082, 5085, 5087, 5111, 5137
 \xepersian@secondSubtitle 4485, 4754
 \xepersian@secondText 4489, 4758
 \xepersian@secondTitle . . . 4476, 4750
 \xepersian@section . . . 4429, 4434, 5058
 \xepersian@setlength 3334, 3377, 3379, 3380, 3394, 3396, 3397, 3411, 3413, 3414, 3470, 3472, 3486, 3488, 3501, 3503, 3516, 3518, 3532, 3578, 3580, 3582, 3593
 \xepersian@shellescape . . . 2851
 \xepersian@shortarticleItemTitle 4547, 5151
 \xepersian@shortarticleSubtitle 4545, 5131
 \xepersian@shortarticleTit 5123, 5138
 \xepersian@shortarticleTitle 4543, 5127
 \XePersian@sn 5639, 5738, 5750, 5751, 5754, 5755, 5764, 5769
 \xepersian@strutilg . 3287, 3290, 3305, 3306, 3310, 3311, 3318, 3319, 3322, 4272, 4275
 \xepersian@tartibi . . . 3764, 3849
 \xepersian@tcl . 3285, 3290, 3292, 3293, 3294, 3295, 3298, 3299, 3300, 3304, 3305, 3306, 3309, 3310, 3311, 3316, 3317
 \XePersian@temp 5633, 5644, 5645,



5646, 5648, 5652, 5653, 5654,
5657, 5658, 5659, 5660, 5682,
5683, 5684, 5687, 5688, 5690,
5693, 5694, 5698, 5699, 5702,
5705, 5710, 5715, 5717, 5718,
5720
\xepersian@tempa . 3980, 3988, 3996,
4004, 4011, 4019, 4026, 4033,
4039, 4051, 4057, 4063, 4067,
4071, 4077, 4090, 4102, 4114,
4156, 4163, 4170, 4177, 4192,
4202
\xepersian@tempb . 3980, 3981, 3988,
3989, 3996, 3997, 4004, 4005,
4011, 4012, 4019, 4020, 4026,
4027, 4033, 4034, 4039, 4040,
4051, 4052, 4057, 4058, 4063,
4064, 4067, 4068, 4071, 4072,
4077, 4078, 4090, 4091, 4102,
4103, 4114, 4115, 4156, 4157,
4163, 4164, 4170, 4171, 4177,
4178, 4192, 4193, 4202, 4203
\XePersian@tempthree . 5635, 5696,
5697, 5698, 5700, 5703, 5706,
5707, 5711, 5714, 5715, 5716,
5717
\XePersian@temptwo . 5634, 5684,
5685, 5686, 5687, 5690, 5691,
5692, 5693, 5700, 5701, 5702,
5703, 5704, 5705, 5707, 5708,
5709, 5710, 5711, 5712, 5713,
5714
\xepersian@textdigitfont . 2909,
2935, 4196
\xepersian@thirdSubtitle . 4504,
4787
\xepersian@thirdText . 4507, 4794
\xepersian@thirdTitle . 4495, 4783
\XePersian@thirtytwo . 5637, 5681,
5688
\xepersian@tmp 3968, 3969
\xepersian@V 1562, 1600
\xepersian@value 3971, 3974
\xepersian@version 2775, 2777,
2794, 2810, 2812, 2818, 2824,
3603, 3607
\xepersian@weather 4424, 4859
\xepersian@www 4394, 4667
\xepersian@wwwFormat 4393, 4395
\XePersian@y . 5618, 5643, 5644, 5647,
5657, 5660, 5682, 5696, 5759,
5762, 5773, 5775
\xepersian@yekani 3707, 3735,
3739, 3746, 3749, 3808
\xepersian@yekanii 3658, 3720,
3745, 3821
\xepersian@yekaniii 3716, 3748,
3817
\xepersian@yekaniv 3727, 3751,
3828
\xepersian@yekanv 3840, 3856
\XePersian@yModHundred 5636,
5647, 5648, 5649, 5652, 5656
\xepersian@zwj 1554, 1566, 1579
\xepersiandate 2776, 2777, 2794,
3603
\xepersianInit 4350, 4651
\xepersianversion 2809
\XeTeXcharclass 1588
\XeTeXcharglyph 1570, 1572, 1576,
1578, 3293, 3294, 3295, 3298,
3299, 3300, 3304, 3305, 3306,
3309, 3310, 3311
\XeTeXglyphbounds 1569, 1571,
1575, 1577, 3293, 3294, 3295,
3298, 3299, 3300, 3304, 3305,
3306, 3309, 3310, 3311
\XeTeXinterchartoks 1602, 1603,
1604, 1605, 1606, 1607, 1608,
1609, 2917, 2918, 2919, 2920,
2921, 2922, 2924, 2925, 2926,
2927, 2928, 2929, 2930, 2931
\xpg@warning 3862, 3867, 3869



1927, 1937, 1941, 1942, 1947,
 1961, 1971, 1975, 1976, 1981,
 1997, 2019, 2020, 2031, 2049,
 2060, 2064, 2065, 2078, 2092,
 2279, 2325, 2327, 2336, 2460,
 2461, 2468, 2469, 2665, 2666,
 2669, 2670, 2919, 2920, 3240,
 3241, 3250, 3251, 3290, 3293,
 3298, 3304, 3309, 3335, 3336,
 3337, 3343, 3350, 3351, 3357,
 3379, 3396, 3413, 3534, 3543,
 3587, 3702, 3704, 3706, 3710,
 3726, 3729, 3735, 3803, 3805,
 3807, 3811, 3827, 3830, 3840,
 3869, 3891, 3895, 3899, 3902,
 3967, 5694
 \ziffer@check 5412, 5413
 \ziffer@dcheck 5411, 5412
 \ziffer@DotOri 5409, 5412
 \ZifferAn 5407, 5410
 \ZifferLeer 5412, 5438

☒

\ 1119, 1749, 2345
 \ 1773, 1775, 1778, 1785
 \ 1778
 \ .. 1763, 1770, 1771, 1774, 1775,
 1783, 1785
 \ 1768, 1769, 1773, 1780
 \ 1761, 1767, 1768, 1773, 1778, 1779
 \ .. 1120, 1121, 1122, 1123, 1124,
 1125, 1126, 1127, 1771
 \ .. 1773, 1774, 1779, 1780, 1782,
 1783
 \ 1773, 1778
 \ 1773, 1774, 1779, 1783
 \ 1768, 1769
 \ 1773, 1775, 1780, 1785

@ \ 1762, 1766

☒

@ \ 2470, 2471, 2472, 2473, 2474,
 2475, 2476, 2477, 2478, 2479,
 2480, 2481, 2482, 2483, 2484,
 2485, 2486, 2487, 2488, 2489,
 2490, 2491

